


THKFBV105GY0A2
THKFBV105WH0A2

ASSEMBLY INSTRUCTIONS


***The vessel and faucet set is not included**

DIMENSION



























Unit: inch

ASSEMBLY DIAGRAM











PARTS LIST

PARTS LIST					
No.	Description	QTY	No.	Description	QTY
1		1	13		1
2		1	14		4
3		1	15		1
4		1	16		1
5		1	17		1
6		1	18		1
7		1	19		1
8		1	20		4
9		1	21		3
10		1	22		3
11		1	23		3
12		2	24		3


CAUTION: Please confirm the parts list before installtion

PARTS LIST

HARDWARE LIST		
No.	Description	QTY
A	 Three-in-one Connector	66
B	 Wood Plug	41
C	 Screws M4x30	4
D	 Screws M3.5x15	24
	 Hinges	4
E	 Handle	8
F	 Handle Screws M4x20	8
G	 Screws For Fix On The Wall	2


CAUTION: Please confirm the parts list before installtion

YOU MAY NEED (NOT SUPPLIED)




INSTALLATIONS

STEP 1



HARDWARE LIST	
A	66 PCS
E	5 PCS
F	5 PCS










• Insert the Cam Screw into the shelves above

STEP 2


HARDWARE LIST




B  25 PCS




- Insert the wooden dowel pins into the shelves

STEP 3







HARDWARE LIST		
A	 8 PCS	
C	 4 PCS	




- Assembling #6, #7 into #3, #4 as illustration N.1, then assembling #5 into #7, then tighten Cam Lock as illustration N.2. Finally, assembling #12 into #3, #4 as illustration N.3

STEP 4








HARDWARE LIST		
A	 9 PCS	
B	 4 PCS	




- Insert the wooden plug into #9 , assembling #9 into Step 3 as illustration N.1, then assembling the left board #2 into #9. Tighten CamLock as illustration N.2.

STEP 5








HARDWARE LIST		
A	 9 PCS	
B	 4 PCS	




- Insert the wooden plug into #8 into #1, assembling #8 into Step 4 as illustration N.1. Insert the right board #1 into #8. Tighten CamLock as illustration N.2.

STEP 6




HARDWARE LIST		
A	 8 PCS	
B	 8 PCS	




- Insert the wooden plug into the assembled Step 5 as illustration N.1. Assembling the bottom board #13 upside down, clockwise #14, #15, then tighten CamLock referring illustration N.2.

STEP 7




HARDWARE LIST		
D		4 PCS
		8 PCS




- Use Screws to install and fix the Hinges onto the board #10, #11 referring to the illustration.

STEP 8



HARDWARE LIST		
D		16 PCS
E		3 PCS
F		3 PCS






A. Height adjustment
C. Depth adjustment


B. Side to side adjustment
D. After adjustment A/B/C, tighten screws

- To ensure proper cabinet alignment, refer to the above illustration for instructions about adjusting the cabinet height, depth and lateral movement. Then, assembling E, F into #7 and #10, #11 as illustration, tighten Handle Screws.

STEP 9






HARDWARE LIST		
A	 12 PCS	




- Assembling #22, #23 into the board #24 by Three-in-one Connectors as illustration N.1&2 Tighten CamLock, finally insert #20 into the assembled.

STEP 10






HARDWARE LIST		
A	 12 PCS	




- Pin #21 into the assembled Step 9 by Three-in-one Connectors as illustration N.1&2. Then tighten the Cam Lock referring to illustration.

STEP 11






HARDWARE LIST		
A	 4 PCS	




- Assembling #17, #18 into #19 by Three-in-one Connector as illustration N.1&2. Tighten the Cam Lock, finally insert the board #18 into the assembled.

STEP 12







HARDWARE LIST		
A	 4 PCS	



- Pin #16 into the assembled Step11 by Three-in-one Connectors as illustration N.1&2. Then tighten the Cam Lock referring to illustration.


STEP 13











Attention: Insert lever

- To ensure proper cabinet alignment, adjust the sliding rails to fits the drawer into the installed shelf according to the illustration.

STEP 14




HARDWARE LIST		
	2 PCS	
G 	2 PCS	
	2 PCS	



- Mark two small points according to the existing spacing on the cabinet rail as illustration, then drill two holes on the wall, and fix to the wall by Screws For Fix On The Wall.

STEP 15



- To help preventing mildew, apply sealant to the space between the wall and the edge of the cabinet.

CARE AND CLEANING

1. Many cleansers contain abrasive and chemical substance which is not suitable for cleaning stainless steel, enamel, plating or plastic products. You may use mild cleansers or soaps to clean the surfaces. Wipe any splashes of cleaner solutions from the surface with a clean soft cloth.
2. Maintain ventilation in the bathroom and separate the dry area from the damp one if conditions permit. Try to open the door and windows of the bathroom to maintain adequate ventilation.
3. This cabinet is built to withstand normal bathroom humidity. For best results, keep this vanity dry and take necessary steps to minimize bathroom humidity by opening windows and doors and using the exhaust fan (if available).
4. To maintain the cabinet door, clean and wipe the door regularly with a soft cloth. Wipe condensation with a dry, soft cloth. Keep away from resin and high temperatures.
5. Please do not sit, lean or step on the basin cabinet.

FEEDBACK ★★★★★

Thank you very much for purchasing from us.

We have always been trying to provide the best service and reliable products for every customer.

We sincerely hope you will be satisfied with our products and leave us FIVE STARS and POSITIVE feedback/review in our page.

However, accident may happen sometimes, please contact us to resolve any issue before leaving a negative feedback.

Many thanks and welcome to our shop again!

Contact number: (323)-393-8260

E-mail: service@eclifeusa.com