
Assembly Instruction



USER'S MANUAL


1PC 3-SEAT SOFA

Please give us a chance to make it right and do better!

Contact our friendly customer service department for help first.

Replacements for missing or damaged parts will be shipped ASAP!

FLOOR AREA
3MX3M




ASSEMBLED BY 2 ADULTS

Contact Us!

Please do not return the product. For any after-sales issues, please contact us through the email below. If you need to return the product, please keep the package box carefully, as we only accept returns in the original packaging

Before You Start




⚠ Read each step carefully before starting. It is very important to ensure each step followed in correct order, otherwise assembly difficulties may occur.

⚠ Keep small children away from moving parts and potential pinch points.

⚠ Work in a spacious area, preferably on a carpet close to where the unit will be used.

⚠ Keep the handtools close at hand. Do not use power tools to assemble your furniture. They may scratch or damage the parts.



X1

RETURNS








DEFECTIVE ITEMS

- If your ITEM is defective in any way, i.e. it doesn't work but you can't identify why, in the first instance, please contact us via the following email address, We will respond to you within 48 hours.



DAMAGED ITEMS

- If you receive an order with obvious shipping damage from the retailer we suggest refusing the delivery. If the delivery has been accepted and shipping damage is later found, please take photos of the shipping label on the box (including the tracking sticker), any damage to the packaging and the product itself (if any tears, dents, or openings are visible).
- In all circumstances, please save all packaging material and paperwork for the order.
- Please be aware that if you dispose of packaging material or attempt to return the merchandise without contacting the fulfiller, you will jeopardise your chances of making a claim, and you may not receive a credit for the return.

Parts List

Lable	Picture	Description	QTY
A		Letf Leg	1
B		Right Leg	1
C		Seat	1
D		Seat	1
E		Backrest	1
F		Backrest	1
G		Middle Leg	1


Hardware

Lable	Picture	Description	QTY
①		Washer	16
②		Nut	5
③		Bolt	4
④		Bolt	5
⑤		Bolt	12
⑥		Allen Wrench	2


Open the carton and place all the parts onto a clean, non-marring surface.

STEP 1

②	④	⑥
5pcs	5pcs	



Use the same steps to splice the back of the seat



For reference: Screws only need to be tightened to 80%

Splice the two seat frame (C) & (D), first align the holes of the two seat frame (C) & (D), use 3 Bolts ④ and 3 nuts ② to pass through the holes and use allen wrench ⑥ tighten Bolts ④ and the nuts ②.


Repeat the same steps to complete the back panel (E) & (F) splicing.


Tighten all screws to 80% tightness only.

This step needs two people to work together.

STEP 2

①	⑤	⑥
		
3pcs	3pcs	





For reference: Screws only need to be tightened to 80%

Place the chair leg (A) flat on the floor, align the seat frame (C) & (D) with the pre-drilled holes on the legs (A) (mind the seat's orientation: the smooth surface faces upward).


Tighten all screws to 80% tightness only.


This step needs two people to work together.

Important Safety Note: This step requires two people to cooperate. Please be sure to hold the seat board firmly to prevent accidents.

STEP 3

①	③	⑤	⑥
9pcs	4pcs	5pcs	





For reference: Screws only need to be tightened to 80%

Align the back panels (E) & (F) with the pre-drilled holes on the chair legs (A).

At the mounting point, place a washer (①) first, then insert a screw (⑤).

Align the back panels (E) & (F) with the pre-drilled holes on the seat boards (C) & (D).


At each of the four mounting points, place a washer ① and insert a screw ⑤.


Install the middle support (G) at the center between the seat frames (C) & (D), using 4 bolts ③.


Secure with all the screws, tightening them to 80% of full tightness.

Important Safety Note: This step requires two people to cooperate. Please be sure to hold the seat board and back panels firmly to prevent accidents.

STEP 4

①	⑤	⑥
		
4pcs	4pcs	





For reference: Screws only need to be tightened to 80%

IMPROTANT NOTE: Please carefully lay the sofa flat as shown in the diagram.


Since the center leg has already been installed, the sofa can be laid flat, but the process must be carried out with extreme care and requires the assistance of two people at the same time.


Align the chair leg (B) with the pre-drilled holes on the seat frame (D) and the back panel (F).

Secure it with screws, tightening them to only 80% of full tightness.

This step requires two people to coordinate.

STEP 5





Important note: At this point, all previously installed screws must be tightened to 100% (fully tightened) to complete one chair.

Stand the sofa upright on a flat surface. Stand up and tighten all bolts in sequence, then check and confirm that all components are in place and securely fastened.

Congratulations! Your sofa is now fully assembled and ready for use.

Great job on finishing the assembly!

Note: This sofa is only suitable for use on flat surfaces.