



Step 14


Place the shoe cabinet against the wall and install expansion screws by drilling holes in the positioning holes on the back panel ④ to complete the installation









Assembly Instructions



Installation Instructions



① Top Panel	② Left Side Panel	③ Right Side Panel
④ Back Panel*2	⑤ Lower Pull Rod	⑥ Pull Rod*2
⑦ Door Panel*3	⑧ Drawer Left Side Panel*3	⑨ Drawer Right Side Panel*3
⑩ Drawer Bottom Panel*3	⑪ Stand Feet*2	⑫ Shoe stop*3

48-M5x12 	2 set 	x6 
x3 	x3 	x3 
x6 	x2 	x1 
1 set 	x8 	

Please scan the QR code to watch installation video.



If any problems about our products, please send your message to our after-sales

Email: productservice01@163.com

■ General Advice:

- 1: Assemble on a clean flat surface
- 2: Please check you have all hardware before assembling.
- 3: If you are missing any hardware, please contact xiaomengya2020@163.com
- 4: Please follow that all parts are complete.

■ NOTE

- 1 : Please put the locker on a flat ground, Don't separate the locker from the ground.
- 2 : It is suggested to assemble the item with two people.
- 3 : Please wipe the locker with a soft towel to remove dust or stains, don't use abrasive cleaning tool.
- 4 : Please stay away from acid and alkaline substances.
- 5 : Don't expose product to direct sunlight or humid environment to keep from aging the product surface.
- 6 : Each accessory bag will be equipped with a few extra screws to prevent you from losing accessories during installation.

■ WARNINGS

- 1: Pay attention to sharp corners during use to avoid personal injury.
- 2: It is forbidden to sit or stand on the product, or use it as a ladder or climbing tools.
- 3: Gently open and close the door to avoid pinching fingers.
- 4: Please handle the carton for package properly and keep it away from children to avoid personal injury.


■ DANGER

CHILDREN MUST BE SUPERVISED

CAUTION: This product is intended to hold the maximum weight indicated. Exceeding the maximum weight will result in instability and may cause possible injury.


Step ①

Install the spring door shaft on the left side panel② and right side panel③, note the hole positions




Step ②

Connect and fix the left side panel② and the right side panel ③ to the two back panels④ with 8 screws (5x12mm)




Step ③

Connect and fix the top panel① to the left and right side panels②③ and the back panels④ with 7 screws (5x12mm)




Step 4

Install the lower pull rod ⑤, bend the two side buckles to 90° to lock and fix the lower pull rod




Step 5

Install the pull rods ⑥ and fix them with 4 screws (5x12mm)




Step 6

Install the shock-absorbing pad and the square magnetic attraction on the pull rods ⑥ and the top panel ①




Step 7

Bend the three drawer bottom panels ⑩ to 90°, install the handle of door panels ⑦, and fix them with 3 screws




Step 8

Connect the drawer left side panel⑧ and the drawer right side panel⑨ to the drawer bottom panel⑩, and press the two side buckles to fix them




Step 9

Bend the drawer junction buckles and screw buckles to 90° (note the bend direction) , connect the drawers to door panels ⑦ and fix them respectively with 7 screws (5x12mm)




Step 10

Put and fix the shoe stop¹² in the drawer




Step 11

Put the drawer horizontally into the cabinet. First, insert one side door shaft, and then install the other side door shaft



Step 12

Bend the buckles on each side panel of the drawer to 90° to make them serve as the opening and closing limit



Step 13

Install the stand feet screws on the stand feet¹¹, install the stand feet¹¹ to the bottom of the shoe cabinet with 8 screws (5x12mm)

