

29" BARSTOOL

ASSEMBLY INSTRUCTION



Assembly Instruction

ASSEMBLY TIPS:

- 1.Remove hardware from box and sort by size.
- 2.Please check to see that all hardware and parts are present prior to start of assembly.
- 3.Please follow attached instructions in the same sequence as numbered to assure fast & easy assembly.




Warning!

- 1.Don't attempt to repair or modify parts that are broken or defective.Please contact the store immediately.
- 2.This product is for home use only and not intended for commercial establishment.

PARTS IDENTIFICATION


(A)



COMPLETE SEAT

1 PCS


(B)



LEG

2 PCS


(C)



SMALL CROSS BAR

2 PCS






(D)



LARGE CROSS BAR


2 PCS

ASSEMBLY INSTRUCTION

Z	HARDWARE IDENTIFICATION		
1	ALLEN WRENCH M5mm		1PC
2	BOLT Ø5/16"x1-3/4"		4 PCS
3	LOCK WASHER Ø5/16"		4 PCS
4	WOOD CAP 19mm×R15MM		4 PCS
5	SCREW Ø 8x1-1/2"		10 PCS


ASSEMBLY INSTRUCTION

STEP 1



Insert the wood dowel into the cross bar. Use lock washer and bolts to secure cross bar to legs. Then insert the wood caps.


STEP 2



Use screws to secure legs to the seat. Tighten all bolts and screws with Allen Wrench.

ASSEMBLY INSTRUCTION

STEP 3



Assembly completed