






Assembly Instructions



ASSEMBLY INSTRUCTION




A	X 68+3	B	X 68+3	C	X 52+3	D	X 34+2	E	X 4	F	X 2
	Ø6*35mm		Ø15*10mm		Ø6*30mm		Ø5*38mm				
G	X 4+1	H	X 2	I	X 18+2	J	X 7	K	X 2	L	X 2
	Ø3*14mm				Ø3*12mm						M4*16mm
M	X 48+2	N	X 44+2	O	X 2	P	X 4+1	Q	X 8+1		X 1
	Ø20mm		Ø3.5*12mm		Ø4*12mm Ø4*38mm		Ø3.5*20mm				






friendly reminder




To avoid errors and confusion during the installation of accessories, use the type and quantity of hardware accessories according to the installation procedure described in the instructions. First, unroll the accessories bag and lay out the hardware accessories, cut holes in the side, and take out the hardware accessories



Step 01




Step 02




Step 03

This step requires you to hold Part #21 & 22 & 23 with your hands. This step requires two people to operate.




Step 04





When installing the accessory (F X2), do not tighten the screw (G X4) too tightly. Just tighten it to 80% of its maximum capacity. Then, in step 37, tighten it to 100%.







Step 05




ASSEMBLED BY
2ADULTS




Step 06




Step 07




Step 08






Step 09





Step 10






Step 11







Step 12




Step 13



Step 14




Step 15







Note that the direction of the hole is towards the inside.


This step requires you to hold Part #8 & 12 with your hands. This step requires two people to operate.



ASSEMBLED BY
2ADULTS




Step 16






Note that the direction of the hole is towards the inside.




This step requires you to hold Part #8 & 12 with your hands. This step requires two people to operate.






ASSEMBLED BY
2ADULTS






Step 17




Step 18





Step 19






Step 20





The slot on Component No. 1 should not be blocked




Step 21



Step 22






Step 23




Please note that the two end Part # ⑥ should not protrude; they should be flush with Part # ① & ②. Plate # ⑥ must not be tilted during installation.


Step 24




Step 25




Step 26



Step 27




D X2



Ø5*38mm

After locking the accessories, push Part #6 to both sides so that Part #6 can fit into the grooves of Part #7.

Step 28





B X1




Ø15*10mm

Step 29





B	X7	C	X6
			
Ø15*10mm		Ø6*30mm	

Step 30





Step 31



N	X14
	
Ø3.5*12mm	

G	I	N	P
			
X	X	✓	X
Ø3*14mm	Ø3*12mm	Ø3.5*12mm	Ø3.5*20mm





Step 32










N	X14
	
Ø3.5*12mm	

G	I	N	P
			
✗	✗	✓	✗
Ø3*14mm	Ø3*12mm	Ø3.5*12mm	Ø3.5*20mm


Step 33




Step 34





Step 35




Step 36



Step 37




Loosening this screw allows you to adjust the position of the door in the front and back. After adjusting the position, tighten the screw.




Press down the pin (E) for assembly.

Step 38




0	X2
	


Step 39



Ox2




Mx48



Mx48

Cover the visible hole with a cap



WALL



7

8

8

18

21



Step 40

