



# Memoirs® Classic | K-3986-RA

Two-piece round-front toilet, 1.28 gpf

## Features

- Two-piece design
- Round-front bowl offers an ideal solution for smaller bathrooms and powder rooms
- Comfort Height® feature offers chair-height seating that makes sitting down and standing up easier for most adults
- Right-hand Polished Chrome trip lever
- Combination consists of toilet bowl and tank
- Coordinates with other products in the Memoirs collection with Classic design
- Easy-to-flush canister design requires less force to actuate than a 3" (76 mm) flapper, and has 90% less exposed seal material which resists conditions that cause wear, tear, shrinkage and swelling
- Eligible for consumer rebates in some municipalities
- 1.28 gpf (4.8 lpf)
- 2-1/8" (54 mm) fully glazed trapway
- AquaPiston® canister optimizes the flow out of the tank, harnessing gravity and the natural, powerful reducing cascade of water to increase the power and effectiveness of the flush



1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.  
For the most current specification sheet, go to [www.kohler.com](http://www.kohler.com) USA or [www.kohler.ca](http://www.kohler.ca) Canada.  
7-29-2026 22:09 - US-CA

THE BOLD LOOK  
OF **KOHLER**

## Codes/Standards

*ADA compliant when installed to the specific requirements of these regulations.*

*Accessibility standards may require controls to be located on the open side of the toilet.*

*Plumbing codes may require elongated toilets and elongated, open-front seats in public bathrooms.*



ADA

ASME A112.19.2/CSA B45.1

DOE - Energy Policy Act 1992

EPA WaterSense®

ADA

ICC/ANSI A117.1

## Recommended Products/Accessories

1023457 Toilet Wax Ring And Hardware Kit

1265114 12" Toilet Supply Line

K-23726 Drain treatment

K-9167-R Trip lever

K-5589 Deodorizing round-front toilet seat

K-76923 Quiet-Close™ round-front manual bidet toilet seat

K-5420 Low-profile toilet bolt caps

## Warranty

*See website for detailed warranty information.*

KOHLER® Toilets and Seats Limited Warranty

## Technical Information

|                       |                                    |
|-----------------------|------------------------------------|
| Rough-in:             | Standard 12" (305mm)               |
| Flush Type:           | AquaPiston                         |
| Flush Rate:           | 1.28 gpf (4.8 lpf)                 |
| Bowl Shape:           | Round-front                        |
| Seat-Mounting Holes:  | 5-1/2" (140 mm)                    |
| Waste Outlet:         | Floor                              |
| Trapway Size:         | 2-1/8" (54 mm)                     |
| Trapway Type:         | Exposed                            |
| Water Surface Size:   | 11-1/2" x 8-3/4" (292 mm x 222 mm) |
| Rim to Water Surface: | 6-1/8" (156 mm)                    |

## Included Combo Skus

- K-4387 Round-front bowl with exposed trapway
- K-4433-RA Toilet tank, 1.28 gpf




1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.

For the most current specification sheet, go to [www.kohler.com](http://www.kohler.com) USA or [www.kohler.ca](http://www.kohler.ca) Canada.

7-29-2026 22:09 - US-CA



## Installation

- Seat and supply line sold separately

## Installation Notes

*Install this product according to the installation instructions.*

For back-to-back toilet installations: Use only a 45° double wye fitting.

ADA compliant when installed to the specific requirements of these regulations.

Plumbing codes may require elongated toilets and

elongated, open-front seats in public bathrooms.

Accessibility standards may require controls to be located on the open side of the toilet.

