

MX19040-10-P
OPERATIONS MANUAL



**4MODERN
HOME**

Assembly & Installation Instructions

Dear Customer:

Thank you for your business!

If you have any questions or problems, please send us an email to support@4modernhome.com or call us at 469-312-6428. We will do everything possible to make you completely satisfied with your purchase.

For video instruction, please search "MX19040-10-P" on Youtube.com

Product reviews help future customers to make their purchase decision. You are encouraged to share your experience by leaving a short product review on the platform where you bought this product.


Thank you!

4ModernHome

Warning: If any special control devices are used with this fixture, follow the instructions carefully to assure full compliance with N.E.C.requirements. If there are any questions, contact a qualified electric contractor.

Warning: California Residents Proposition 65
This product contains lead, a chemical known to the state of California to cause cancer and birth defects or other reproductive harm. Do not place the product in your mouth. Wash your hands after handling this product.

Caution: It is highly recommended to get an electrician to install this light. Please make sure to turn the electricity off at the main circuit breaker before beginning installation. All glass is fragile. Use care when handling glass component(s) and/or lamp(s).



(Rated 110V/60Hz, bulb 60W maximum.)

Applicable bulbtype:
B10、CA10
(Not included)



E12

WIRE CONNECTION DIAGRAM

Wires meeting safety standards are required to connect the electrical circuit.

CAUTION: Risk of fire



Please read all instructions carefully. Before you proceed to install, make sure that the power supply is turned off and remains off until installation is completed.


PARTS INCLUDED

Code	Part Description	QTY
A	Mounting Bracket	1 PCS
B	Canopy	1 PCS
C	Sling Chain	1 PCS
D	Lifting Ring	1 PCS
E	Decorative Cover	1 PCS
F	Lamp Plate 1	1 PCS
G	Round Ball	2 PCS
H	Lamp Holder	10 PCS
I	Crystal Dish	10 PCS
J	Lamp Arm	10 PCS
K	Crystal Cover	2 PCS
L	Lamp Plate 2	1 PCS
N	Decorative Nuts	1 PCS

Assembly and Installation Steps


Step 1

Open the it.



Step 2

Open the it.



Step 6

Lock together




Step 8

1. Lock the crossbar to the junction box of the ceiling by using 2 pcs of 5/32 screws in the accessories bag.
2. Connect the wires. The hot/positive (+) wire is the one which has writing on it. The negative (-) wire is the one which has no writing.
3. Cover the ceiling canopy and attach the screws to the canopy.


Step 4

Lock together




Step 3

Lock together



Step 5

Lock together



Step 5

Connect all white wires (-) from the arm together, and connect all black wires (+) from the arm together. Do not mix the black and white wires. There are two same main wires, they are thicker than the black and white wires. Connect black wires of the arms together with one of the main wire. Connect white wires of the arms together with the other main wire. The wires connection is finished.

Step 7

Lock together



Step 10

Install 10 E12 bulbs (Not included).



Step 9

Put it down



Step 11

Installation of crystal strings

1#

2#

4#

5#

6#

8#


7#

10#


Please note: The parts in this table are completely unassembled, for illustrative purpose. In the actual product that you receive, some parts are assembled and attached together.



1#



2#




3#



4#



5#




6#




7#



8#



9#



10#

