







Assembly Manual




CAUTION
THIS ASSEMBLY MANUAL CONTAINS IMPORTANT SAFETY INFORMATION.
PLEASE READ AND KEEP FOR FUTURE REFERENCE.

Ax2 Front legs 	Bx1 Rear leg 	Cx1 Rear leg 	Dx1 	Ex1 
H1x12  M8x70mm	H2x12  M8mm	H3x10  ϕ 8x ϕ 22x1.5mm	H4x2  ϕ 8x ϕ 16x1.2mm	T1x1 


ASSEMBLY INSTRUCTIONS

- 1 Take out Legs ABC and hardwares from pocket at the chair seat bottom.



- 2 Lay the chair Back E upside down on a soft, flat surface to avoid scratches. Using bolts (H1) with spring washers (H2), large flat washers (H3) and the Allen key (T1) to Attach the chair seat D from the inside of the pocket to the front of the chair Back E. **Do not fully tighten bolts.**

- 3 Using bolts (H1) with spring washers (H2), small flat washers (H4) and the Allen key (T1) to Attach the chair seat D from the the bottom of the wooden frame to the bottom of the chair Back E.




Note: After all four bolts are aligned with the holes and screwed in, tighten them completely one by one. Then zip up the bottom pocket.


ASSEMBLY INSTRUCTIONS

- 4 Attach Legs A to the front left and right corners of the seat base, and Legs B to the back left and right corners.
- 5 Use the provided hardware to secure each leg: insert one bolt (H1) through a flat washer (H2) and a large spring washer (H3), then tighten it into the pre-drilled holes using the Allen key (T1). Repeat this process for all four legs, using a total of 8 sets of hardware.

Note: Do not fully tighten all bolts.



- 6 Flip the chair over and press down on seat over legs to secure in place. Then fully tighten all bolts.



- 7 Please recheck the balance of the chair, adjust the foot levelers again if needed. Assembly complete. Enjoy.

