



Entryway Table

Assembly Instructions

XGZ005



Assembly Overview




Parts List

1 Tabletop

1000 × 300 × 20MM


Qty: 1



2 Cross rail

760 × 70 × 40MM


Qty: 2



3 Right side panel

780 × 285 × 40MM


Qty: 1



4 Left side panel

780 × 285 × 40MM

Qty: 1




Hardware List

A Wooden dowel

Ø8 × 30MM


8 + 1 PCS



B Hex socket screw

M6 × 35MM


12 + 1 PCS



C Hex socket screw

M6 × 55MM


6 + 1 PCS



D Flat washer

M6 × Ø13MM


18 + 2 PCS



E Spring washer


M6

18 + 2 PCS



G Anti-tip kit

1 set




Tool

Reuse tool F in the assembly steps.

F Ratchet wrench

M4 × 100MM


Qty: 1



Choose the Correct Screws


Using the correct screws helps prevent damage to components.

Example




Incorrect

Oversized screws can crack the panel.



Correct


Use the correct size screws.



Step 1

Insert dowels (A) into side panels (3) and (4) at the positions shown.

Hardware: A × 8




Step 2

Connect cross rails (2) to right side panel (3), as shown.

Hardware: B × 4, D × 4, E × 4 Tool: F × 1

Do not fully tighten the hardware yet.




Step 3

Attach left side panel (4) to the assembly from Step 2, as shown.

Hardware: B × 4, D × 4, E × 4 Tool: F × 1 (reused)

Do not fully tighten the hardware yet.





Step 4

Attach tabletop (1) to the assembly from Step 3, as shown.

Hardware: B × 4, D × 4, E × 4 Tool: F × 1 (reused)

Do not fully tighten the hardware yet.





Step 5

Install the remaining hardware at the positions shown.

Hardware: C × 6, D × 6, E × 6 Tool: F × 1 (reused)

After aligning all hardware, tighten it securely.



Step 6

Secure the assembled table to the wall with anti-tip kit G, as shown.

Hardware: G × 1 set

