


Installation Instructions

Coffee Table Set







Tips: Do not throw away packing materials until assembly is complete for small parts may come loose inside the carton during shipment.









If parts are missing, please contact us.


Assemble this item on a soft surface, such as carpet to protect the finish.

PARTS LIST

<p>①</p> 	<p>②</p> 	<p>③</p> 	<p>④</p> 
<p>Glass tabletop=1</p>	<p>Wooden tabletop=1</p>	<p>Glass table leg=1</p>	<p>Wooden table base=1</p>

HARDWARE LIST


<p>Ⓐ</p> 	<p>Ⓑ</p> 	<p>Ⓒ</p> 	<p>Ⓓ</p> 	<p>Ⓔ</p> 
<p>Glass tabletop leg=2</p>	<p>M8*250mm Screw=2</p>	<p>M8*120mm Screw=1</p>	<p>M8*55mm Screw=1</p>	<p>Non-slip pad at bottom=5</p>
<p>Ⓕ</p> 	<p>Ⓖ</p> 	<p>Ⓗ</p> 		
<p>Hexagonal screwdriver=1</p>	<p>Gasket for screws=5</p>	<p>M8*65mm Screw=1</p>		




phillips head screw driver
required
for assemble---not include

Step 1


The wooden table base ④ and the glass tabletop ① are placed at A horizontal position, and the wooden table base ④ is used as a temporary cushion



Prepare accessories: A=2, B=2, G=2, F=1,
Operation method: First put the wooden table base ④ and glass tabletop ① in A horizontal position, and then put A accessories, Then put the wooden tabletop ② on, and finally align the holes of the wooden tabletop ②, A and glass table top ① with B and G
Note: Don't lock B yet



Step 2




Prepare accessories:

D=1, G=2, F=1, H=1,

Operation method:

1. Install the glass tabletop leg ③ on the glass tabletop ① with D and G
2. Use D and G to install the wooden table top ② and the glass table leg ③ together
3. Lock B

Step 3



Prepare accessories:

C=1, G=1, F=1, E=5

Operation method:

1. Install the Wooden table base ④ on the Wooden tabletop ② with C and G
2. Install H on the Wooden table base ④ and Glass table leg ③
3. Attach non-slip pads to the bottom of Wooden table base ④ and Glass table leg ③