
SPU:LM118

Scan for Help!

Assembly Guide/Customer Support

Item # : LM-118

Assembly Instructions



If you have any questions, please follow these steps(“Find Your Orders”- “Problem with the Order” - “Contact Seller”) to contact our customer service. Thanks！

Revised 30/3/2026

General Assembly Guidelines


I. Ensure that all parts and hardware are available before beginning assembly.

II. Follow each step carefully to ensure the proper assembly of this product.


III. Two people are recommended for ease in the assembly of this product.

IV. The three main types of hardware used to assemble this product are : wood dowels , screws and bolts.


V. The provided glue is to secure wood dowels in place . When first inserting dowels , locate the appropriate hole for the dowel , place a small amount of glue in the hole and insert the dowel . Wipe away excess glue immediately.




In future assembly steps when dowels are necessary to attach assembly parts together , place a small amount of glue on the end of the dowel before attaching parts together . Wipe away excess glue immediately.



VI. A Phillips head screwdriver is required for the assembly of this product .





VII. Power tools should not be used to assemble this product .







VIII. Concealed hinges are three-way adjustable.


Parts List





Hardware List

A		Ø6x30mm	Wooden dowel	15	pcs
B		Ø6x32mm	Cam bolt	18	pcs
C		Ø15x9mm	Cam lock	18	pcs
E		Ø30mm	Sticker	18	pcs
F		Ø6x50mm	Screw	6	pcs
G		M 4	Hex Key	1	pc
H		Ø4x32mm	Screw	12	pcs
I		10"	Drawer sildes	3	sets
J		Ø3x12mm	Screw	36	pcs
K		M6*45mm	Bolt	4	pcs
L			Glue tube	1	pc




Philips head screwdriver required for assembly
(not included)


The hardware quantities listed above are required for proper assembly.
Some extra hardware may also have been included.


Step1

A


X12








Step2





B

X18


Step 3

Guide rail disassembly diagram

Left hand on the left end of the guide, press the right end with the right thumb.












Step4






E	C
	
X12	X12

Step5




Step6




H

X12


Step7






I	J
	
X3	X18


Step8



I	J
	
X3	X18


Step9






E	C
	
X2	X2


Step10







E	C
	
X4	X4


Step11



G	F
	
X1	X6

Step12


Notlce: After all the bolts aim at the hole , then tighten the bolts 100%.




G	K	A
X1	X4	X3

Step13

Attention :
Before assembly, please make sure to adjust the metal piece/ball bearing to the front of the drawer glide for both left and right side slider.





Step14

Final Assembly

