


details

— by BECKI OWENS

Assembly Manual

Becki Owen's Margaret 48" Vanity

Model Number: W-V359V48-577



**THIS ASSEMBLY MANUAL CONTAINS IMPORTANT SAFETY INFORMATION.
PLEASE READ AND KEEP FOR FUTURE REFERENCE.**

Important Safety Information

- *Please read all instructions carefully before assembling this vanity.*
- *For your safety, installation by two or more adults is strongly recommended.*
- *Use only vendor-supplied hardware to assemble this item. Using unauthorized hardware could jeopardize the structural integrity of the item.*
- **NOTICE:** *It is suggested that this product be installed by a professional and be permanently attached to the wall. Not intended to be a free-standing unit.*

Before Assembly


- *Remove all parts and hardware from the box. Place all items on a carpeted or scratch-free work surface, as this will avoid damaging parts during assembly.*
- *The shipping box provides an ideal work surface.*
- *To avoid accidentally discarding small parts or hardware, do not dispose of any packaging or contents of the shipping carton until assembly is complete.*
- *Use the parts and hardware lists below to identify and separate each of the pieces included.*
- *The use of power tools for assembly is not recommended. Power tools can damage the hardware and/or split the wood.*

Care and Cleaning


- *It is recommend to dust frequently with a clean, soft, dry, lint-free cloth. Clean the surface by rubbing in the direction of the grain.*
 - *It is recommend to polish your vanity approximately every six months, using a clean, soft, lint-free cloth and rubbing the polish in the direction of the grain.*
 - *Lift and place objects rather than dragging them across the vanity surface.*
 - *Do not place vanity in direct sunlight and keep vanity at least 60 cm / 2 ft from heat sources to avoid fading.*
 - *Sink should only be cleaned with a non-abrasive cleaner and a soft, damp cloth.*
 - *Countertop spills should be cleaned up immediately with a soft cloth, and warm water. Be careful not to spill or use any acidic or caustic substances or any petroleum-based product.*
-

Components

- A.....Vanity Base.....1
- B.....Backsplash.....1
- C.....Adjustable Shelf.....1
- D.....Shelf Pins.....4




Hardware

(AA) Touch-up Pen Qty: 1 		

NOTICE: It is suggested that this product be installed by a professional and be permanently attached to the wall. Not intended to be a free-standing unit.


Step 1



All 8 corner feet underneath the vanity have Levelers. To adjust, screw in or out Leveler using your hands.


NOTICE: It is suggested that this product be installed by a professional and be permanently attached to the wall. Not intended to be a free-standing unit.

Step 2



Apply silicon to the back splash and attach to the stone top

Step 3







Reposition the Shelf Pin into the desired position.
Place the Adjustable Shelf back onto the Shelf Pin.


Step 4

Uneven floor may cause doors to misalign. Please place furniture on a leveled flat surface or adjust the levelers at the bottom to ensure that it is perfectly leveled.

If necessary, you can also adjust the doors with a Philips screwdriver when the below adjustable hinge is installed on your furniture.


- 1: To adjust door left or right.
- 2: To adjust door forward or backward.
- 3: To adjust door up or down.






In case drawers need to be removed, each drawer is individually numbered underneath the drawer box with the corresponding number on top of the dust partition, inside the case.

Step 5: Drawer Removal



Step 6: Drawer Install



Dimensions

