




ASSEMBLY INSTRUCTIONS













2 people for assembly


PACKAGE INCLUDE




PACKAGE CONTENT

ø5.8X30MM  A 34X+1	ø7.8X30MM  B 4X+1	ø6X34MM  C 31X+1	ø15X9MM  D 31X+1
ø4X38MM  E 42X+2	 F 1X	ø3.5X12MM  G 2X+1	 H 12X+1
 I 2X	 J 1X	ø3X12MM  K 16X+1	ø6*50MM  L 4X+1
ø4X14MM  M 8X+1	 N 4X	ø1/4"*22mm  O 4X+1	


How to use the cam lock system




1. Screw cam bolt into panel




2. Push cam into panel - arrow feature on cam top points to panel edge



3. Align cam bolt(s) with cam(s) and insert all the way into cross-bored hole(s)




4. Rotate cam(s) clockwise 190°-230° to lock panels together



5. Panels should be tight against each other and connection should be rigid


Insert the wood dowel (A) at least half way by tapping lightly with a rubber mallet, IF NECESSARY



⚠ WARNING

- Unit must be placed on a level surface or leveled with included hardware (when applicable).
- Do not sit or stand on or allow children to climb, sit or stand on the assembled product.
- For safety reasons, it is imperative that this unit be mounted to the wall.
- Do not use without installing the tip restraint.
- Unit can tip over causing severe injury or death.
- Do not exceed the recommended weight limits.
- Evenly distribute the weight on each level and always keep the heavier loads on the bottom.
- Before cutting, drilling or hammering into any wall or floor surface, verify the location of electrical, plumbing and gas lines. Cutting may cause serious injury.

Now you can assemble the item.






The installation process is divided into three parts:

1. Install the TOP part of the cabinet
2. Install the MIDDLE part of the cabinet
3. Install the BOTTOM part of the cabinet

Tip:


Using an electric screwdriver will make assembly easier.

STEP 1 Assemble the top back panel and the top panel





The holes face the same direction



STEP 2 Assemble the left and right top side panels






STEP 3 Assemble the cabinet countertop




			
⑤ X1	A X6	E X7	C X4


Philips
Screwdriver
(Not Included)






STEP 4 Assemble the left and right cabinet side frames



 6 X1	 7 X1	 13 X2	 A X4	 D X4
 C X4				




STEP 5 Assemble the upper and middle sections of the cabinet




STEP 6 Assemble the left and right bottom aprons



 9 X1	 10 X2	 11 X2
 A X8	 E X10	





Philips
Screwdriver
(Not Included)





STEP 7 Assemble the cabinet legs





STEP 8 Assemble the metal plates and screws for the cabinet legs

	M	X8		N	X4		O	X4
---	----------	-----------	---	----------	-----------	---	----------	-----------



Philips
Screwdriver
(Not Included)




STEP 9 Assemble the bottom of the cabinet




STEP 10 Install the power socket







Philips
Screwdriver
(Not Included)




NOTE: Pass the plug
through the wire hole.







STEP 11 Install the cabinet back panel






Before attaching the back panel be sure that the unit is at 90°.





STEP 12 Assemble the components for the three drawers






STEP 13 Assemble the components for the three drawers

 17 X3	 18 X3	 19 X3	 20 X3
 H X12	 D X15		



STEP 14 Assemble the components for the three drawers



STEP 15 Drawer Alignment and Installation Guide

Drawer Installation Steps

Step 1: Pull Out Inner Ball Bearing Slides



1. Locate the inner ball bearing slides on both sides of the drawer (or at the corresponding positions).
2. Grasp the slides and pull out slowly and steadily until they reach the stops (the point where they can no longer be extended).
3. ⚠️Note: The slide surfaces may be slightly greasy. Handle with care to avoid slippage or soiling clothing/work surfaces.

Step 2: Align & Attach Drawer to Cabinet Slides


1. Lift the drawer (ensuring its inner ball bearing slides are fully extended to the stops).
2. Align the drawer's inner slides with the corresponding outer slides on the cabinet (or brackets).
3. Following the direction of the arrows (black arrows in the diagram), push the drawer smoothly into the cabinet until it clicks securely into the slides. Ensure movement is smooth and there is no looseness.

Additional Notes

- If resistance is felt while pulling the slides, check for obstructions or misalignment.
- If insertion is difficult, verify that the slides are fully aligned with the stops.
- After installation, gently pull the drawer to confirm smooth sliding and secure locking.





NOTE: Pull the inner ball bearing slides on each side all the way out till it stops.(may be slightly greasy).




STEP 16 Remove Drawer

To Remove Drawer, If Needed


- Pull the drawer fully open so levers are visible.
- Push up on left side lever and down on right side lever.
- Holding levers in place, pull drawer toward you.




STEP 17 Install the anti-tip hardware for the cabinet



STEP 18 Install the anti-tip hardware for the cabinet




WALL



Correct

STEP 19 Cabinet overall dimensions



SPECIFICATIONS

ASSEMBLED DIMENSIONS(W x D x H)	31.58" x 15.75 " x35.43"
	80.2 x 40 x 90 cm
MAXIMUM WEIGHT CAPACITY	Top: 10 lb