
Product Instruction


N707P508593/N707P508594






IMPORTANT INFORMATION!

please read the entire manual before starting to assemble and/or using this product.follow the manual thoroughly and keep it for further reference.




AVOID SCRATCHES!

In order to avoid scratching this furnuture should be assembled on a soft layer–could be a rug.



IMPROVE EFFICIENCY !

Try to find a partner to install with you, which can speed up the installation e fficiency and shorten the time.



ANTI–TOPPLE WARNING !


Overturned furniture can cause serious or fatal crush injuries. To prevent tipping over, be sure to use the wall attachment, if not included with this product. Please purchase the wall attachment thatfit y our wall. If unsure, seek professional advice. Please read and follow each step of the instructions carefully.

IMPORTANT !

It is important that any product which is assembled using any kind of screw is re-tightened 2 weeks after assembly, and once every 3 months - in order to assure stability through-out the lifespan of the product.



















For regular maintenance and cleaning of the product, for the frame, please use a rag dipped in neutral detergent to fully wipe it, and then dry it with a clean rag.For glass materials, wipe with a rag dampened with water glass cleaner, and thendry with a dry rag.

Do not use an electric screwdriver, and do not use too much force when installing, because the board is easy to break.


36
35
35
37
34
33
30
32
29
31
34
38
3
5
4
46
47
45
44
8
7
6
41
39
1
11
10
41
14
13
43
52
11
43
42
15
9
43
12
43
42
48
50
49
40
48
2
18
17
16
18
24
23
25
23
22
26
24
23
22
27
21
22
26
20
19
28
51
51





N707P508594

PARTS

		
③ x1	④ x1	⑤ x1
		
⑦ x1	⑧ x1	⑪ x1
		
㉒ x3	㉓ x3	㉔ x2
		
㉕ x1	㉖ x2	㉗ x1
		
㉘ x1	㉝ x1	㉞ x2
		
㊶ x2	㊸ x4	㊹ x1

N707P508594

PARTS















		
㊺ x1	㊻ x1	㊼ x1
		
㊶ x2	Hardware Kit x1	

Note:

1. 50% Tighten before fixing all scews, Allen wrench is recommendedinstead of an electric drill.
2. Place the item on a flat ground to adjust and make sure it remains stable.
3. Tighten up all screw with tools gradually.
4. If screw are not aligned with holes furing assembly, please loosen all the other screws to 50% and continue the assembly process.
5. If the item is not stable, please loosen all screws, adjust it on a flat ground and tighten up all screws again.
6. Note: If one or some screws are fully tighten during assembly, chances are the others will not be aligned with holes. In addition, all the holes are designed to be relatively larger to provide more space for the adjustment of the screws.












N707P508593


PARTS


		
① x1	② x1	⑥ x1
		
⑨ x1	⑩ x1	⑪ x1
		
⑫ x1	⑬ x1	⑭ x1
		
⑮ x1	⑰ x1	⑯ x1
		
⑱ x2	⑲ x1	⑳ x1
		
㉑ x1	㉙ x1	㉚ x1

N707P508593















PARTS




		
31 x1	32 x1	34 x4
		
35 x2	36 x1	37 x2
		
39 x1	40 x1	42 x2
		
48 x2	49 x1	50 x1
		
52 x1		







When installing, please carefully confirm whether each screw corresponds to the manual, accessories with similar shapes can be distinguished by size

A x 71+2	B x 75+2	C x 80+2	D x 15	E x 40+1
				
∅6 x 35 mm	∅15 x 11 mm	∅6 x30 mm	∅4 x 35 mm	∅5 x 40 mm
F x 4	**G x 20+1**	**H x 12+1**	**I x 8**	**J x 4**
				
∅4 x 12 mm	∅4 x 16 mm			handle x4 screw 4x8mm
K x 2	**L x 96+2**	**M x 8**	**N x 4**	**N1x 4**
				
∅4 x 25 mm	∅4 x 14 mm		Long bar handle x4 screw 4x20mm	Long bar handle x4 screw 4x20mm
O x 1	**P x 4**	**Q x 20+1**	**R x 2**	**S x 10**
				
T x 10	**U x 1**	**V x 4**	**Wx 1**	**X x 3**
				


A1 x 2	C1 x 4	Y x 4	Z x 4	
 ∅6 x 65 mm	 ∅6 x 40 mm		 ∅4 x 11 mm	




EN_QUICKFIT: Tighten quickfit until shoulder is flush with panel.Do not overtighten or undertighten.
FR_RACCORD RAPIDE:Faites serrer le raccord rapide jusqu'à ce que l'épaulement soit parfaitement encastré dans le panneau. Il ne faut ni trop serrer ni insuffisamment serrer.
ES_QUICKFIT:Apriete quickfit hasta que el hombre se descargue con el panel. NO lo sobreapriete ni lo apriete poco.
DE_QUICKFIT:Ziehen Sie den Quickfit fest, bis die Schulter mit der Platte bündig ist. Bitte nicht zu fest oder zu schwach anziehen.
IT_MONTAGGIO RAPIDO:Stringere il montaggio rapido fino a quando la spalla è a filo con il pannello, non stringere troppo o troppo poco.



EN_CAM LOCK: When fitting cam lock, ensure starting position is correct before you insert connecting quickfit.
FR_SERRURE BATTEUSE:Avant d'insérer la serrure batteuse, veillez à la bonne orientation avant d'insérer le raccord rapide.
ES_CIERRE DE LA CÁMARA:Cuando instale el cierre de la cámara, asegúrese de que la posición de inicio es correcta antes de que inserte el quickfit conector.
DE_CAM-LOCK:Achten Sie bei der Montage des Cam-Locks auf die richtige Ausgangsposition, bevor Sie den Quickfit einsetzen.
IT_BLOCCAGGIO A CAMMA:Quando si monta il bloccaggio a camma, assicurarsi che la posizione iniziale sia corretta prima di inserire il montaggio rapido di collegamento.




EN_ Quickfit head should be in the centre of the cam lock when the two panels are joined.
Cam lock should be inserted before quickfit.
FR_ Lorsque les deux panneaux sont assemblés, la tête du raccord rapide doit reposer au centre de la serrure batteuse.
Il faut insérer la serrure batteuse avant le raccord rapide.
ES_ El cabezal del quickfit debe estar en el centro del cierre de la cámara cuando se unan los dos paneles.
Se debe insertar el cierre de la cámara antes que el quickfit.
DE_ Der Quickfit-Kopf sollte sich in der Mitte des Cam-Locks befinden, wenn die beiden Platten zusammengefügt sind.
Der Cam-Lock sollte vor dem Quickfit eingesetzt werden.
IT_ La testa del montaggio rapido deve trovarsi al centro del bloccaggio a camma quando i due pannelli sono uniti.
Il Bloccaggio a Camma deve essere inserito prima del montaggio rapido.



EN_ Turn cam lock clockwise to tighten.
FR_ Faites tourner la serrure batteuse dans le sens des aiguilles d'une montre pour la resserrer.
ES_ Gire el cierre de la cámara en sentido horario para apretarlo.
DE_ Drehen Sie den Cam-Lock im Uhrzeigersinn, um ihn festzuziehen.
IT_ Ruotare il bloccaggio a camma in senso orario per stringere.


EN_It may be necessary to adjust the hinges so that the doors align.Use the instructions below as a guide.
FR_Il est parfois nécessaire d'ajuster les charnières pour un meilleur alignement des portes. Servez-vous des instructions ci-dessous comme guide.
ES_Puede que sea necesario ajustar los quicios de forma que se alineen las puertas. Use las instrucciones que aparecen debajo como guía.
DE_Möglicherweise müssen Sie die Scharniere so einstellen, dass die Türen ausgerichtet sind. Verwenden Sie die nachstehenden Anweisungen als Leitfaden.
IT_Potrebbe essere necessario regolare le cerniere in modo che le porte siano allineate. Per fare ciò attenersi alle istruzioni sottostanti.

a




EN_To adjust the door vertically loosen the screw asshown and move up and down as needed.
FR_Si vous souhaitez régler la porte **verticalement**, desserrez la vis comme indiqué et déplacez la porte de haut en bas selon les besoins.
ES_Para ajustar la puerta **verticalmente** afloje el tornillo tal y como se muestra y muévalo hacia arriba o hacia abajo según sea necesario.
DE_Um die Tür **vertikal** auszurichten, lösen Sie die Schraube wie abgebildet und bewegen Sie sie nach Bedarf nach oben oder nach unten.
IT_Per allineare la porta **verticalmente** allentare la vite come mostrato e spostarla in alto o in basso secondo necessità.

b




EN_To adjust the gap from the door to the main frame turn the screw clockwise or anti-clockwise as needed.
FR_Si vous souhaitez ajuster **l'écart** entre la porte et le cadre principal, tournez la vis dans le sens des aiguilles d'une montre ou dans le sens inverse, si nécessaire.
ES_Para ajustar el **espacio** desde la puerta al marco principal, gire el tornillo en sentido horario o antihorario, según se necesite.
DE_Um den **Abstand** von der Tür zum Hauptrahmen auszurichten, drehen Sie die Schraube je nach Bedarf im oder gegen den Uhrzeigersinn.
IT_Per regolare lo **spazio** tra la porta e il telaio principale, avvitare o svitare la vite secondo necessità.

c







EN_To adjust the door laterally adjust the screw as shown by turning clockwise or anti-clockwise.
FR_Si vous souhaitez ajuster la porte **latéralement**, ajustez la vis comme indiqué en tournant dans le sens des aiguilles d'une montre ou dans le sens inverse des aiguilles d'une montre.
ES_Para ajustar la puerta **lateralmente** ajuste el tornillo tal y como se muestra girándolo en sentido horario y antihorario.
DE_Um die Tür **seitlich** auszurichten, stellen Sie bitte die Schraube wie abgebildet durch Drehen im oder gegen den Uhrzeigersinn ein.
IT_Per allineare la porta **lateralmente** regolare la vite come mostrato, avvitandola o svitandola.


d





EN_Please fix other screws
FR_Merci de serrer les autres vis.
ES_Fije los demás tornillos
DE_Befestigen Sie bitte die anderen Schrauben
IT_Fissare le altre viti


1


A x 12	B x 6	C x 12	C1 x 1	
				
∅6 x 35 mm	∅15 x 11 mm	∅6 x30 mm	∅6 x40 mm	





















2




A x 4	B x 10	A1 x 2	C1 x 3	
				
∅6 x 35 mm	∅15 x 11 mm	∅6 x 65 mm	∅6 x40 mm	


R x 2		
		






3


C x 6	E x 6	
		
∅6 x 30 mm	∅5 x 40 mm	









4


K x 2	U x 1	V x 4	Wx 1	H x 2	
∅5 x 25 mm				∅4 x 16 mm	








5


A x 22	B x 10	C x 8	
			
∅6 x 35 mm	∅15 x 11 mm	∅6 x30 mm	

























6


B x 8	C x 10	E x 2	
			
∅15 x 11 mm	∅6 x30 m	∅5 x 40 mm	










7

A x 8	C x 4	X x 2	X x 2	
 ∅6 x 35 mm	 ∅6 x 30 m	 CR L = 300 mm	 CL L = 300 mm	
E x 4	G x 8			
 ∅5 x 40 mm	 ∅4 x 12 mm			









8


Y x 4	C x 8	H x 8	E x 16	
	 ∅6 x 30 mm	 ∅4 x 16 mm	 ∅5 x 40 mm	


X x 1	X x 1	Z x 4
 CR L = 300 mm	 CL L = 300 mm	 ∅4 x 11 mm







9


C x 6	E x 6	
 ∅6 x 30 m	 ∅5 x 40 mm	







10





A x 8	B x 8	C x 10	E x 6	
				
∅6 x 35 mm	∅15 x 11 mm	∅6 x30 m	∅5 x 40 mm	











11

A x 4	B x 12	C x 8	S x 10	
				
∅6 x 35 mm	∅15 x 11 mm	∅6 x30 m		
















12


B x 8	C x 8	T x 10	I x 8	
 ∅15 x 11 mm	 ∅6 x 30 m			






13


P x 4	L x 24	N1x 2	O x 1	
	 ∅4 x 14 mm	 Long bar handle x2 screw 4x20mm		
H x 2  ∅4 x 16 mm				







14





M x 4	L x 24	N1x 2	
	 ∅4 x 14 mm	 Long bar handle x2 screw 4x20mm	











15

F x 4	M x 4	L x 16	N x 4	
		 ∅4 x 14 mm	 Long bar handle x4 screw 4x20mm	











16

L x 32





∅4 x 14 mm








17


D x 14	X x 3	X x 3	G x 12	
				
∅4 x 35 mm	DR L=300mm	DL L=300mm	∅4 x 12 mm	
















18


A x 13	J x 4
 ∅6 x 35 mm	 Round handle x4 screw 4x8m






















X 2

19




B x 13	C x 1	
		
∅15 x 11 mm	∅6 x 30 m	










20


Q x 20	D x 1	
	 ∅4 x 35 mm	








21





22

R x 2




Anti-fall accessories x2







WALL




WALL





23





If there is misalignment after you install,
adjust the screw to the best condition

















LotusLantern APP Manual

1. Software Overview

1.1 Overview

LotusLantern is a mobile APP to control LED strip by both Apple and Android phones.

The traditional control ways like infrared, 433MHz, 2.4GHz and others old wired ways will be replaced by mobile phone control way with convenient, powerful and scalable features.

Through this mobile APP，you can not only control the color, brightness and color temperature of the LED strips but also set up all kinds of fancy flash mode；Also this APP can change the light of the LED strip according to the rhythm of the music. This APP can set and control several LED strips through Bluetooth and the operation is very simple, easy to learn and easy to use.

1.2 Features

- Adjust color LED strips with 60,000 colors to change color and brightness and adjust monochrome LED stips to change brightness and color temperature
- Play music or turn on a sound playback device, you can let the light change the color and brightness with the rhythm of music, the music rhythm beautiful
- Inside multiple setting mode for color change and control LED strips without mobile
- Long distance control with omni-directional antenna, and many-to-many group control mode
- Once the connection is successful, connect automatically next time

1.3 Performance

LotusLantern APP is easy for use as well as great compatible for all kinds of smart phones; After the actual test of hundreds of mobile phones verification, the compatibility is above 95% of mobile phones in the market. APP is small and convenient, it consumes less system resources, so the requirements of the mobile configuration are low. Control delay is small, the operation feel good, light control is smooth with people's visual sense.

2. Operating Environment

This APP program requires phones of system above Andriod 4.3 and iOS 8.0. Mobile phone configuration is not limited.

3. Instuctions

Note: Android version and iOS version download and use the same method, here in the Android version as an example.


3.1 APP Download

- Scan the QR code


iOS and Android systems can download the "LotusLantern" APP by scanning the QR code. Open the browser or other tools with "Scan QR code" function, scan the "LotusLantern" QR code as below:

3.2 App Operation


(1) Click on the LotusLantern APP icon, enter the APP page:



(2) After entering the APP interface, if Bluetooth is not enabled, "an application wants to enable the Bluetooth function of this device." Click [Allow]




(3) switch to color and brightness interface:




(4) click to show the lamp list, view lamp list:

Bluetooth auto connect after search for devices

Lamp list




Status of device connection




Status of device connection

(5) Click to RGB manual adjustment view:



(6) switch to the mode interface:




Scroll the selection mode

Adjust seed

Adjust luminance

(7) switch to the music rhythm interface:




Recvcle mode

Previous song, Pause/Play, Next song


Music List

(8) Switch to the online music interface:




(9) Switch to the microphone rhythm interface:

Music rhythm through cell phone microphone



Switch phone microphone and external microphone

Music rhythm through the microphone on the product




Switch phone microphone and external microphone

4-style rhythm

Change the sensitivity of MIC to match the sound

(10) Switch to the schedule interface:



Set the time of Light-On

Enable or disable the Light-On function


Repeat setting
No selection for once Light-On

Set the time of Light-Off

Enable or disable the Light-Off function

Repeat setting
No selection for once Light-Off

(11) Switch to the modify pin sequence interface:



Click to save the new assignment

Change the real color of this line

CERTIFICATE OF COMPLIANCE

Certificate Number	UL-CA-2241819-0
Report Reference	└└E528571-20221114┘┘
Date	16-Nov-2022
Issued to:	Guangdong Zhangong Electric Technology Co., Ltd 701, Building 29, Shunde Zhifu Park, No. 8, Second Ring Road, Gaozan Village, Xingtan Town, Shunde District Foshan, GD 528300 China
This is to certify that representative samples of	IYNC7 - Furniture Power Distribution Units Certified for Canada See Addendum Page for Product Designation(s).
	Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.
Standard(s) for Safety:	CSA C22.2 No. 308, Edition 2, Issue Date 04/2018
Additional Information:	See the UL Online Certifications Directory at https://iq.ulprospector.com for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

Deborah Jennings-Conner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2241819-0
Report Reference └└E528571-20221114┘┘
Date 16-Nov-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
ZG-JJM or ZG-PCM, followed by -A2 or -A3, followed by -A thru -Z.	Furniture Power Distribution Units
ZG-JJM1 or ZG-PCM1, followed by -A2 or -A3, followed by -A thru -Z.	Furniture Power Distribution Units

Deborah Jennings-Conner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

CERTIFICATE OF COMPLIANCE

Certificate Number	UL-US-2243923-0
Report Reference	⌊⌊E528571-20221114⌋⌋
Date	16-Nov-2022
Issued to:	Guangdong Zhangong Electric Technology Co., Ltd 701, Building 29, Shunde Zhifu Park, No. 8, Second Ring Road, Gaozan Village, Xingtan Town, Shunde District Foshan, GD 528300 China
This is to certify that representative samples of	IYNC - Furniture Power Distribution Units See Addendum Page for Product Designation(s).
	Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.
Standard(s) for Safety:	UL 962A, 5th Ed., Issue Date: 2018-06-12, Revision Date: 2022-03-29
Additional Information:	See the UL Online Certifications Directory at https://iq.ulprospector.com for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

Deborah Jennings-Conner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2243923-0
Report Reference E528571-20221114
Date 16-Nov-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
ZG-JJM or ZG-PCM, followed by -A2 or -A3, followed by -A thru -Z.	Furniture Power Distribution Units
ZG-JJM1 or ZG-PCM1, followed by -A2 or -A3, followed by -A thru -Z.	Furniture Power Distribution Units

Deborah Jennings-Conner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

Certificate – Сертификат – 證明書 – Certificat – 증명서 – شهادة

Shenzhen ZKT Technology Co., Ltd.
1/F, No. 101, Building B, No. 6, Tangwei Community Industrial Avenue,
Fuhai Street, Bao'an District, Shenzhen, China

SUPPLIER'S DECLARATION OF CONFORMITY

Certificate Number: ZKT-260114L0995C

Certificate's Holder	:	**Guangdong Zhangong Electric Technology Co., LTD 701, Building 29, zhifuyuan Industrial Zone, Xingtan town, Shunde District, Foshan City, Guangdong Province**
Manufacturer	:	**Guangdong Zhangong Electric Technology Co., LTD 701, Building 29, zhifuyuan Industrial Zone, Xingtan town, Shunde District, Foshan City, Guangdong Province**
Trade Mark	:	**/**
Product	:	**Furniture socket**
Model(s)	:	**ZG-JJM1-A2 ZG-JJM1-A2-A, ZG-JJM-A2, ZG-JJM, ZG-JJM/12A/15A**
Test Standard	:	**47CFR Part 15 Subpart B ANSI C63.4:2014**

This Attestation of Compliance is issued on a voluntary basis for electrical equipment below the voltage limits of FCC standard. The essential requirement are fulfilled accordingly based on the technical specifications applicable at the time of issuance. See also notes overleaf. It is only valid in connection with the test report number: ZKT-260114L0995E.

Approved
Manager
Jan. 12, 2026

This Certificate of Conformity is based on single evaluation of the submitted sample(s) of the above mentioned product. It does not imply an assessment of the whole product and relevant . Directives to be observed.

Verification of compliance Verification of compliance Verification of compliance Verification of compliance

Verification of Compliance

Verification No.:	MK25070091P01-E01
Name and address of Applicant:	**Shenzhen CWG Technology Co., Ltd** 3/F, Building A, Yongshenghui Industrial Park, Chuangye Road, Shiyan Street, Bao'an District, Shenzhen
Name and address of Manufacturer	**Shenzhen CWG Technology Co., Ltd** 3/F, Building A, Yongshenghui Industrial Park, Chuangye Road, Shiyan Street, Bao'an District, Shenzhen
Product name:	**LED Strip**
Rated:	5V ⎓
Product model(s):	CWG-5050RGB-60D-5V, CWG-5050RGB-30D-12V, CWG-5050RGB-18D-12V, CWG-5050RGB-60D-24V, CWG-5050RGB-60D-12V, CWG-5050RGB-30D-5V, CWG-5050RGB-18D-5V, CWG-5050-60D-12V, CWG-5050-30D-12V, CWG-5050-60D-24V, CWG-HC5050RGB-60D-12V, CWG-HC5050RGB-30D-12V,CWG-HC5050RGB-60D-24V, CWG-HC5050-60D-12V, CWG-HC5050-30D-12V, CWG-HC5050-60D-24V, CWG-HC5050RGB-30D-5V, CWG-HC5050RGB-60D-5V, CWG-HC5050RGB-144D-5V, CWG-2835-60D-12V, CWG-2835-120D-12V, CWG-2835-60D-24V, CWG-2835-120D-24V, CWG-2835-60D-5V, CWG-2835-120D-5V
Product trademark:	创唯光

This verification confirms that the product meets the requirements of the following standard.
The conformity was demonstrated based on following standard(s) listed by European Commission as harmonized with EMC Directive 2014/30/EU.

EN IEC 55015:2019+A11:2020
EN IEC 61547:2023

The verification has been carried out in accordance with individual rules and conditions agreed with the applicant. Evaluation has been carried out in accordance with:

Test report(s) No.:	MK25070091P01-E01
Test conducted by:	TMC Testing Services (Shenzhen) Co., Ltd.
Verification issue date:	July 17, 2025

Notes:
This verification refers to the above mentioned product and its conformity in regards of above mentioned standard(s) was proven on test sample.
This verification does not imply meeting all essential requirements, assessment of the series-production or any other restricted Notified Bodies conformity assessment procedure appropriate for the product.
This verification holder shall use this verification in connection to verification of conformity and technical data relevant for the product the verification was issued.

TMC Testing Services (Shenzhen) Co., Ltd.
t:86-755-86642861 cert@tmc-lab.com www.tmc-lab.com
1st Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, Shiyan Street, Baoan District, Shenzhen, China

Bauart geprüft TMC Access to global market Product Safety To be approved

Lab
Viviari Jiang

CE

Verification of compliance Verification of compliance Verification of compliance Verification of compliance

Verification of Compliance

Verification No.:	MK25070091P01-C01
Name and address of Applicant:	**Shenzhen CWG Technology Co., Ltd** 3/F, Building A, Yongshenghui Industrial Park, Chuangye Road, Shiyan Street, Bao'an District, Shenzhen
Name and address of Manufacturer:	**Shenzhen CWG Technology Co., Ltd** 3/F, Building A, Yongshenghui Industrial Park, Chuangye Road, Shiyan Street, Bao'an District, Shenzhen
Product name:	**LED Strip**
Product model(s):	CWG-5050RGB-60D-5V, CWG-5050RGB-30D-12V, CWG-5050RGB-18D-12V, CWG-5050RGB-60D-24V, CWG-5050RGB-60D-12V, CWG-5050RGB-30D-5V, CWG-5050RGB-18D-5V, CWG-5050-60D-12V, CWG-5050-30D-12V, CWG-5050-60D-24V, CWG-HC5050RGB-60D-12V, CWG-HC5050RGB-30D-12V,CWG-HC5050RGB-60D-24V, CWG-HC5050-60D-12V, CWG-HC5050-30D-12V, CWG-HC5050-60D-24V, CWG-HC5050RGB-30D-5V, CWG-HC5050RGB-60D-5V, CWG-HC5050RGB-144D-5V, CWG-2835-60D-12V, CWG-2835-120D-12V, CWG-2835-60D-24V, CWG-2835-120D-24V, CWG-2835-60D-5V, CWG-2835-120D-5V
Product trademark:	创唯光

This verification confirms that the product meets the requirements of the following standard.
The conformity was demonstrated based on following standard(s) listed by European Commission as harmonized with Directive RoHS 2.0 Directive (EU) 2015/863 and (EU)2017/2102 amending Annex II to Directive 2011/65/EU

IEC 62321-1:2013	IEC 62321-3-1:2013
IEC 62321-4:2013/AMD1:2017	IEC 62321-5:2013
IEC 62321-6:2015	IEC 62321-7-1:2015
IEC 62321-7-2:2017	IEC 62321-8:2017
IEC 62321-2:2021	

The verification has been carried out in accordance with individual rules and conditions agreed with the applicant. Evaluation has been carried out in accordance with:

Test report(s) No.:	MK25070091P01-C01
Test conducted by:	TMC Testing Services (Shenzhen) Co., Ltd.
Verification issue date:	July 17, 2025

Notes:
This verification refers to the above mentioned product and its conformity in regards of above mentioned standard(s) was proven on test sample.
This verification does not imply meeting all essential requirements, assessment of the series-production or any other restricted Notified Bodies conformity assessment procedure appropriate for the product.
This verification holder shall use this verification in connection to verification of conformity and technical data relevant for the product the verification was issued.

TMC Testing Services (Shenzhen) Co., Ltd.
t:86-755-86642861 cert@tmc-lab.com www.tmc-lab.com
1st Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, Shiyan Street, Baoan District, Shenzhen, China

Bauart geprüft TMC Product Safety Type approved

Lab: Vivian Jiang

TMC

Verification of compliance Verification of compliance Verification of compliance

SDoC's Compliance Information Statement

No.:	MAX25070091P01-E01
Name and address of Applicant:	**Shenzhen CWG Technology Co., Ltd** 3/F, Building A, Yongshenghui Industrial Park, Chuangye Road, Shiyan Street, Bao'an District, Shenzhen
Name and address of Manufacturer	**Shenzhen CWG Technology Co., Ltd** 3/F, Building A, Yongshenghui Industrial Park, Chuangye Road, Shiyan Street, Bao'an District, Shenzhen
Product name:	**LED Strip**
Product model(s):	CWG-5050RGB-60D-5V, CWG-5050RGB-30D-12V, CWG-5050RGB-18D-12V, CWG-5050RGB-60D-24V, CWG-5050RGB-60D-12V, CWG-5050RGB-30D-5V, CWG-5050RGB-18D-5V, CWG-5050-60D-12V, CWG-5050-30D-12V, CWG-5050-60D-24V, CWG-HC5050RGB-60D-12V, CWG-HC5050RGB-30D-12V,CWG-HC5050RGB-60D-24V, CWG-HC5050-60D-12V, CWG-HC5050-30D-12V, CWG-HC5050-60D-24V, CWG-HC5050RGB-30D-5V, CWG-HC5050RGB-60D-5V, CWG-HC5050RGB-144D-5V, CWG-2835-60D-12V, CWG-2835-120D-12V, CWG-2835-60D-24V, CWG-2835-120D-24V, CWG-2835-60D-5V, CWG-2835-120D-5V
Product trademark:	创唯光

The submitted sample of the above equipment has been tested and found to comply with the following requirement of 47 CFR of PART 15.
The assessment of compliance of the product with the requirements relating to FCC rules was based on the following standards and procedure:.

Applicable Standard(s)	Test Report(s) Number
FCC Part 15, Subpart B ANSI C63.4:2014	MAX25070091P01-E01

This statement is part of the full test report(s) and should be read in conjunction with it. This statement is based on an evaluation of one sample of above mentioned product. It does not imply assessment of the production of the product. Without the written approval of MAXLAB Testing Co.,Ltd., this statement is not permitted to be reproduced, except in full. It is not permitted to use the test lab's logo

MAXLAB Testing Co.,Ltd.
1/F, Building B, Xinshidai GR Park,Shiyan Street, Bao'an District, Shenzhen,Guangdong, 518052, People's Republic of China

Lab Director
Vivian Jiang
July 17, 2025