

HUMBLE CREW, INC.
155 NORTH DEAN STREET, SUITE 3C, Englewood, NJ 07631, United States

Sample Description : VB72223 Explorer 2-Cubby Storage Unit - Grey
 Item No. : VB72223/SFWF(HY)
 Labeled Age Grading : 3+
 Requested Age Grading : 3+

As above test item and its relevant information regarding to the submission are provided and confirmed by the applicant. SGS is not liable to either the test item or its relevant information, in terms of the accuracy, suitability, reliability or/and integrity accordingly.

Age Group Assessed by SGS As : Over 3 Years
 Per Age Guideline
 Age Group Applied in Testing : Over 3 Years
 Sample Receiving Date : Apr 12, 2024
 Test Performing Date : Apr 12, 2024 to Apr 25, 2024
 Test Performed : Selected test(s) as requested by applicant
 Test Result(s) : For further details, please refer to the following page(s)

	Test Requested	Result
1.	Per applicant's request, for compliance with the selected requirement(s) of ASTM F963-17 Standard Consumer Safety Specification on Toy Safety. Refer to test result page(s) for details	---
	ASTM F963-17 Standard Consumer Safety Specification for Toy Safety(excluding clause 4.3)	PASS



SGS-CSTC Standards Technical Services Co., Ltd.
Xiamen Branch

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.31 Xianghong Road, Xiang'An Torch Industrial Zone, Xiamen, Fujian Province, China 361101
 中国·福建·厦门·火炬(翔安)产业区翔虹路31号 邮编: 361101

t (86-592) 5766488 www.sgsgroup.com.cn
 t (86-592) 5766488 sgs.china@sgs.com

	Test Requested	Result
2.	For compliance with test requirement of the Physical & Mechanical, Flammability test requirement of Title 16, Code of Federal Regulations, Chapter II – Consumer Products Safety Commission of U.S.A	---
	Physical and mechanical tests consisting US CPSC 16 CFR 1500.48, US CPSC 16 CFR 1500.49 and US CPSC 16 CFR 1501: <ul style="list-style-type: none"> - US CPSC 16 CFR 1500.48 – Technical requirements for determining a sharp point in toys and other articles intended for use by children under 8 years of ages - US CPSC 16 CFR 1500.49 – Technical requirements for determining a sharp metal or glass edge in toys and other articles intended for use by children under 8 years of age - US CPSC 16 CFR 1501 – Method for identifying toys and other articles intended for use by children under 3 years of age which present choking, aspiration, or ingestion hazards because of small parts 	PASS
	US CPSC 16 CFR 1500.44 – Method for determining extremely flammable and flammable solids	PASS
3.	Tracking label per Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 tracking labels for children’s products.	SEE RESULT
4.	CPSIA section 101(a)(2) - Lead in accessible substrate materials	PASS
5.	15 US Code CPSC 1278a: Total Lead Content	PASS

Signed for and on behalf of
 SGS-CSTC Standards Technical Services Co., Ltd. Xiamen Branch



Terry Hong
 Authorized Signatory



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.31 Xianghong Road, Xiang'An Torch Industrial Zone, Xiamen, Fujian Province, China 361101 t (86-592) 5766488 www.sgs.com.cn
 中国·福建·厦门·火炬(翔安)产业区翔虹路31号 邮编: 361101 t (86-592) 5766488 sgs.china@sgs.com

Result:

ASTM F963-17 STANDARD CONSUMER SAFETY SPECIFICATION FOR TOY SAFETY

AS SPECIFIED IN ASTM F963-17 STANDARD CONSUMER SAFETY SPECIFICATION ON TOYS SAFETY

Clauses relevant to the item:

<u>Clause</u>	<u>Description</u>	<u>Result</u>
4	Safety Requirements	
4.1	Material Quality	<u>Pass</u>
4.2	Flammability Test	<u>Pass</u>
		<u>(See Result Page)</u>
4.6.1	Small Objects	<u>N/A</u>
4.6.2	Mouth-Actuated Toys	<u>N/A</u>
4.6.3	Labelling Requirements	<u>N/A(See Remark)</u>
	Remark: The toy does not contain as-received small part.	
4.7	Accessible Edges	<u>Pass</u>
4.9	Accessible Points	<u>Pass</u>
4.11	Nails and Fasteners	<u>Pass</u>
5	Safety Labeling Requirements	
5.2	Age Grading Labeling	<u>Pass</u>
5.16	Promotional Materials	<u>Pass</u>
7	Producer's Markings	
7.1	Producer's Markings	<u>Pass</u>
8.5	Normal Use Testing	<u>Pass</u>
8.7	Impact Test	<u>Pass</u>
8.8	Torque Test	<u>Pass</u>
8.9	Tension Test	<u>Pass</u>
8.10	Compression Test	<u>Pass</u>



SGS-CSTC Standards Technical Services Co., Ltd.
Xiamen Branch

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.31 Xianghong Road, Xiang'An Torch Industrial Zone, Xiamen, Fujian Province, China 361101
中国·福建·厦门·火炬(翔安)产业区翔虹路31号 邮编: 361101

t (86-592) 5766488 www.sgsgroup.com.cn
t (86-592) 5766488 sgs.china@sgs.com

Result Page:

Flammability Test (Clause 4.2)

Flammability Test on Solid

Sample
VB72223 Explorer 2-Cubby Storage Unit - Grey

Burning Rate (inch/sec)
DNI

Requirement: A toy / component is considered a “flammable solid” if it ignites and burns with a self-sustaining flame at a rate greater than 0.10 in/sec along its major axis.

PHYSICAL AND MECHANICAL TESTS CONSISTING US CPSC 16 CFR 1500.48, US CPSC 16 CFR 1500.49 AND US CPSC 16 CFR 1501

AS SPECIFIED IN PHYSICAL AND MECHANICAL TESTS CONSISTING US CPSC 16 CFR 1500.48, US CPSC 16 CFR 1500.49 AND US CPSC 16 CFR 1501

	<u>No. of sample tested</u>	<u>Sharp point (16 CFR 1500.48)</u>	<u>Sharp edge (16 CFR 1500.49)</u>	<u>Small part (16 CFR 1501)</u>
As received	1	Pass	Pass	N/A
Impact test (16 CFR 1500.53b)	1	Pass	Pass	N/A
Bite test (16 CFR 1500.52c)	0	N/A	N/A	N/A
Flexure test (16 CFR 1500.53d)	0	N/A	N/A	N/A
Torque test (16 CFR 1500.53e)	1	Pass	Pass	N/A
Tension test (16 CFR 1500.53f)	1	Pass	Pass	N/A
Compression test (16 CFR 1500.53g)	1	Pass	Pass	N/A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Sample photo:

Pic. 1



Labelling Information



Packaging Information

<h1>Explorer</h1> <p>2-CUBBY STORAGE UNIT UNITÉ DE RANGEMENT À 2 COMPARTIMENTS ALMACENAMIENTO DE DOS COMPARTIMENTOS</p>	<h1>3+</h1> <p>years ans años</p>
<p>humblecrew.com</p>	

Packaging Information

Humble Crew, Inc.

Model/Modèle/Modelo
VB72223

Made in Fuzhou, China
Fabriqué à Fuzhou (Chine)
Hecho en Fuzhou, China

Model No.: VB72223
Collection: Explorer
Category: 2-Cubby Storage Unit
Color: Grey
PO NO.:
QTY: 1 PC

CE

Date Code: 02/27/2024 WFHY

⚠ WARNING: ⚠ AVERTISSEMENT: ⚠ ADVERTENCIA:
 Assembly by an adult. Confier l'assemblage à un adulte. debe ser ensamblado por un adulto.

JUVENILE FURNITURE
MADE IN CHINA

CTN NO.: of
 N.W.: 15.1 Lbs (6.85 Kgs)
 G.W.: 16.64 Lbs (7.55 Kgs)
 Meas.: 14.2 X 4.3 X 26.8 inches
 (36 X 11 X 68 cm)

Packaging Information

<p>DAMAGE OR MISSING PARTS? BESOIN D'AIDE? ¿NECESITAS AYUDA?</p> <p style="text-align: right;">humblecrew.com/support</p>	
<p>NORTH AMERICA info@humblecrew.com +1 (844) 509-4888</p>	<p>Manufactured By: Humble Crew, Inc. 155 North Dean St., Suite 3C Englewood, NJ 07631</p> <p>0 4 1869 87222 3</p>

Packaging Information

CARB Phase 2
 California code 93120
 compliant for formaldehyde

CARB Phase 2
 California code 93120
 conforme pour le formaldéhyde

Junta de Recursos Aéreos de California (CARB), Fase 2
 California code 93120
 conforme pour le formaldéhyde
 Cumple con el Código 93120 de California para formaldehído

TSCA Title VI
 40 CFR part 770 compliant for formaldehyde

TSCA Titre VI
 40 CFR part 770 conforme pour le formaldéhyde

Título 4 de la Ley de Control de Substancias Tóxicas (TSCA)
 Cumple con Código de Reguciones Federales (CFR), Título 40, Parte 770 para formaldehído



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
 Xiamen Branch

No.31 Xianghong Road, Xiang'an Torch Industrial Zone, Xiamen, Fujian Province, China 361101
 中国·福建·厦门·火炬(翔安)产业区翔虹路31号 邮编: 361101

t (86-592) 5766488 www.sgs.com.cn
 t (86-592) 5766488 sgs.china@sgs.com

Instruction Information



Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule ($w=0$) stated in ILAC-G8:09/2019.



Chemical Test Result(s):

SGS Ref. No. is XMN24-0005106.

Test Part Description:

SN ID	Sample No.	SGS Sample ID	Description
SN1	A1	XMN24-0005106-0001.C001	Grey surface
SN2	A2	XMN24-0005106-0001.C002	Grey wood part

Remarks:

- (1) 1 mg/kg = 1 ppm = 0.0001%
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected (< MDL)
- (4) "-" = Not Regulated

CPSIA section 101(a)(2) - Lead in accessible substrate materials

Test Method: With reference to CPSC-CH-E1002-08.3, analysis was performed by AAS/ICP-OES.

Test Item(s)	CAS No.	Limit	Unit(s)	MDL	A1	A2
Lead (Pb)	7439-92-1	0.01	%	0.0020	ND	ND
Conclusion					Pass	Pass

15 US Code CPSC 1278a: Total Lead Content

Test Method: With reference to CPSC-CH-E1002-08.3, analysis was performed by AAS/ICP-OES.

Test Item(s)	CAS No.	Limit	Unit(s)	MDL	A1	A2
Lead (Pb)	7439-92-1	0.01	%	0.0020	ND	ND
Conclusion					Pass	Pass

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.31 Xianghong Road, Xiang'an Torch Industrial Zone, Xiamen, Fujian Province, China 361101 t (86-592) 5766488 www.sgs.com.cn
 中国·福建·厦门·火炬(翔安)产业区翔虹路31号 邮编: 361101 t (86-592) 5766488 sgs.china@sgs.com

Sample Photo:



*** End of Report ***

