




ASSEMBLY INSTRUCTION




A:Legs 4PCS



B:Left arm 1PC



C:Right arm 1PC




D:Back Rest 1PC




E:Front Board 1PC




F:Seat cushion 3PCS G: Base support 1PC H:Allen Key 1PC



STEP 1




STEP 2




STEP 3


Slightly loosen the four bolts using Allen Key(H) without removing the bolts completely from both Side Arms (B&C). Hook on Front Board (E) hooks into loosen bolts, once placed tighten and secure all four bolts with Allen Key (H)




STEP 4




STEP 5




ASSEMBLY INSTRUCTION




A:Legs 4PCS




B:Left arm 1PC



C:Right arm 1PC




D:Back Rest 1PC




E:Front Board 1PC




F:Seat cushion 2PCS G: Base support 1PC H:Allen Key 1PC



STEP 1




STEP 2




STEP 3


Slightly loosen the four bolts using Allen Key(H) without removing the bolts completely from both Side Arms (B&C). Hook on Front Board (E) hooks into loosen bolts, once placed tighten and secure all four bolts with Allen Key (H)




STEP 4




STEP 5



ASSEMBLY INSTRUCTION




A:Legs 4PCS



B:Left arm 1PC



C:Right arm 1PC




D:Back Rest 1PC



E:Front Board 1PC




F:Seat cushion 1PC




G: Base support 1PC




H:Allen Key 1PC



STEP 1




STEP 2




STEP 3

Slightly loosen the four bolts using Allen Key(H) without removing the bolts completely from both Side Arms (B&C). Hook on Front Board (E) hooks into loosen bolts, once placed tighten and secure all four bolts with Allen Key (H)



STEP 4



STEP 5

