


GARDEN SHED

ASSEMBLY MANUAL



****Anchoring the Shed:****

- * It is crucial to anchor the shed securely to prevent it from being damaged or overturned by wind or other forces.
- * Use the provided anchors and follow the instructions carefully.
- * Check the anchors periodically to ensure they are still secure.

****Maintenance and Inspection:****

- * Regularly inspect the shed for any signs of damage or wear.
- * Clean the shed as needed to prevent rust and corrosion.
- * Lubricate moving parts to ensure smooth operation.

****Emergency Situations:****

- * If an emergency occurs during assembly, stop immediately and seek medical attention if necessary.
- * Contact the manufacturer or a qualified professional for assistance.

****Additional Tips:****

- * Use a level to ensure that the shed is properly aligned.
- * Tighten all bolts and screws securely, but do not overtighten.
- * If you encounter any difficulties during assembly, refer to the instructions or contact the manufacturer.

****Safety Guidelines****

****General Precautions:****





- * Read and understand all instructions thoroughly before beginning assembly.
- * Wear appropriate safety gear, including gloves, safety glasses, and closed-toe shoes.
- * Assemble the shed on a level, stable surface.
- * Ensure that the area is clear of obstacles and hazards.
- * Do not attempt to assemble the shed alone. Enlist the help of at least one other person.







****Handling Materials:****









- * Metal components can be sharp. Handle them with care to avoid cuts or punctures.
- * Use proper lifting techniques when moving heavy parts.
- * Do not overtighten bolts or screws.











****Electrical Connections:****










- * If the shed requires electrical connections, ensure that they are made by a qualified electrician.
- * Follow all electrical codes and regulations.
- * Do not connect the shed to a power source until all components are fully assembled.










NO.	PART.	Qty.
1L	 627.6mm	1
1	 1552mm	1
1R	 627.6mm	1
2L	 1778.1mm	2
2R	 1671.1mm	2
3L	 1457.1mm	1
3R	 1350.1mm	1
4	 5	5
4B	 200mm	5
5	 1610mm	4
6L	 607.7mm	1
6	 1605mm	1
6R	 607.7mm	1
7L	 1731.2mm	2

NO.	PART.	Qty.
7R	 1731.2mm	2
8L	 1410.3mm	1
8R	 1410.3mm	1
9A	 1775.3mm	2
9F	 1415mm	4
9B	 879mm	2
10	 90mm	5
10F	 434.2mm	2
11	 80mm	4
11A	 240mm	1
11C	 240mm	1
11B	 490mm	2
11F	 490mm	2
15	 980.7mm	4


NO.	PART.	Qty.
16	 1652mm	2
17L	 1660mm	1
17R	 1660mm	1
18	 1054mm	1
18F	 1286mm	2
19	 1054mm	4
19L	 1286mm	4
19R	 1286mm	4
20	 827.2mm	4
20L	 824mm	2
20R	 824mm	2
21	 705mm	4
21L	 2	2
21R	 2	2

NO.	PART.	Qty.
22	 1652mm	1
23	 1652mm	1
24L	 2	2
24R	 2	2
27L	 367mm	2
27R	 367mm	2
28	 1407.2mm	3
29	 1444.2mm	8
58	 466.3mm	2
59	 1675mm	2
60	 1725.1mm	1
61F	 682.6mm	2
61B	 759mm	2
62F	 250mm	1


NO.	PART.	Qty.
62B	 250mm	2
W1	  1660mm	4
W5	  1660mm	22
W7	  1660mm	4
C2	 1660mm	2
W12	  819.2mm	16
W12A	  850mm	16
W15	  819.2mm	4
W15A	  850mm	4
M1	  1650mm	2
C		4
F		4
F4		4
F5		6

NO.	PART.	Qty.
F6		4
F7		338
F8		124
F9		2
F10		8
F12		2
F13		2
F14		2
F18		2
S1		1
S2		1
S3		1
S4		714
S5L		1


NO.	PART.	Qty.
1L	 627.6mm	1
1	 1552mm	1
1R	 627.6mm	1
4		2
4B	 200mm	2
S4		8




NO.	PART.	Qty.
2L	 1778.1mm	2
2R	 1671.1mm	2
4		2
4B	 200mm	2
S4		8




NO.	PART.	Qty.
3L	 1457.1mm	1
3R	 1350.1mm	1
4		1
4B	 200mm	1
S4		4




NO.	PART.	Qty.
C		4
S4		16





NO.	PART.	Qty.
29	 1444.2mm	8
S4		16




NO.	PART.	Qty.
28	 1407.2mm	3
S4		6




NO.	PART.	Qty.
5	 1610mm	4



NO.	PART.	Qty.
6	 1605mm	1
6L	 607.7mm	1
6R	 607.7mm	1
10	 90mm	2
S4		8




NO.	PART.	Qty.
7L	 1731.2mm	2
7R	 1731.2mm	2
10	 90mm	2
S4		8




X2


NO.	PART.	Qty.
8L	 1410.3mm	1
8R	 1410.3mm	1
10	 90mm	1
S4		4




NO.	PART.	Qty.
F		4
S4		8




NO.	PART.	Qty.
59		2
S4		6





NO.	PART.	Qty.
C2	 1660mm	1
W5	 1660mm	7
W7	 1660mm	2


NO.	PART.	Qty.
S4		66
S6		9
S7		9






Installers may interchange panels C2 and W5 to position the window in the desired location.

NO.	PART.	Qty.	NO.	PART.	Qty.
W1	 1660mm	2	17L	 1660mm	1
W5	 1660mm	2	17R	 1660mm	1


NO.	PART.	Qty.
S4		28
S6		6
S7		6





NO.	PART.	Qty.
F12		2
F13		2
F14		2
S4		8




Please remove the protective film from the clear panel first.




NO.	PART.	Qty.	NO.	PART.	Qty.
10F	 434, 2mm	2	S4		8
11F	 490mm	2	S6		12
11B	 490mm	2	S7		12



24L		2
24R		2
27L	 367mm	2
27R	 367mm	2
F6		4




NO.	PART.	Qty.
S4		16




NO.	PART.	Qty.
21L		2
21R		2
S4		24





NO.	PART.	Qty.
60		1
61F		2
61B		2
62F		1
62B		2


NO.	PART.	Qty.
Q14		12
Q17		12
Q20		12




NO.	PART.	Qty.
58	 466, 3mm	2
Q14	 M6x38mm	4
Q17	 M6	4
Q20		4



NO.	PART.	Qty.
9A	 1775, 3mm	2
11A	 240mm	1
11C	 240mm	1
Q58	 M6x75mm	4
Q17	 M6	4
Q20		4




NO.	PART.	Qty.
Q37	 M6x45mm	2
Q17	 M6	2
Q20		2
Q58	 M6x75mm	1
S4		2




NO.	PART.	Qty.
9F	 1415mm	4
9B	 879mm	2
11	 80mm	4
S6		24
S7		16


X2



NO.	PART.	Qty.
S4		6


X4







Technical drawing of a building facade assembly, showing a cross-section of a window unit. The drawing includes labels for various components: W12A, W15A, S4, and F7. A circular inset at the top center shows a detail of the glazing system with a 94mm dimension. The drawing is a black and white line drawing.


NO.	PART.	Qty.
20L	 824mm	2
20R	 824mm	2
S4		8
F7		8








Place the side with small distance
between holes and edges on the top.




NO.	PART.	Qty.
F18		1
S8		2
F7		2




NO.	PART.	Qty.
W12	 819, 2mm	2
W15	 819, 2mm	2
S4		28
F7		28




Place the side with small distance between holes and edges on the top.



NO.	PART.	Qty.
18	 1054mm	1
F18		1
S4		2
S8		2
F7		4




NO.	PART.	Qty.
20	 827.2mm	4
S4		8
F7		8




NO.	PART.	Qty.
19	 1054mm	4
19L	 1286mm	4
19R	 1286mm	4
F4		4
F10		8


NO.	PART.	Qty.
S4		12
S8		12
F7		24






NO.	PART.	Qty.
F8		124



NO.	PART.	Qty.
18F	 1286mm	2
F5		6
S4		10
F7		10






NO.	PART.	Qty.
15	 980, 7mm	2
16	 1652mm	1
22	 1652mm	1
M1	 1650mm	1
S6		3
S6A		3
S7		6
S1		1






Put 16 on the side farther from the hole in the center of the tile and 22 on the side nearer.


NO.	PART.	Qty.
21	 705mm	2
S4		8



NO.	PART.	Qty.
S4		2
S5L		1
S5R		1
S6		6
S6A		2
S7		8




NO.	PART.	Qty.
15	 980.7mm	2
16	 1652mm	1
23	 1652mm	1
M1	 1650mm	1
S2		1
S3		1
S6		7
S6A		3
S7		4




Put 16 on the side farther from the hole in the center of the tile and 23 on the side nearer.

NO.	PART.	Qty.
21	 705mm	2
S4		8



NO.	PART.	Qty.
S4		4
S6		2
S6A		2
S7		4



NO.	PART.	Qty.
S6		12
S7		12
S9		4
S34	 M6X50mm	5

