












INSTALLATION MANUAL

FLOOR LAMP



PACKING LIST


A 1x  Front Panel	B 1x  Rear Panel	C 2x  Square Tube	D1 1x  Bottom Panel
D2 2x  Side Panel	D3 1x  Top Panel	E 1x  Shelf	F 1x  Power Box
G 1x  Metal Pole	H1 1x  Shade Cover	H2 1x  Shade Bracket	H3 1x  Shade Fixing Circle
J 20x  M4 Wood Screw	K1 1x  M4 Allen Key	K2 1x  M6 Allen Key	L1 2x  M6 Short Screw
L2 16x  M6 Long Screw	M 1x  Washer	N 1x  Hex Nut	O 1x  Hex Wrench
P 1x  Top Panel Wire Clamp	Q 2x  Velcro Strap	R 1x  Bulb	S 2x  Cat Scratcher

Installation Instructions

1. Install the Front Panel and Rear Panel

Step 1: Align the stepped edges of front panel (A) and rear panel (B) outward, (Fig 1.) place square tube (C) with holes facing upward. (Fig 2.)

Step 2: Fasten front panels (A) and rear panel (B) using M6 long screws (L2), then tighten with M6 allen key (K2). Do not over-tighten, leave slight clearance.




2. Install the Bottom Panel

Step 1: Turn the assembled frame over.

Step 2: Place the bottom panel (D1) with the side featuring the stepped edge facing up.


Step 3: Secure it using an M6 long screws (L2). Tighten the screw with an M6 allen key (K2). Do not over-tighten, leave slight clearance.



3. Install the Shelf

Step 1: Use M6 long screws (L2) to secure the shelf (E) to the square tube (C). Do not over-tighten, leave slight clearance.


Step 2: After assembling the frame, adjust the entire frame. Tighten all M6 long screws (L2) completely.



4. Install the Power Box

Step 1: Secure the power box (F) to the left or right side of the shelf (E) using M6 short screws (L1), and tighten them with an M6 allen key (K2).


Step 2: Turn the assembled frame over.




5. Install the Left Side Panels and Secure the Bottom Panel

Step 1: The side panel (D2) that has no holes facing up.

Step 2: Use M4 wood screws (J) to secure the side panel (D2), When tightening with an M4 allen key (K1). Do not over-tighten, leave slight clearance.




Step 3: Turn the assembled frame over and use an M4 allen key (K1) to secure the M4 wood screws (J) into the hole in the base for bottom panel (D1).



6. Install the Top Panel

Step 1: Turn the assembled frame over.


Step 2: Insert the top panel (D3) into the position shown in the diagram and secure it with M4 wood screws (J). When tightening with an M4 allen key (K1). Do not over-tighten, leave slight clearance.




7. Install the Right Side Panels and Secure the Bottom Panel

Step 1: The side panel (D2) that has no holes facing up.

Step 2: Use M4 wood screws (J) to secure the side panel (D2), When tightening with an M4 allen key (K1). Do not over-tighten, leave slight clearance.




Step 3: Turn the assembled frame over and use an M4 allen key (K1) to secure the M4 wood screws (J) into the hole in the base for bottom panel (D1).




8. Assembling the Shade and Metal Pole

Step 1: Follow the steps ① - ④ in the illustration to install the shade.




Step 2: Install in the following order metal pole (G): lamp rack → lamp pole ① → lamp pole ②, then tighten.



9. Install the Lamp Body


Step 1: Pass the metal pole (G) together through the reserved lamp rod hole on shelf (E).

Step 2: Pass the power cord through washer (M) and hex nut (N) in sequence, then tighten with a hex wrench (O).




Step 3: Connect the metal pole (G) and the power box (F) using the bayonet connectors on the power cables. Once the connectors are fully inserted, turn the upper cap clockwise to mechanically lock them in place. (Fig 3.)

Step 4: Peel off the adhesive backing from the back of the top panel wire clamp (P) and attach it to the back of the shelf (E). And use velcro straps to bundle up any excess wires (Q). (Fig 4.) (Fig 5.)



- Step 5:** Peel off the adhesive backing on the cat scratcher (S) and attach it to either side of the cat house.
- Step 6:** Adjust the product's balance by rotating the leveling pads pre-installed on the table legs.




10. Install the Shade and Bulb

Step 1: Remove the socket ring from the socket.

Step 2: Attach the lamp shade to the socket. Secure it with the socket ring.

Step 3: Install the Bulb (E26, Max 9W, included).



NOTE:

1. This lamp has an E26 base and is recommended for use with LED bulbs of 7W to 9W.
2. For bulbs with color temperature control, repeatedly switch "on" and "off " using the rocker switch to change settings.

Trouble Shooting

1. Missing / Broken Parts

- Make a list of the missing / broken parts according to the packing list, take photos for broken parts, then email us for free replacements.

2. Bulbs Do Not Light Up / Flicker

- Check if the bulb is loose, burned out, or missing.
- Replace the bulb with the correct type and wattage.
- Ensure the light switch is in the ON position.

3. Could Not Install / Assemble

- Take photos of the fixture, contact seller for technical support.

Clean And Care

To clean, wipe the fixture with a soft cloth. Spraying from chemical cleaners can discolor the finish of the fixture.

Do not use scouring pads, powders, steel wool, or abrasive paper to clean this fixture.

Ordering Parts

Keep this manual for future reference, and in case replacement parts are needed. Available parts can be ordered from the place of purchase. Use exact wording from diagrams when ordering parts.