



# Underscore® | K-1130

60" x 32" drop-in bath

## Features

- Integral lumbar support
- Slotted overflow allows for deep soaking
- 60" (1524 mm) x 32" (813 mm) x 21" (533 mm)



## Available Colors/Finishes

*Color tiles intended for reference only.*

|                                                                                     |    |             |
|-------------------------------------------------------------------------------------|----|-------------|
|  | 0  | White       |
|  | 96 | Biscuit     |
|  | 7  | Black Black |



1-800-4KOHLER (1-800-456-4537)  
Kohler Co. reserves the right to make revisions without notice to product specifications.  
For the most current specification sheet, go to [www.kohler.com](http://www.kohler.com) USA or [www.kohler.ca](http://www.kohler.ca) Canada.  
7-29-2026 18:58 - US-CA

THE BOLD LOOK  
OF **KOHLER**®

## Codes/Standards

CSA B45.5/IAPMO Z124  
ASTM E162  
ASTM E662

## Required Products/Accessories

- K-7271 Slotted overflow brass bath drain
- or
- K-7272 Slotted overflow bath drain

## Technical Information

*All product dimensions are nominal.*

|                        |                                               |
|------------------------|-----------------------------------------------|
| Drain Location:        | Reversible                                    |
| Drain Hole Diameter:   | 2-1/4" (57 mm)                                |
| Minimum Flat for Door: | 2" (51 mm)                                    |
| Basin Area, Bottom:    | 42" x 23-1/2" (1067 mm x 597 mm)              |
| Basin Area, Top:       | 55-1/8" x 27-1/8" (1400 mm x 689 mm)          |
| Water Depth:           | 17-1/8" (435 mm)                              |
| Water Capacity:        | 81 gal (306.6 L)                              |
| Minimum Floor Load:    | 58 lbs/ft <sup>2</sup>                        |
| Weight:                | 75 lbs (34 kg)                                |
| Cutout:                | Drop-in, 58-1/2" x 30-1/2" (1486 mm x 775 mm) |

## Warranty

*See website for detailed warranty information.*

KOHLER® Plastic Baths and Shower Bases Lifetime Limited Warranty


## Material

- Acrylic

## Recommended Products/Accessories

K-590 Undermount kit for select 60" Underscore bath models  
K-1601 Bath/whirlpool footstop, removable  
K-1177 Tiling-in bead, 144" length  
K-23726 Drain treatment  
K-23732 Tub & shower cleaner





## Installation

- Drop-in or undermount
- Reversible drain
- Requires Clearflo slotted overflow bath drain (sold separately)

## Installation Notes

*Install this product according to the installation instructions.*

Measure your actual product for rough-in details.  
 The hot water supply should be 70% of the capacity of the bath or greater. Installations will vary.  
 Kit is required for under-mount installations (sold separately).

