

ASSEMBLY INSTRUCTIONS



Side Chair

ASSEMBLY INSTRUCTIONS

ASSEMBLY TIPS:

1. Remove hardware from box and sort by size.
2. Please check to see that all hardware and parts are present prior to start of assembly.
3. Please follow attached instructions in the same sequence as numbered to assure fast & easy assembly.



WARNING!

1. Don't attempt to repair or modify parts that are broken or defective. Please contact the store immediately.
2. This product is for home use only and not intended for commercial establishments.



ASSEMBLY TIME

15 MINUTES

PARTS IDENTIFICATION

A	BACKREST		1PC
B	SEAT CUSHION		1PC
C	LOWER LEG		1PC
D	UPPER LEG		1PC
E	CORNER BLOCK		4PCS

HARDWARE IDENTIFICATION


1	ALLEN WRENCH (M4 X 60MM - RBW)		1PC
2	BOLT (M6 X 45MM - RBW)		4PCS
3	HEX HEAD SCREW (M6 X 50MM - RBW)		1PC
4	LOCK WASHER (M6 X 13MM - RBW)		4PCS
5	FLAT WASHER (M6 X 13MM - RBW)		4PCS
6	LONG FLAT HEAD (M4 X 38MM - RBW)		4PCS
7	SHORT FLAT HEAD (M4 X 30MM - RBW)		16PCS
8	WOOD BUTTON (14.5MM)		4PCS
9	FELT PAD (3 X 21MM)		4PCS

NOTE :

Phillips head screw driver is required in the assembly process; however, manufacturer does not provide this item.


ASSEMBLY INSTRUCTIONS

STEP 1




*BOTTOM VIEW

STEP 2




STEP 3




ASSEMBLY INSTRUCTIONS


STEP 4



STEP 5

COMPLETE





Note: Dimension tolerance $\pm 5\%$