


Assembly Instructions





Friendly Reminder:

1. **Patience with Cushions:** The cushions are vacuum-sealed and may look wrinkled at first— don't worry! Give them up to 72 hours to air out, and they'll plump up to their full, comfy shape.
2. **Build First, Unpack After:** For the easiest setup, assemble the sofa frame completely before unsealing the compressed cushions.
3. **Need Help?** If any parts are missing or damaged (please take photos for reference), feel free to contact us—our support team will assist you promptly!

Thanks for choosing us—Your comfort zone starts here!




PARTS LIST

A  x1	B  x1	C  x1	D  x1
E  x1	F  x1	G  x1	H  x1
I  x1	J  x2	K  x1	L  x2
M  x4	N  x2	O  x1	

HARDWARE


1  1pc	2  M6*40MM 4pcs	3  M6*20MM 6pcs	4  M6*16MM 16pcs
5  M8*30MM 4pcs			

STEP1:




Install Part A onto E using Part M and Screw 4 (4 pcs), and tighten Screw 4 to 80% of its maximum torque.

STEP2:




Install Part B and A onto E using Part M and Screw 4 (8 pcs), and tighten Screw 4 to 80% of its maximum torque.

STEP3:




Use screws 5 (4 pcs) to connect part L and part J.

STEP4:




Install Step 3 onto E using Screw 3 (3 pcs), and tighten Screw 3 to 80% of its maximum torque.

STEP5:




Assemble the F unit using Screw 4 (4 pcs) and Screw 3 (3 pcs), and tighten screws to 80% of its maximum torque.

STEP6:




After confirm all screw holes are aligned, tighten all the bolts to 100%.

STEP7:




Place part N on top of J and align it with the holes.

STEP8:




Assemble the turntable using using Screw 2 (4 pcs).

STEP9:



Turn the sofa so that the turntable is on the floor, and position G between E and F.


STEP10:



Secure I using the grooves on E and F.

STEP11:


The cushions is packaged by vacuum compression. After cutting the package, it rebounds quickly within 4 hours. If the fabric has wrinkles, it will basically disappear after standing for 72 hours



Tips:


1. Compressed components must be fully inflated within 72 hours to ensure optimal performance.
2. Please don't open the compressed packages until the frame is completely assembled.
3. Please keep children away from plastic bags or any small objects.

STEP12:



Place K on the backrest and secure it.

STEP13:



Place part C and D on the armrest and secure it in place.

