

### **DIGIFLEX LIMITED**

According to UN GHS(the 10 revised edition)

# Safety Data Sheet (SDS)

	Product Name:	ı	ness Setting	
	Model No.:	ACC0	05	
Written	by:	Inspected by:	Approved by:	
	(Linda)	(Jose)	(Grealy	' <b>)</b>

TRIXES Rechargeable Black Table Lamp,

ISSUED BY:ZHONGKE SERVICES OF TESTING (SHENZHEN)CO.,LTD.

南德议质 PRINT Oct.2024

Item No.: 24A755T662 SDS No.: EMS.241.016.003.DLT Oct.16,2024 **Initial Date:** Oct.16,2024 **Revision Date:** 



MSDS No.:EMS.241.016.003.DLT	Initial Date:Oct.16,2024	Version:1.0
Product Name: TRIXES RECHARGEABLE BLACK TABLE LAMP, MULTI-BRIGHTNESS SETTING	Revision Date:Oct.16,2024	Item No.:24A755T662

### Section 1

### Product and Company Identification

#### **Product identification**

Product Name:	TRIXES Rechargeable Black Table Lamp, Multi-Brightness Setting
Model No.:	ACC005
CAS No.:	Not applicable
EC No.:	Not applicable
Molecular formula:	Not applicable

#### Relevant identified uses of the substance or mixture and uses advised against

Identified uses:	Decorative lights
Uses advised against:	No special note

### Details of the applicant, manufacturer

•	•
Company name:	DIGIFLEX LIMITED
Address:	16A Eldon Way, Hockley, Essex, SS54AD, UK
Post code:	
Telephone:	0044-01702562616
Fax:	1
E-mail:	customerservices@digiflex.co.uk

#### **Emergency telephone number**

Emergency telephone: 0044-01702562616

### Section 2

#### **Hazard Description**

Hazard class and label elements of the product according to GHS (the 10th revised edition):

#### **GHS Hazard class**

Non-hazardous substance or mixture

#### GHS label elements

Page 1 of 15

RAND: 990085



Initial Date:Oct.16,2024 MSDS No.:EMS.241.016.003.DLT Version:1.0 **Product Name: TRIXES RECHARGEABLE BLACK** Revision Date:Oct.16,2024 Item No.:24A755T662 TABLE LAMP, MULTI-BRIGHTNESS SETTING

Pictogram(s): None Signal word: None

#### **Hazard statements**

Not applicable.

#### **Other Hazards**

None.

#### **Hazard description**

#### Physical and chemical hazards

Non-flammable, no special combustion and explosion characteristics.

#### **Health hazards**

None.

#### Environmental hazards

Please refer to Section 12 of SDS.

### **Section 3**

### **Composition/Ingredient Data**

	Substance <u>Mixtur</u>	е
Component(s)	Content,%	CAS No.
Iron	90.59	7439-89-6
Copper	3.40	7440-50-8
Aluminum	1.10	7429-90-5
PMMA	1.00	9065-11-6
Carbon	1.00	7440-44-0
Resin epoxy	1.00	24969-06-0
Fibrous Glass	1.00	65997-17-3
Silica gel	0.40	112926-00-8
Acrylate Resin	0.10	9003-01-4

Page 2 of 15

**RAND:**990085



This technical report may only be quoted in full. Any use for advertising purposes must be granted in writing. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production.

MSDS No.:EMS.241.016.003.DLT	Initial Date:Oct.16,2024	Version:1.0
Product Name:TRIXES RECHARGEABLE BLACK TABLE LAMP, MULTI-BRIGHTNESS SETTING	Revision Date:Oct.16,2024	Item No.:24A755T662

Component(s)	Content,%	CAS No.
Propylene carbonate	0.10	108-32-7
PVDF	0.10	24937-79-9
SBR	0.10	9003-55-8
Nickel	0.10	7440-02-0
Lithium	0.01	7439-93-2

### Section 4

### First Aid Measures

### **Description of first aid measures**

First aid (Apply to leak out of the material from inside the battery):

General advice:	Show this safety data sheet to the doctor in attendance.  After receiving the first-aid measure required, consult a physician if necessary.
Skin contact:	Remove contaminated clothing and shoes.  Wash off with mild soap and plenty of water  If skin irritation occurs or persists, consult a physician immediately.
Eyes contact:	If the mucous membrane of the eye or the like is irritated by fumes, fine particles, etc., wash the affected part with water and consult a physician immediately.  If cause physical damage, check for and remove any contact lenses, keeping eyelids open., do not rubbing eyes with hand. Seek medical attention immediately.
Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing.  If breathing is irregular, provide artificial respiration or oxygen by trained personnel  Get medical attention if adverse health effects persist or are severe.
Ingestion:	Wash out mouth with water.  If material has been swallowed and the exposed person is conscious, give small quantities of water to drink.  Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel.  If vomiting occurs, the head should be kept low so that vomit does not enter the lungs.

Page 3 of 15

SIGNATURE:ZHONGKE SERVICES OF TESTING (SHENZHEN)CO.,LTD.

This technical report may only be quoted in full. Any use for advertising purposes must be granted in writing. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production.

**RAND: 990085** 

MSDS No.:EMS.241.016.003.DLT	Initial Date:Oct.16,2024	Version:1.0
Product Name:TRIXES RECHARGEABLE BLACK	Revision Date:Oct.16,2024	Item No.:24A755T662

Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person.

### Most important acute and delayed symptoms/effects

The most important known symptoms and effects are described in section 2 and/or in section 11.

#### Immediate/special treatment

- 1 Continue with first aid measures. Treat symptomatically and supportively
- 2 Symptoms may be delayed.

### **Section 5**

### **Firefighting Measures**

#### **Extinguishing agent**

Suitable/Unsuitable extinguishing agents:

In case of fire,water flooded ground fire. If the battery is burning, water may not be extinguished, but can use water cooling adjacent batteries so as to control the spread of fire. The preferred medium for small fire is carbon dioxide, dry powder, or foam extinguishing agent, but for the lithium battery is burning may be no use, the battery will burn until complete combustion. In fact, all lithium batteries can be controlled by water. However, when using water to produce hydrogen gas may be mixed with air to form explosive mixture. LITH-X (graphite powder) or copper powder fire extinguishers, sand, dry, powdered

#### Special hazards arising from the substance or mixture

If this product is involved in a fire, the following can be released: Metal oxides, carbon oxides, etc

dolomite or soda can be used as smothering agent

#### I Fire precautions and measures

- Firefighters must wear self-contained breathing apparatus, wear full body fire suit, fire extinguishing in the upwind.
- 2 As far as possible will be transferred to empty containers from the scene.
- **3** Keep the fire water spray containers cooling,until the end of fire.
- 4 If the containers in the fire ground have been color, must be evacuated immediately
- 5 Isolated accident scene, prohibit access.
- **6** Receiving and processing of fire, to prevent environmental pollution.

Page 4 of 15

**RAND:**990085



OF TESTING (SHENZHEN)CO.,LTD.

MSDS No.:EMS.241.016.003.DLT	Initial Date:Oct.16,2024	Version:1.0
Product Name:TRIXES RECHARGEABLE BLACK	Revision Date:Oct.16,2024	Item No.:24A755T662

## Section 6 Accidental Release Measures

### Personal precautions, protective equipment and emergency procedures

1	No action shall be taken involving any personal risk or without suitable training.
2	Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering.
3	Do not touch or walk through spilt material, avoid slipping.
4	Avoid breathing steam/dusts.
5	Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate.
6	Put on appropriate personal protective equipment (see section 8).

### **Environmental precautions**

Prevent further leakage or spillage if safe to do so 1 Discharge into the environment must be avoided.

#### Methods and materials for containment and cleaning up

1	Pick up and arrange disposal without creating dust.Collect mechanically.Keep in suitable,closed containers for disposal.
2	Disposal:Contaminated material must be disposed of in accordance with all State and/or Local regulations.

### **Section 7**

### Handling and Storage

#### **Precautions for safe handling**

1	Put on appropriate personal protective equipment (see section 8).
2	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.
3	Workers should wash hands and face before eating, drinking and smoking. Avoid contact eyes. Avoid breathing dust.
4	Provide suitable exhaust equipment.Operate in a well-ventilated place.
5	Normal measures for preventive fire protection.
6	Keep away from heat/sparks/open flames/hot surfaces.
7	Observe good housekeeping procedures and hygiene practices.

Page 5 of 15

**RAND:**990085



SIGNATURE: ZHONGKE SERVICES OF TESTING (SHENZHEN)CO.,LTD.

MSDS No.:EMS.241.016.003.DLT	Initial Date:Oct.16,2024	Version:1.0
Product Name:TRIXES RECHARGEABLE BLACK TABLE LAMP. MULTI-BRIGHTNESS SETTING	Revision Date:Oct.16,2024	Item No.:24A755T662

8 Provide for appropriate exhaust ventilation and dust collection at machinery.	
9	Wash thoroughly after handling.
10	Handling carefully to prevent damage the packaging and container.

#### **Precautions for storage**

1	Store in accordance with local regulations.Stored in a dry,cool and well-ventilated area.
2	Keep container tightly closed and sealed until ready for use.
3	Avoid direct sunlight. Keep away from open flames and high temperatures, away from incompatible materials (see section 10), food and feed.
4	Keep out of reach of children and pets.
5	Equipped with corresponding varieties and number of fire equipment and spill contingency processing equipment.
6	Recommended storage temperature:5°C~40°C,relative humidity:≤85%.

Section 8

### Exposure Controls/Personal Protection

### I Control parameters

#### **♦** Occupational Exposure limit values

Componen	Country/region	Occupational exposure limits (8h)		Occupational exposure limits (Short time)	
ts CAS No.		ppm	mg/m	ppm	mg/m³
	Holland	-	0.1	-	-
Copper	Poland	-	0.2	-	-
7440-50-8	Latvia	-	0.5	-	-
	Germany (DFG)	-	0.01	-	0.02
	USA-OSHA	-	15	-	-
	Korea	-	10	-	-
Aluminum	Ireland	-	1	-	-
7429-90-5	Germany (AGS)	-	4	-	-
	Denmark	-	5	-	10
	Australia	-	10	-	_

Page 6 of 15



This technical report may only be quoted in full. Any use for advertising purposes must be granted in writing. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production.

**RAND:** 990085

Tel:400-8118-330/4008-553-663 I E-mail: report@zks-test.com I Website: http://www.zks-test.com

MSDS No.:EMS.241.016.003.DLT	Initial Date:Oct.16,2024	Version:1.0
Product Name: TRIXES RECHARGEABLE BLACK TABLE LAMP. MULTI-BRIGHTNESS SETTING	Revision Date:Oct.16,2024	Item No.:24A755T662

			1		
	USA-OSHA	-	1	-	-
	Korea	-	1	-	-
Nickel	Ireland	-	0.5	-	_
7440-02-0	Hungary	-	0.1	-	0.1
	Denmark	-	0.05	-	0.1
	Australia	-	1	-	-
	Switzerland	-	0.2	-	0.2
Lithium 7439-93-2	Sweden	-	-	-	0.02
7439-33-2	Germany (DFG)	-	0.2	-	0.2

### **Engineering controls**

- Ensure adequate ventilation, especially in confined areas. 1
- that eyewash stations and safety showers and close to the workstation location

### **Personal protection**

General requirements:	
Respiratory protection:	Respiratory protective equipment is not necessary if used as intended. Respiratory protection may be required under exceptional circumstances when excessive air contamination exists. If the batteries leaks must try to keep the air circulation, avoid operating in a narrow place.
Eye protection:	Not necessary if used as intended, wear goggles/safety glasses giving complete eye protection if the battery damaged or leaking.
Skin and body protection:	Not necessary if used as intended, wear appropriate clothing and boots to minimize skin exposure if the battery damaged or leaking.
Hands protection:	Not necessary if used as intended, wear appropriate protective gloves if the battery damaged or leaking.  Check protective gloves prior to each use for their proper condition  The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer

Page 7 of 15

**RAND:**990085



MSDS No.:EMS.241.016.003.DLT	Initial Date:Oct.16,2024	Version:1.0
Product Name:TRIXES RECHARGEABLE BLACK TABLE LAMP, MULTI-BRIGHTNESS SETTING	Revision Date:Oct.16,2024	Item No.:24A7_55T662

Section 9

### **Physical and Chemical Properties**

### Information on basic physical and chemical properties

	· · · · · · · · · · · · · · · · · · ·
Appearance and character:	Black;solid (Lithium ion battery 3.7V 1000mAh contained in lamp)
Odor:	Odorless
Melting point/freezing point(°C):	No data/Not applicable
Initial boiling point and boiling range(°ℂ):	NO Gala/NOL applicable
Flash point(°ℂ):	No data/Not applicable
Evaporation rate:	No data/Not applicable
Steam pressure (20℃):	No data/Not applicable
Relative density (water=1):	No data/Not applicable
Partition coefficient: n- octanol/water:	No data/Not applicable
Decomposition temperature(°ℂ):	No data/Not applicable
Auto ignition temperature: (°ℂ):	No data/Not applicable
pH value:	No data/Not applicable
Explosion limit [%(v/v)]:	Non-explosive
Relative vapor density(air=1):	No data/Not applicable
Solubility:	Insoluble in water
Flammability (solid,gas):	Non-flammable
Oxidizing properties:	The substance does not belong to oxidizing substances

Page 8 of 15

RAND: 990085



MSDS No.:EMS.241.016.003.DLT	Initial Date:Oct.16,2024	Version:1.0
Product Name:TRIXES RECHARGEABLE BLACK TABLE LAMP, MULTI-BRIGHTNESS SETTING	Revision Date:Oct.16,2024	Item No.:24A755T662

### Section 10

### **Stability and Reactivity**

### **Stability and Reactivity**

Stability:	The product is chemically stable.
Reactivity: Stable under recommended storage and handling conditions	
Incompatible materials:	Strong oxidizing agents
Conditions to avoid:	Hot and moisture.
Hazardous	Under normal conditions of storage and use, hazardous decomposition
decomposition products:	products should not be produced.

### Section 11 Toxicological Information

#### **Acute toxicity**

Component(s)	CAS No.	LD₅o(Oral)	LD₅o(Dermal)	LC₅o(Inhalation)
Iron	7439-89-6	Rat:30000mg/kg	No data	No data
Acrylate Resin	9003-01-4	Rat:2500mg/kg Mouse:4600mg/kg	No data	No data

Skin corrosion/irritation:	According to the existing data, the product is not classified.	
Eye corrosion/irritation:	Irritating effect possible.	
Respiratory sensitization:	' I had broducte are not known to colleg clin conditization	
Skin sensitization	These products are not known to cause skin sensitization.	
Germ cell mutagenicity: According to the existing data, the product is not classified.		
Carcinogenicity:	No classification data on carcinogenic properties of this material is available from the EPA,IARC,NTP,OSHA or ACGIH.	
Reproductive toxicity:	According to the existing data, the product is not classified.	
Specific target organ toxicity -single exposure: According to the existing data, the product is not classified.		

Page 9 of 15

**RAND:**990085



SIGNATURE: ZHONGKE SERVICES OF TESTING (SHENZHEN)CO.,LTD.

MSDS No.:EMS.241.016.003.DLT		Initial Date:Oct.16,2024	Version:1.0
	t Name:TRIXES RECHARGEABLE BLACK	Revision Date:Oct.16,2024	Item No.:24A755T662

Specific target organ toxicity -repeated exposure:	
Aspiration hazard:	According to the existing data, the product is not classified.
Additional reproductive toxicity hazards:	According to the existing data, the product is not classified.

### Section 12

### **Ecological Information**

#### **Aquatic toxicity**

Acute/Chronic aquatic toxicity:

According to the existing data, the product is not classified.

#### Persistence and degradability

Persistence:

No data.

#### Bioaccumulative potential

Bioconcentration:

The potential for bioaccumulation of this material in aquatic organisms is low.

#### **Mobility** in soil

Mobility:

No data.

#### Other adverse effects

Product is a mixture of non-volatile components, which are not expected to be released to air in any significant quantities. Not expected to have ozone depletion potential, photochemical ozone creation potential or global warming potential.

### Section 13

1

#### **Disposal Considerations**

#### Waste disposal

Before disposal should refer to the relevant national and local laws and regulation.

Residual waste:

The generation of waste should be avoided or minimized wherever possible. Recommended transfer to a suitable container and arrange for collection by specialized disposal company if recycling is not feasible.

Page 10 of 15

This technical report may only be quoted in full. Any use for advertising purposes must be granted in writing. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production.

**RAND:** 990085



OF TESTING (SHENZHEN)CO.,LTD.

I Tel:400-8118-330/4008-553-663 | E-mail: report@zks-test.com | Website: http://www.zks-test.com

MSDS No.:EMS.241.016.003.DLT	Initial Date:Oct.16,2024	Version:1.0
Product Name:TRIXES RECHARGEABLE BLACK	Revision Date:Oct.16,2024	Item No.:24A755T662

Contaminated packaging:	The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Disposal considerations:	Dispose of container and unused contents in accordance with national and local relevant regulations laws.

### **Section 14** Transport Information

Transport Information

I ransport information		
UN No.:	UN3481	
UN Transport name:	Lithium ion batteries contained in equipment	
Hazard class(es):	9	
Packaging group:	N/A	
Environmental hazard Marine pollutant (Yes/No):	No	
ICAO/ATA:	Can be shipped by air in accordance with International Civil Aviation Organization (ICAO),TI or International Air Transport Association (IATA),DGR Packing Instructions (PI)965 Section I or 967 Section II appropriate of IATA DGR 65th (2024 Edition)for transportation.	
IMDG CODE:	The batteries are not restricted to IMDG Code (2022 Edition)according to special provision 188.	
ADR/AND:	The batteries are not subject to the provisions of United Nations Economic Commission for Europe (UNECE)ADR/ADN if they meet the requirements of special provision 188 of Chapter 3.3.Applicable as from 1 January 2019	

In addition, to be permitted in transport each lithium cell and battery types must have passed the applicable tests set out in Subsection 38.3 of the UN Manual of Tests and Criteria.

### Section 15

### **Regulatory Information**

### Regulatory information:

Reference to the local, national, US, EU, CA and international regulations.

Page 11 of 15

**RAND:**990085



OF TESTING (SHENZHEN)CO.,LTD.

MSDS No.:EMS.241.016.003.DLT	Initial Date:Oct.16,2024	Version:1.0
Product Name:TRIXES RECHARGEABLE BLACK TABLE LAMP, MULTI-BRIGHTNESS SETTING	Revision Date:Oct.16,2024	Item No.:24A755T662

CAS No	TSCA	EINECS	DSL	IECSC	NZIoC	PICCS	KECI	AICS
7439-89-6	$\sqrt{}$	$\sqrt{}$	$\sqrt{}$	$\sqrt{}$	$\sqrt{}$	√	$\checkmark$	$\sqrt{}$
24969-06-0	<b>√</b>	×	$\sqrt{}$	√	×	V	$\sqrt{}$	V
65997-17-3	$\sqrt{}$	$\sqrt{}$	$\sqrt{}$	$\sqrt{}$	$\sqrt{}$	√	$\checkmark$	$\sqrt{}$
9003-01-4	<b>√</b>	V	√	√	$\sqrt{}$	√	$\checkmark$	√
112926-00-8	X	$\sqrt{}$	$\sqrt{}$	$\checkmark$	$\sqrt{}$	√	$\checkmark$	$\checkmark$
9065-11-6	×	×	×	×	×	×	×	×
7440-50-8	√	√	√	√	$\sqrt{}$	√	√	√
7439-93-2	<b>√</b>	V	√	√	$\sqrt{}$	√	$\sqrt{}$	√
7440-44-0	√	√	$\sqrt{}$	√	$\sqrt{}$	√	√	√
108-32-7	<b>√</b>	V	√	√	$\sqrt{}$	√	$\sqrt{}$	√
7429-90-5	√	√	√	√	×	√	√	√
24937-79-9	√	√	√	√	$\sqrt{}$	√	√	√
9003-55-8	√	×	√	√	$\sqrt{}$	√	$\sqrt{}$	√
7440-02-0	√	√	√	√	√	√	√	√

TSCA:	United States Toxic Substances Control Act Inventory	
EINECS :	European Inventory of Existing Commercial Chemical Substances	
DSL:	Canadian Domestic Substances List	
IECSC:	China Inventory of Existing Chemical Substances	
PICCS:	Philippines Inventory of Chemicals and Chemical Substances	
NZIoC:	New Zealand Inventory of Chemicals	
KECI:	Existing and Evaluated Chemical Substances	
AICS:	List of existing chemical substances in Australia	
★Note	" $$ "Indicates that the substance included in the regulations "x"That no data or included in the regulations	

Page 12 of 15

SIGNATURE:ZHONGKE SERVICES OF TESTING (SHENZHEN)CO.,LTD.

MSDS No.:EMS.241.016.003.DLT	Initial Date:Oct.16,2024	Version:1.0
Product Name:TRIXES RECHARGEABLE BLACK TABLE LAMP, MULTI-BRIGHTNESS SETTING	Revision Date:Oct.16,2024	Item No.:24A755T662

## **Section 16** Other Information

### **Abbreviations or phrases**

Appreviations of pricases				
ACGIH:	American Conference of Governmental Industrial Hygienists			
ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road			
CAS:	Chemical Abstracts Service			
CLP:	Classification, labeling and packaging			
EC:	Council of Europe			
ECHA:	European Chemicals Agency			
EINECS:	NECS: European Inventory of Existing commercial Chemical Substances			
GHS:	GHS: Globally Harmonized System of Classification and Labelling of Chemicals			
IARC:	International Agency for Research on Cancer			
IATA:	International Air Transport Association			
RID:	Regulation for rail International transportation of Dangerous goods			
ICAO:	International Civil Aviation Organization			
IMDG:	International Maritime Dangerous Goods Code			
IC₅0:	Inhibitory Concern Triton 50%			
LC50	Lethal Concentration 50%			
LD50	Median Lethal Dose 50%			
MAPROL:	International Convention for the Prevention of Pollution from Ships			
REACH:	REGULATION concerning the Registration, Evaluation, Authorization and Restriction of Chemicals			
STEL:	Short Term Exposure Limit			
TWA:	Time Weighted Average			
MAC:	Maximum Allowable Concentration			
OSHA:	Occupational Safety and Health Administration			
NIOSH:	National Institute for Occupational Safety and Health			
TLV:	Threshold Limit Value			

Page 13 of 15

This technical report may only be quoted in full. Any use for advertising purposes must be granted in writing. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production.

**RAND:** 990085



SIGNATURE: ZHONGKE SERVICES OF TESTING (SHENZHEN)CO.,LTD.

MSDS No.:EMS.241.016.003.DLT	Initial Date:Oct.16,2024	Version:1.0
Product Name:TRIXES RECHARGEABLE BLACK TABLE LAMP, MULTI-BRIGHTNESS SETTING	Revision Date:Oct.16,2024	Item No.:24A755T662

TLV-TWA:	Threshold Limit Value-Time Weighted Average
TLV-STEL:	Threshold Limit Value-Short term Exposure Limit
PC-TWA:	Permissible Concentration-Time Weighted Average
PC-STEL	Permissible Concentration-Short Term Exposure Limit
PEL:	Permissible Exposure Limit
OELs:	Occupational Exposure Limits

#### Reference

1	IARC
2	OECD:The Global Portal to Information on Chemical Substances
3	U.S.Department of Transportation:ERG
4	Germany GESTIS-database on hazard substance
5	CAMEO Chemicals
6	NLM: ChemIDplus
7	EPA:Integrated Risk Information System
8	IPCS:The International Chemical Safety Cards (ICSC)

#### **Disclaimer**

2

The above information is believed to be correct but we can not guarantee the absolute universality and accuracy and shall be used only as a guide. The information in this document is based on the present state 1 of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product

Zhongke testing ensures the objectivity and fairness of the test and fulfils the confidentiality obligations of the applicant's information. The applicant is responsible for the authenticity of the submitted samples and information. The results shown in this report relate only to the samples

tested. The test results only reflect the evaluation of the sample being tested and are not used for other purposes. Zhongke testing shall not be liable for any loss arising from or in connection with this report,contract,tort,regulation or other reasons. This report is invalid or has been copied in whole or in part if there is no approver signature and Zhongke testing special seal. This report may not be published as an

advertisement without the approval of the Zhongke testing. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is illegal and the offender may be

prosecuted to the fullest extent of the law.







MSDS No.:EMS.241.016.003.DLT	Initial Date:Oct.16,2024	Version:1.0
Product Name:TRIXES RECHARGEABLE BLACK	Revision Date:Oct.16,2024	Item No.:24A755T662

### Product photo(s)



\*\*\* END OF REPORT\*\*\*

Page 15 of 15





SIGNATURE:ZHONGKE SERVICES OF TESTING (SHENZHEN)CO.,LTD.

This technical report may only be quoted in full. Any use for advertising purposes must be granted in writing. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production.

Tel:400-8118-330/4008-553-663 | E-mail: report@zks-test.com | Website: http://www.zks-test.com