

OFFICE MASSAGE CHAIR ASSEMBLY INSTRUCTIONS

YS251225 SEROES



ATTENTION

1. This chair comes with 1 box, please check the parts list and hardware list carefully to make sure you've received all parts.
2. If there are any missing parts, please contact us with the missing part and the missing part number, we'll resend them to you ASAP.
3. If there are any damaged parts, please contact us with clear picture or clear video, we'll offer you the best solution after confirming it.

WARRANTY AND RETURN


We offer 1 year warranty and free replacement for all damaged or defective parts you received. Check the condition of your package once upon the delivery. If you have any questions, please contact our customer service immediately.

CONTACT INFORMATION








If you order our product on Amazon/Walmart/Wayfair etc., please log in your Amazon/Walmart/Wayfair account to contact us.

If you order our product on Shopify, please contact us at **serviceteam@yalissey.com**. Our service team will reply within 24 hours.

ASSEMBLY INSTRUCTIONS



Parts List

I		K		L		M		N			
5 pcs		1 pc		5 pcs		1 pc		1 pc			
O		P		Q		R		S			
4 pcs		1 pc		1 pc		1 pc		1 pc			
T		U		G		H		J		W	
1 pc		1 pc		1 pc		1 pc		2 pcs		1 pc	

Hardware List

A		B		C		D		E	
	M6*16mm		M6*25mm		M6*20mm		M8*25mm		M5*10
	10pcs		12 pcs		10 pcs		3pcs		1 pc
F		V							
			M6*30mm						
	1 pc		2 pcs						


IMPORTANT SAFEGUARDS

1. If one or some screws are fully tightened during the assembly, the other screws may not be aligned with screw holes. 70% tighten before fastening all screws. Allen wrench is recommended instead of an electric drill.
2. If some screws are not aligned with holes during assembly, please loosen all the other screws to 70% and continue the assembly process.
3. If the items is not stable, please loosen all the screws, adjust it on a flat ground and tighten all the screws.
4. Before using the chair be sure that it is completely and properly assembled. Handle with care.
5. Regularly check if all screws are tightly secured.
6. Please do not exceed the maximum load weight of 400 lbs.
7. Please do not use the office chair if any components are damaged, worn, broken or cracked.
8. Be careful when using the product to avoid squeezing and shearing, especially between movable parts!
9. Your office chair is equipped with casters for all types of flooring.
10. Please do not let children climb on or play with the product.

ASSEMBLY INSTRUCTIONS



STEP 1

	K*1
	A*10
	I*5
	L*5
	F*1





First, we need to prepare the connector (K), 5*metal feet (I), 5*universal casters (L), 5*15mm screws (Screw A) and a wrench (F). Then, according to the figure, insert the 5*metal feet into the connector, align the screw holes, install the screws and tighten them. Finally, a universal caster is installed on the tail of each metal foot.


STEP 2



STEP 3




STEP 4





STEP 5





Tips: please ensure the arrow marked on J is facing the footrest.




STEP 6





STEP 7




STEP 8




STEP 9





STEP 10



Flip up Velcro strap




STEP 11




This step requires two people to install. One person stabilizes the backrest of the office chair so that the backrest is aligned with the screw holes in the part "N" while the other person installs the screws.

STEP12




STEP13









MAX LOAD-BEARING CAPACITY

Pull up to adjust the reclining angle of the office chair;
Press to lock the angle.



Pull up to adjust the sitting height.





I. Graphic presentation of Controller

1. POWER: turn on/off selection key
2. INTENSITY: high/low selection key.
3. MODE: working mode selection key
4. BACK: back massage function selection key
5. LUMBAR: lumbar massage function selection key
6. THIGH: thigh massage function selection key
7. TIMER: set working time key

II. Operating Instructions

1. Insert the power into the DC socket
2. Press the POWER key to start the unit
3. Press the TIMER key, the unit's control time will switch between 15min, 30min and 60min.
4. Press the MODE key to select different working modes(PULSE,PRESS, WAVE,AUTO,NORMAL)
5. Press the INTENSITY key to switch the intensity of vibration.
6. Press the,BACK LUMBAR and THIGH key to massage the different places of the body