SpaceMax Sleeper

Owner's Manual

MODEL: FSO039

Important Caution

Before beginning assembly of the product, make sure all parts are present. Compare parts with the box checklist and parts list. If any part is missing or damaged, do not attempt to assemble the product. If any part is missing or damaged, please contact customer service

• Some parts may contain sharp edges. Wear protective gloves if necessary during assembly.


• When using power tools, please start with the minimum power setting to avoid potential damage to the parts.

Safety Guide

• For your safety and to reduce the risk of severe personal injury, the user must read and understand this Safety Guide.

• Assemble each piece only by following the instructions. Using tools or hardware not included in the original packaging, or improper assembly may cause the product to malfunction or create a risk of severe personal injury.

• Assemble on a flat and soft surface, such as carpeting, to avoid scratches or damage.





NOTICE

• Tighten all bolts and screws again within the first two weeks of assembly.

• Check the tightness of all bolts every two months; tighten them if necessary.

Care & Maintenance

• Fluff cushions regularly to maintain their shape and loft.

• Vacuum crevices weekly using a soft brush attachment to prevent dust and soil from settling into the fabric.

• Keep furniture out of direct sunlight and away from heat sources to prevent fading and deterioration.

• Spills should be wiped up immediately. Blot (do not rub) spills promptly with a clean, colorfast, absorbent cloth.

• Always pre-test cleaning agents in a small, inconspicuous area first.

Read & Save These Instructions Before Assembly

• Please separate and identify all parts, making sure you have all parts listed.

• To avoid scratches during assembly, please assemble on a soft mat or similar surface.

• Please assemble step by step and follow the instructions.

• Washers must be used.

• Do not fully tighten each screw and nut until all screws are properly aligned.

Return Policy:

• If you want to return the product, please contact us about return issue, make sure that the boxes packaging are complete, the product is not damaged, stained and not affecting secondary sales. Return product that do not use the original packaging may be rejected, and the pictures may be requested to offer.

Read & Save These Instructions Before Assembly

•Two adults are required for safe assembly.



Quick Start Guide

Box Checklist

What's in the Box
Identify your variant and verify the boxes. Different variants are shipped with different box.Before assembly, confirm that you have received all boxes. If any box or part is missing or damaged, please contact us by email or via the platform, and we will assist you promptly.

Model Variant		Box Delivery Checklist
2 Seat Sleeper		A+B
4 Seat Sleeper		A+B+D
5 Seat Sleeper		A+B+C+E
6 Seat Sleeper		A+B+2D
7 Seat Sleeper		A+B+C+D+E
9 Seat Sleeper		A+B+C+2D+E

Key (Parts List)	
Box A	Double Armrests
Box B	2-Seater Pull-Out Sofa Bed
Box C	2-Seater Storage Sofa
Box D	Ottoman+Single Sofa
Box E	Corner Sofa

Cushion Decompression





Pat to Shape

Rebound


① Fluff after Unsealing

② Knead & Massage for Perfect Shape

③ 24-72 Hours Decompression

Parts List

Carton		Part			Hardware			
BOX A (Double Armrests)	A	Armrest		2PCS	1	Plastic Gasket		4PCS
	B	Armrest Pillow		2PCS				
	C	Throw Pillow		2PCS				
	D	Sofa Leg		4PCS				

Carton		Part			Hardware			
BOX B (2-Seater Pull-Out Sofa Bed)	E	Pull-out Sofa Bed Frame		1PC	2	Threaded Rod (M8*45)		8PCS
	F	Metal Frame (M6*H25*8)		1PC	3	Metal Washer (M8)		8PCS
	G	Universal Seat Cushion		2PCS	4	Allen Key (5#)		1PC
	H	Universal Back Pad		2PCS	5	Limit		2PCS
	I	Backrest （Small）		2PCS				
	J	Pull-out Sofa Bed Cushion (M6*H25*4)		1PC				
	K	Caster Base		4PCS				

Parts List

Carton	Part				Hardware			
BOX C (2-Seater Storage Sofa)	L	Frame		1PC	1	Plastic Gasket		4PCS
	G	Universal Seat Cushion		2PCS	2	Threaded Rod (M8*45)		8PCS
	H	Universal Back Pad		2PCS	3	Metal Washer (M8)		8PCS
	D	Sofa Leg		4PCS	4	Allen Key (5#)		1PC
	I	Backrest （Small）		2PCS				

Carton	Part				Hardware			
BOX D (Ottoman+Single Sofa)	M	Ottoman Frame		1PC	1	Plastic Gasket		8PCS
	G	Universal Seat Cushion		2PCS	2	Threaded Rod (M8*45)		4PCS
	H	Universal Back Pad		1PC	3	Metal Washer (M8)		4PCS
	N	Single Seat Frame		1PC	4	Allen Key (5#)		1PC
	D	Sofa Leg		8PCS	6	Insert Tab		2PCS
	I	Backrest （Small）		1PC				


Carton	Part				Hardware			
BOX E (Corner Sofa)	O	Corner Frame		1PC	1	Plastic Gasket		4PCS
	P	Corner Cushion		1PC	2	Threaded Rod (M8*45)		8PCS
	Q	Corner Back Pad(Left)		1PC	3	Metal Washer (M8)		8PCS
	R	Corner Back Pad(Right)		1PC	4	Allen Key (5#)		1PC
	S	Corner Backrest （Large）		2PCS				
	C	Throw Pillow		2PCS				
	D	Sofa Leg		4PCS				

Assembly Instructions

•Start the installation only after all corresponding boxes have been received.
•The installation steps vary depending on the different combinations.


2 Seat Sleeper

Include 2 Box: **Box A** + **Box B**



4 Seat Sleeper

Include 3 Box: **Box A** + **Box B** + **Box D**




5 Seat Sleeper

Include 4 Box: Box A + Box B + Box C + Box E




6 Seat Sleeper

Include 4Box: Box A + Box B + Box 2D




7 Seat Sleeper

Include 5 Box: Box A + Box B + Box C + Box D + Box E




9 Seat Sleeper

Include 7 Box: Box A + Box B + Box C + 2Box D + Box E




BOX A

1 Take out the compressed package, armrest pillow and accessories from the bottom of the armrest.




D		4PCS
1		4PCS

2 Take the throw pillow out of the vacuum bag and leave it for 20 minutes to regain its shape.




3 As shown in the figure, install the sofa legs and plastic askets into the bottom of the armrest.




BOX B

1 Take out the compressed bag, back frame and accessory bag from the seat frame of the pull-out bed.





2		8PCS
3		8PCS
4		1PC
5		2PCS
K		4PCS

2 Take the seat cushions, back pads and pull-out bed cushion out of the vacuum bags, and leave them for 20 minutes to regain their shapes.




3 Use a hex wrench to remove the screws from the bottom of the metal bed frame then reuse these screws to fasten the four caster bases into the corresponding mounting holes at the bottom of the bed frame.







①




②

4 First, use an Allen wrench to remove the bolts from the sofa bed cushion. Then reuse these bolts to install and secure the metal frame to the sofa bed cushion.







①




②


5 As shown in the figure, secure the backrest to the seat frame with screws.






6 Use a hex key to remove the 4 bolts from the holes at the bottom of the pull-out bed seat frame, then use the bolts to fix the limit plate to the corresponding holes.







①




②

7 Place the assembled pull-out bed under the pull-out sofa bad frame. Pull out the pull-out bed until the rollers on both sides of the top end are exactly locked by the limit plates.






8 Assembly Completed
Important:After pulling out the sofa bed, use the strap on the seat cushion to lift the cushion.




BOX C

1 Take out the compressed bag, back frame and accessory bag from the 2-seater storage seat frame.




1		4PCS
2		8PCS
3		8PCS
4		1PC
D		4PCS


2 As shown in the figure, install the sofa legs and plastic gaskets into the corresponding holes on the seat frame.




3 Take the seat cushions and back pads out of the vacuum bags and leave them for 20 minutes to restore their original shapes.




4 As shown in the figure, secure the backrest to the seat frame with screws.



5 Warm Reminder:
Before using the storage function, please remove back cushion. Then open the storage lid.




6 Assembly Completed



BOX D

1 Take the compressed bag and accessory bag out of the ottoman.




D		4PCS
1		4PCS


2 Take the seat cushion out of the vacuum bag and leave them for 20 minutes to restore their original shapes.




3 As shown in the figure, install the sofa legs and plastic gskets into the corresponding holes on the seat frame.



4 Ottoman assembly completed




5 Take out the compressed bag, back frame and accessory bag from the 1-seater sofa seat frame.




1		4PCS	4		1PC
2		8PCS	D		4PCS
3		8PCS	6		2PCS


6 Take the seat cushion and back pad out of the vacuum bags and leave them for 20 minutes to restore their original shapes.




7 As shown in the figure, install the sofa legs and plastic gaskets into the corresponding holes on the seat frame.



8 As shown in the figure, secure the backrest to the seat frame with screws.




9 Single-Seat Assembly Completed





10 When assembling the single-seat sofa,it is positioned on the right armrest by default. To install the single-seat on the left armrest, simply swap the insertion plates on both sides of the seat frame. (As shown in the figure)

For example: BOX A + BOX B + BOX D


Default Position









Reversed position






BOX E

1 Take out the compressed bag, back frame and accessory bag from the corner seat frame.




1		4PCS
2		8PCS
3		8PCS
4		1PC
D		4PCS


2 Take the seat cushion, back pads and throw pillows out of the vacuum bags, and leave them for 20 minutes to restore their original shapes.



3 As shown in the figure, install the sofa legs and plastic gaskets into the corresponding holes on the seat frame.



4 As shown in the figure, secure the backrest to the seat frame with screws.





5 Assembly Completed




Variant Chapters


2 Seat Sleeper
Boxes: A+B







4 Seat Sleeper
Boxes: A+B+D







If you want to adjust the placement of the single seat and footrests, you can swap the connector tabs on the single seat to complete the installation.









5 Seat Sleeper
Boxes: A+B+C+E







6 Seat Sleeper
Boxes: A+B+2D


Swap the connector tabs on the single seat shown in the diagram to complete the installation.





7 Seat Sleeper
Boxes: A+B+C+D+E





9 Seat Sleeper
Boxes: A+B+C+2D+E

Swap the connector tabs on the single seat shown in the diagram to complete the installation.

