










Part List


PIECE	DESCRIPTION	PICTURE	QUANTITY
A	Back		1x
B	Seat		1x
C	Left side		1x
D	Right side		1x
E	Front bar		1x

Hardware List

PIECE	DESCRIPTION	PICTURE	QUANTITY
HW1	Allen screw L	 M6x80	4x
HW2	Allen screw S	 M6x40	2x
HW3	Screw	 M4x35	2x
HW4	Allen Key		1x

Installation & Assembly

Product Dimension: 51.18" L x 19.29"D x 37.8"H




WARNING
WEIGHT CAPACITY: 275 LBS PER SEATING
WARNING: DO NOT STAND ON CHAIR

PREPARATION

Tool required for assembly (included): Allen Key.


1

HW1



2x

M6x80



Step 1: Attach the Right side (D) , Front Bar (E) to the Back (A) as shown on the picture .Using the Allen screw (HW1) to fix these parts to the Back (A) the Allen key (HW4) .

PREPARATION

Tool required for assembly (included): Allen Key.


2

HW1



2x

M6x80




Step 2: Attach the Left side (C) to these parts as shown on the picture .Using the Allen screw (HW1) to fix the Left side (C) as shown on the picture by the Allen key (HW4) .

PREPARATION

Tool required for assembly (included): Allen Key.

3

HW2	M6x40	2x
-----	-------	----





Step 3: Using the Allen screw S (HW2) to fix the Back (A) to chair as shown in the picture by the Allen key (HW4) .

PREPARATION

Tool required for assembly: Screw driver.

4

HW3		2x
	M4x35	



Step 4: Put the Seat (B) to the chair and using the Screw (HW3) to fix the Seat (B) to the chair both sides by the Screw driver before using as shown on the picture .