


# Assembly Instructions for Model 528978



## STEP 1

First pass the power cord of the lamp head through the hole of the tooth tube.



## STEP 2

Tighten the tooth tube and install the lamp arm.



## STEP 3

Pass the main power cord through the upper opening of the I-shaped nut.




## STEP 4

Connect wires of the same color together.



### STEP 5

Pass the power mains wire through the tooth tube on the center column.



### STEP 6

First hang one end of the hanging chain on the opening ring above the center column, then put the other end through the chain hole on the plum blossom lamp panel, and finally fix the hanging chain with nuts.



### STEP 7

Pass the power mains wire through the tooth tube on the center column.



### STEP 8

Connecting closed rings with nuts on the master chain to the ceiling canopy.



### STEP 9

Remove the mounting bracket from the ceiling canopy.  
Mark the drilling position on ceiling with the help of the mounting bracket.  
Drill holes on the marks and stick the expansion anchors into the holes.  
Mount the mounting bracket on the wall.

### STEP 10

Hold the fixture close to ceiling.  
Connect one supply wire with one of the two wire strands from fixture.  
Connect the other supply wire with the other wire strand from fixture.

**STEP 11**

Install the ceiling canopy to the mounting bracket on the wall and fix it with screws.

**STEP 12**

Install lampshade.

Your fixture is now assembled and ready to use.