


Installation & Assembly



Assembly Instructions

Before beginning the assembly process, please read and save these instructions for reference.

Following these guidelines will ensure a smooth and successful assembly of your product.

1. Part Identification:

Carefully separate and identify all the parts included in your package. Confirm that you have all the components listed in the instruction manual. This step will help you avoid any missing or misplaced parts during assembly.

2. Work Surface:

To prevent any scratches or damage to the product, assemble it on a soft mat or a similar protective surface. This will provide a cushioned area for the components and protect the surfaces from unwanted marks.

3. Step-by-Step Assembly:

Follow the assembly instructions provided, proceeding one step at a time. Take care to understand each step properly before proceeding to the next one. This sequential approach ensures that the assembly is done correctly and minimizes the chance of errors.


4. Proper Screw Seating:

When attaching screws and nuts, it is essential not to fully tighten them until all screws are correctly seated. By partially tightening each screw and nut initially, you can ensure that they are aligned properly and fit securely before final tightening.


5. Avoid Over-Tightening:

While each screw and nut should be tightened correctly, it is crucial not to over-tighten them. Over-tightening can cause damage to the product or compromise its structural integrity. Use the appropriate amount of force to secure the components without excessive tightening.

Parts List




Hardware List




Code	Description	Quantity
A	ø15x9.5mm Cam lock	26+2
B	ø6x24mm Cam bolt	26+2
C	ø8x30mm Wood dowel	20+2
D	Foot pad	4+1
E	Silicone mat ø10mm	4+2
F	Shelf support	16+2
G	ø4x12mm Screw	24+2
H	ø3x16mm Screw	16+2
I	ø4x15mm Screw	2

Code	Description	Quantity
J	Backboard clip	16+2
K	Handle	2
L	Hinges ø35mm	4
M	Wall bracket	2
N	ø4x35mm Screw	2
O	Wall anchor	2
P	M4x27mm Bolt	2+1
Q	Cross screwdriver	1


Step 1




Step 2




Step 3




Step 4










Step 5






Step 6




Step 7



Step 8




Step 9




	B *4	M *2	I *2

Step 10




	A *4	C *4

Step 11




Must Be Installed




H *16	J *16
	

Step 12




F *16


Step 13



G *8	L *4	P *2	K *2
			

Step 14




G *16


Cabinet Door Adjustment Instructions


Height adjustment:

- Locate the height adjustment screws on the hinge.
- Use the Phillips screwdriver to either tighten or loosen the screws to raise or lower the cabinet door as desired.




Side-to-side adjustment:


- If the cabinet door needs to be moved closer to or away from the cabinet frame, locate the side-to-side adjustment screws on the hinge.
- Use the Phillips screwdriver to adjust these screws and gradually move the door in the desired direction.



Depth adjustment (if applicable):





Step 15



Note: You can adjust the height by rotating it left or right

Step 16



Step 17

