

# Measurement Guide

Adjustable Curtain Rods (50-82 inches)

## Product Specifications

**Adjustable Length:** 50 - 82 inches (127 - 208 cm)

### Single Rods

3/4" or 1" diameter  
Various finial styles

### Double Rods

3/4" diameter  
Layered curtain capability

**Available Finishes:** White, Black, Silver, Chrome, Graphite, Gray, Taupe

**Hardware:** Matching brackets and installation hardware included

## 1 Measure Your Window Width

Measure the width of your window from the outside edges of the window frame (trim to trim).

Window Frame Width: \_\_\_\_\_ inches

**TIP:** Use a metal measuring tape for accuracy. Measure at the top of the window where the rod will be mounted.

## 2 Determine Rod Extension

Decide how far beyond the window frame you want the rod to extend on each side:

Extension on each side: \_\_\_\_\_ inches  
Total rod length needed: Window width + (2 × extension) = \_\_\_\_\_ inches

**TIP:** Standard extension is 4-8 inches on each side for better light coverage and visual appeal. For privacy, extend 6-12 inches on each side.

### 3 Verify Rod Compatibility

Ensure your total measurement fits within the rod's adjustable range:

**Required length must be between 50-82 inches**

*If outside this range, these rods will not work*

### 4 Choose Mounting Style

Select your preferred mounting approach:

#### Wall Mount

- Brackets mount to wall above window
- Most common installation
- Allows maximum extension

#### Ceiling Mount

- Brackets mount to ceiling
- Creates floor-to-ceiling effect
- Good for low windows

### 5 Measure Height Placement

Determine vertical positioning for your rod:

**Height above window frame: \_\_\_\_\_ inches**

**Total height from floor: \_\_\_\_\_ inches**

**TIP:** Standard placement is 4-6 inches above the window frame. For a dramatic look, mount closer to the ceiling.

### 6 Mark Bracket Positions

Calculate where to place your brackets:

Left bracket position: \_\_\_\_\_ inches from room corner

Right bracket position: \_\_\_\_\_ inches from room corner

Distance between brackets: \_\_\_\_\_ inches

**TIP:** Brackets should be positioned to support the rod at its extended length while allowing curtains to hang properly.

## 7 Double Rod Considerations

For double rod systems, plan for layered curtain arrangements:

- **Front rod:** Decorative curtains or drapes
- **Back rod:** Sheer curtains or privacy panels
- Both rods adjust to the same length (50-82 inches)
- Consider curtain thickness when planning clearance

## 8 Final Checklist

Before installation, verify:

- Total rod length needed is 50-82 inches
- Bracket positions are level and properly spaced
- Wall or ceiling can support the rod and curtain weight
- You have appropriate tools for mounting surface
- Rod style and finish match your decor preferences