



Project/Job Name: _____

Location: _____

Fixture Type: _____

Notes: _____

65-1050 - 35/28/21 Watt LED Cylinder Flush Mount; 3K/4K/5K CCT Selectable; White; White Finish

- Wattage Selectable
- CCT Selectable



ELECTRICAL

Technology:	LED
Watts:	35W/28W/21W
Volts:	120V-347V
Lumens:	2121L-3610L
Lamp Base :	Integrated - Integrated
Efficacy:	107.91 LPW
Lamp Shape :	Integrated LED
CRI:	80+
CCT (Kelvins):	30K/40K/50K - Soft White to Natural Light
Beam Spread :	30/40/50/60
Hours Rated:	50000
Dimmable:	Yes-Dimmable - 0-10V Dimming
Dimmable Down To %:	100 to 0 percent
Dimming Type :	0-10V Dimming
Incandescent Equivalent :	120W-200W
HID Equivalent :	50W-125W
Operating Temperature :	-40F to +113F (-40C to +45C)
Lamp Included :	Integrated
Replaceable Light Source :	No
Surge Protection :	Built-in surge protection - 4KV
THD:	<20%
Power Factor :	>0.9
Voltage Type:	AC Only; Range Voltage
Warranty:	5-Years

PACKAGING

Each UPC:	045923414138
Each Quantity:	1
Each Dimensions:	6.10 x 6.10 x 7.48

INFO

Specification Note:	Default Wattage: 35W
---------------------	----------------------

PHYSICAL

Fixture Type:	Flush Mount
Finish:	White
Lens Finish:	Opaque
Lens Material:	Polycarbonate (PC)
Dimensions:	H:7.24" DIA:5.75"
Weight (Lbs.):	3.53
Material:	Aluminum

INSTALLATION

Cord Length:	13 in.
Wire Length:	13 in.

COMPLIANCE

Safety Listing:	cULus
Location Rating:	Damp
CA Prop 65:	Lead
FCC Compliant:	Yes
IP Rating:	IP40
IK Rating:	IK05
NSF Approved:	No
RoHS Compliant:	Yes
B.U.G Rating:	B3-U2-G0
Restrictions:	No Restrictions



65-1050 - 35/28/21 Watt LED Cylinder Flush Mount; 3K/4K/5K CCT
Selectable; White; White Finish

ACCESSORIES

Pendant Conversion Kit:	65-1054
-------------------------	---------



65-1050 - 35/28/21 Watt LED Cylinder Flush Mount; 3K/4K/5K CCT Selectable; White; White Finish

DIMMER COMPATIBILITY

Legrand	ADPD4FBL3P2W4
Legrand	CD4FBLW
Eaton	DF10P
Leviton	DS710-10Z
Lutron	DVSCSTV
Lutron	DVSTV
Lutron	DVTV + PP347H 347V ONLY
Leviton	IP710-LFZ
Lutron	MS-Z101
Lutron	MS-Z101-V
Lutron	NFTV
Lutron	NTSTV-DV
Legrand	RH4FBL3PTCCCV6
Lutron	RMJS-8T-DV-B + PJ2-3BRL-GWH-L01
Eaton	SF10P