
Barstools
Installation Manual



Product Assembly Diagram

1 PRE-INSTALLATION PREPARATION ---------- 01

1-1 Thank you for choosing our products ---------- 01

1-2 Package contents ---------- 01

1-3 Precautions ---------- 01

2 INSTALLING MODULES ---------- 02

2-2 Suggestion ---------- 02

2-3 Parts List ---------- 02

2-4 Assembly Steps ---------- 04

3 CUSTOMER SERVICE ---------- 10

4 PROBLEMS YOU MAY ENCOUNTER ---------- 10

Thank you for choosing our products


Before assembly, please read this Installation Manual first, and check according to Parts List to make sure all parts are included.

Feel free to contact us if you have any concerns or questions about your product, we are always ready to help Your satisfaction is our first priority

Package contents

Barstools	Assembly tools	Instruction manual

Precautions



Avoid long-term direct sunlight exposure.



Keep away from sharp objects.



Keep away from corrosive substances.



Keep assembled parts away from infants/children to avoid accidental ingestion.




This product must be assembled by an adult before use.

Suggestion




The installation takes 15 minutes

Parts List



A x1




B x1



C x1



D x2



O x1




M8*80mm E x2



F x2



G x2



M6*40mm H x4



J x1



K x1




M10*40mm L x2



M6*13*1.5mm M x6



N x4





M6*50mm P x2

Assembly Steps

STEP1


Connect screw E to frame A and O, and make sure screw E is fully tightened.







STEP2


Insert wooden dowel L into strip C, ensuring insertion depth is 70%.







STEP3 Assemble frame A with strip C.





STEP4 Using wrench J, fully tighten parts F and G to secure frame A and strip C.






STEP5


Connect the two wooden strips D to frame A, and use wrench K, screw H and washer M to secure parts A and D. Tighten the screw to 80%.






STEP6


Assemble the pre-tightened frame A with frame O.






STEP7


Using wrench J,fully tighten parts F and G to secure frame A and frame O.







STEP8


Then use wrench K, screw H and washer M to secure parts A and O. Tighten the screw to 80%.






STEP9 Using wrench K, tighten screw P and washer M to secure seat cushion B.






STEP10 Using wrench K, fully tighten all screws.




STEP11 Install adjustable feet at the bottom of the four wooden legs.





STEP12



CUSTOMER SERVICE

Quick Response within 24 Hours



If you are still unable to resolve the issue you are experiencing,please contact us immediately via our support email.It doesn't matter if the product has been installed or not,our customer support team will respond within 24 hours and assist you quickly and efficiently.The most efficient way to confirm your problem to us is to attach a video and photograph,which illustrates your product issues.

PROBLEMS YOU MAY ENCOUNTER

PART	PROBLEM	SOLUTION
ALL Product	Parts are missing, defective or having wrong parts in package	You can contact us through the purchasing platform, and we will get back to you within 24 hours.
	Having issue(s) while reading the instruction or completing the assembly.	You can contact us and we will get back to you within 24 hours. Or, you can reach us via after-sales email.
	Encountering non-human caused damage during usage.	If the product is damaged due to non-human causes, please keep the product and send us photos of it. We will ascertain the cause of the product damage within 48 hours and provide you with a satisfactory solution.
	The product is unstable after being assembled.	1.Check if the screws are tightened. 2.Read throughout the manual, check are there any parts installed incorrectly or missing assembled. 3.If your problem still can't be solved, please feel free to contact us.
	Broken,dirty or missing	You can contact us and we will get back to you within 24 hours. Or, you can reach us via after-sales email.