



Assembly Instructions



ASSEMBLY RATING

The Assembly Rating is a 5-point system that shows the degree of effort needed in assembling a specific product (with 1 being easy and 5 being difficult). For some products, two persons are recommended.

EASY



DIFFICULT

Tools Required For Assembly:

Allen Wrench



(Included)

Wrench



(Included)

Phillips Screwdriver



(Not Included)




2 PERSONS RECOMMENDED


ASSEMBLY & CARE ADVICE

FOR YOUR FURNITURE TO LAST, CORRECT ASSEMBLY AND PROPER MAINTENANCE ARE NECESSARY. PLEASE FOLLOW THE INFORMATION PROVIDED BELOW TO FULLY ENJOY YOUR FURNITURE.


BASIC ASSEMBLY TECHNIQUES




When lock or spring washer is used in an assembly, please make sure the lock or spring washer is placed between the larger flat washer and the head of the screw or bolt.




Position each part correctly and insert screws or bolts into their respective holes by hand tighten or using the proper hand tool. Only tighten when step is completed or when instructed to do so.




Use cardboard or carpet area when assembling furniture to prevent scratches. Make sure the furniture rests on a flat and level surface with each leg evenly touching the floor.



Some furniture comes with height adjustment knobs underneath each leg. To lower or to raise each leg, you need to turn clockwise or counterclockwise, respectively.



Make sure all parts are properly aligned, then use the appropriate hand tool to completely tighten the bolts or screws. Do not use power tools and do not overtighten.




Save the instructions and store the Allen wrench or any supplied tool for later maintenance. After two weeks, check and tighten any loose hardware and repeat again every six months thereafter.

IT IS THE USER'S RESPONSIBILITY TO MAINTAIN THE FURNITURE. THE HARDWARE MAY LOOSEN OVER TIME AND MAY CAUSE THE FURNITURE TO BE WOBBLY AND UNABLE TO SUPPORT ITS INTENDED WEIGHT CAPACITY. THIS MAY LEAD TO COLLAPSE AND MAY CAUSE SERIOUS INJURY.








FAILURE TO FOLLOW THE GUIDELINES ABOVE MAY RESULT IN INJURY AND/OR PROPERTY DAMAGE.





Before you begin, please read Page 2 of "Assembly and Care Advice".


And remember, do not tighten until each step is completed or instructed.

Parts List

	#1A x 1 pc Headboard Panel
	#1B x 1 pc Headboard w-Fabric
	#2R x 1 pc Right H/Board Leg
	#2L x 1 pc Left H/Board Leg
	#3 x 1 pc Leg Support
	#4 x 1 pc Footboard
	#5 x 2 pcs Side Rail
	#6 x 4 pcs Slat
	#7 x 8 pcs Slat Support Leg 40x40x148mm


Hardware List

	#A x 2 pcs Bolt 1/4" x 1.4"
	#B x 6 pcs Bolt 1/4" x 1.8"
	#C x 8 pcs Lock Washer Ø1/4"
	#D x 8 pcs Flat Washer Ø1/4"
	#E x 1 pc Allen Wrench
	#F x 8 pcs Threaded Stud
	#G x 8 pcs Hex Nut Ø1/4"
	#H x 8 pcs Beveled Washer
	#I x 1 pc Wrench
	#J x 8 pcs Screw 1-1/4"




Before you begin, please read Page 2 of "Assembly and Care Advice".

And remember, do not tighten until each step is completed or instructed.




#8 x 2 pcs
Wall Cleat



Hardware List



#K x 4 pcs
Dowel




#L x 6 pcs
Screw



#M x 6 pcs
Fischer




#A x 2 pcs
#C x 2 pcs
#D x 2 pcs
#K x 4 pcs




Prepare 2 bolts assembly by inserting lock washer (#C), then flat washer (#D) onto bolts (#A). Attach dowels (#K) to the holes of the HB legs (#2R/L). Align HB support (#3) to the holes of the HB legs (#2R/L). Secure by using bolts (#A).



#B x 6 pcs
#C x 6 pcs
#D x 6 pcs




#L x 6 pcs
#M x 6 pcs



WALL

WALL




OPTIONAL: Measure and align the gaps of the back of the headboard to the wall, then create holes in the wall to fit plastic inserts (#M). Secure wall mount (#8) by using screws (#L) onto plastic inserts (#M). Mount headboard to wall.




Attach threaded bolts (#F) to the holes of the headboard (#1) and footboard (#4). Align side rails (#5) to the threaded bolts (#F), then secure by using washers (#H) and hex nut (#G).

#F x 8 pcs
#G x 8 pcs
#H x 8 pcs



Attach support legs (#7) to the holes of the slats (#6).



X4





Align slats (#6) to the side rails (#5), then secure by using screws (#J).


#J x 8 pcs





ASSEMBLY IS COMPLETED




#B x 6 pcs
#C x 6 pcs
#D x 6 pcs



#L x 6 pcs
#M x 6 pcs



WALL




OPTIONAL: Measure and align the gaps of the back of the headboard to the wall, then create holes in the wall to fit plastic inserts (#M). Secure wall mount (#8) by using screws (#L) onto plastic inserts (#M). Mount headboard to wall.




#F x 8 pcs
#G x 8 pcs
#H x 8 pcs

Attach threaded bolts (#F) to the holes of the headboard (#1) and footboard (#4). Align side rails (#5) to the threaded bolts (#F), then secure by using washers (#H) and hex nut (#G).



Attach support legs (#7) to the holes of the slats (#6).

X4








#12

Align slats (#6) to the side rails (#5),
then secure by using screws (#J).

#J x 8 pcs



#13



ASSEMBLY IS COMPLETED