ASSEMBLY INSTRUCTION

Customer Service

If there are missing or broken parts, or if you need further assistance, please contact customer service online.

Notice:

1.Tighten 50% of the screws before fully tightening all screws.



















2.Place the item on flat ground to adjust and ensure it remains stable.

4.If the screws do not align with the holes during assembly, loosen all other screws to 50% and continue the assembly process.

5.If the item is not stable, loosen all screws, adjust it on flat ground, and tighten all screws again.


PARTS LIST

Please note that when unpacking the product, part S is hidden under the base D to save space. Before assembling the product, please check that all accessories are complete!

A 	B 	C 	D 
Long Armrest Panel*2pcs	Medium Armrest Panel*2pcs	Short Armrest Panel*2pcs	Left-Hand-Facing Seat*1pc
D1 	E 	G 	H 
Right-Hand-Facing Seat*1pc	Base Spring Padding*2pcs	Backrest Cushion*2pcs	Cup Holder*2pcs
I 	J 	K 	L 
Accessory Kit *2pcs	Wrench *2pcs	Screw*24pcs	Cover of the Left Armrest*1pc
R 	L1 	L2 	R1 
Cover of the Right Aremrest*1	Left Armrest Framewith Insert*1pc	Left Armrest Frame*1pc	Right Armrest Frame with Insert*1pc
R2 	S1 	S2 	
Right Armrest Frame*1pc	Left-Hand-Facing rmrest Side Panel*1pc	Right-Hand-Facing rmrest Side Panel*1pc	


ASSEMBLY INSTRUCTION

Step1




Step1:Start by installing the armrests.
First, use L2/R2 and install parts A/B/C according to the lengths of the three sides. Align the holes first, then tighten the screws to 50%. Once the holes on all three sides are aligned, fully tighten the screws.

Step2




Step2: Next, install L1/R1 onto A/B/C.
First, align the holes, then tighten the screws to 50%. Once the holes on all three sides are aligned, fully tighten the screws.

Step3




Step3: First, place the L/R covers onto the armrests, then install the cup holders.
Notice： When installing the armrest covers, do not pull too hard. Ensure that all four corners of the cover align with the armrests. Once aligned, pull up the zipper at the bottom。

Step4




Step5: Lift the base D, then neatly insert E into the base D. Afterward, zip up the zipper.
Notice: Spring packs should be placed vertically, it is incorrect to install them horizontally

Step5



Step 6: Place the two bases together.

Step6




Step7: Attach the Armrests to the Seat Base.

Notice: To make it easier to insert the armrests into the seat base, it is recommended to lift the seat cushion during installation. After installing the armrests, lower the seat cushion back into place.


ASSEMBLY INSTRUCTION

Step7



Step8:Attach the backrest to the seat base. Push the backrest until you hear a click.

Step8



Step9: Insert S on the left and right side of the backrest.