# ASSEMBLY INSTRUCTION

N751P280593

N751P280596



# PARTS LIST - N751P280593

| | | | |
|---|---|---|---|
| A  Quantity: 1 pc | B  Quantity: 2 pcs | $C_L$   Quantity: 1 pc | $C_R$   Quantity: 1 pc |
| D  Quantity: 1 pc | E  Quantity: 1 pc | F  Quantity: 1 pc | G  Quantity: 2 pcs |

# PARTS LIST - N751P280596

| | | | |
|---|---|---|---|
| H  Quantity: 1 pc | IL   Quantity: 1 pc | IR   Quantity: 1 pc | J  Quantity: 1 pc |
| K  Quantity: 1 pc | L  Quantity: 1 pc | M  Quantity: 1 pc | N  Quantity: 1 pc |

# PARTS LIST - N751P280596

| | | | |
|---|---|---|---|
| OL  Quantity: 1 pc | OR  Quantity: 1 pc | P  Quantity: 2 pcs | Q  Quantity: 1 pc |
| R  Quantity: 1 pc | S  Quantity: 1 pc | TL  Quantity: 1 pc | TR  Quantity: 1 pc |

# PARTS LIST - N751P280596

| | | | |
|---|---|---|---|
| U Quantity: 1 pc | X  Quantity: 1 pc | Y  Quantity: 1 pc |  HARDWARE |
| | | | |

# HARDWARE LIST

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 1 Allen key Quantity: 1 pc | 2 Cam lock pin Cam lock Quantity: 4 pcs + extra 1pc | 3 6x30mm Quantity: 41 pcs + extra 3pcs | 4 6x16mm Quantity: 33 pcs + extra 3pcs | 5 5x15mm Quantity: 4 pcs + extra 1pc | 6  8x30mm Quantity: 20 pcs + extra 2pcs | 7 4x30mm Quantity: 8 pcs + extra 1pc | 8 3x15mm Quantity: 46 pcs + extra 3pcs | 9 Quantity: 2 pcs |
| 10  Quantity: 1 pc | 11  Screwdrivers Quantity: 1 pc | 12  15x20mm Quantity: 4 pcs | 13 20x80mm Quantity: 2 pcs | 14 4x20mm Quantity: 4 pcs | 15  Quantity: 2 pcs | 16 4x25mm Quantity: 4 pcs | | |

# COMPONENTS - KEY DIAGRAM



# COMPONENTS - KEY DIAGRAM
# N751P280593



# STEP 1



1 pc



6x30mm
1 pc

6x16mm
1 pc



8x30mm
4 pcs

4x30mm
2 pcs

1 pc












# STEP 2

1

1 pc

3

6x30mm
4 pcs

4

6x16mm
4 pcs



# STEP 3


1
1 pc


3
6x30mm
5 pcs


4
6x16mm
5 pcs


6
8x30mm
4 pcs


7
4x30mm
2 pcs


11
1 pc


6
7
11
E
CR


CR
B
4
3
1


D
CR
B
B
F
CL


6
D
CR
4
3
1


CR
4
B
3
1


6
CR
7
F
11

# STEP 4

1

1 pc

3



6x30mm
4 pcs



# STEP 5

1

1 pc

3



6x30mm
4 pcs

4

6x16mm
4 pcs



# STEP 6

8

3x15mm
24 pcs

11

1 pc



10

1 pc

15

2 pcs

# STEP 7









1. First, turn off the power at home. After turning off the power at home, put on insulating gloves to handle it. Connect the wires of the lamp and the wires at home through component #15 (insert several wires into the slot of component #15), and you can use it.

2. If you still don't understand, you can watch the video provided. The yellow wire in the video is the electrical wire that can be powered in the user's home.

# COMPONENTS - KEY DIAGRAM
# N751P280596



# STEP 8

| | |
|---|---|
| 1 | 1 pc |
| 3 | 6x30mm<br>3 pcs |
| 4 | 6x16mm<br>1 pc |
| 6 | 8x30mm<br>2 pcs |



# STEP 9


1
1 pc


3
6x30mm
2 pcs


4
6x16mm
2 pcs


6
8x30mm
4 pcs


7
4x30mm
1 pc


11
1 pc


L
J
N
IL
Front


3
1
4
J
IL
6


3
1
L
IL
4
6


N
IL
11
7
6

# STEP 10



1 pc

6x30mm
3 pcs

6x16mm
1 pc

8x30mm
2 pcs

4x30mm
1 pc

1 pc



# STEP 11




1 pc




6x30mm
2 pcs




6x16mm
2 pcs




8x30mm
4 pcs




4x30mm
1 pc




1 pc



# STEP 12

1

1 pc

3

6x30mm
6 pcs

4

6x16mm
6 pcs



# STEP 13



12

15x20mm
4 pcs



# STEP 14

1

1 pc

3

6x30mm
7 pcs

4

6x16mm
7 pcs



# STEP 15







TURN ON THE BUTTON

PLACED ON THE INSIDE RAIL

# STEP 16







PLACED ON THE OUTSIDE RAIL

# STEP 17

16

4x25mm
4 pcs

11

1 pc



# Typical way to install cam screws



1



2



3



4. Done

# STEP 18

2

3 pcs

11

1 pc



DRAWER



# STEP 19



# STEP 20

2

1 pc

7

4x30mm
2 pcs

11



1 pc



# STEP 21

5

5x15mm
4 pcs

9

2 pcs



# STEP 22



# STEP 23

8

3x15mm
22 pcs

11

1 pc



# STEP 24

13

20x80mm
2 pcs

14

4x20mm
4 pcs

11

1 pc