



wayfair | LED Trimless Downlight



The LED Trimless Downlight features a clean, seamless design with 5CCT selectable lighting from 2700K to 5000K and smooth Triac dimming. Its durable polycarbonate housing and high-transmittance diffuser provide reliable performance and quality illumination. Ideal for living rooms, bedrooms, hallways, offices, commercial spaces, and more.

Specifications					
Size	5" (Round)	7" (Round)	9" (Round)	12" (Round)	12" (Square)
Power	10W	15W	18W	24W	24W
Lumens	650LM	945LM	1120LM	1650LM	1650LM
Input Voltage	120 VAC				
Dimming	Triac dimming				
Protection Rating	IP20 (For indoor use only)				
Beam Angle	180°				
CCT	2700K-3000K-3500K-4000K-5000K Tunable				
CRI	>80				
Working Life	Lumen maintenance over 70% @50,000+ hours				
Oper. Temperature	-13°F to 113°F (-25°C to 45°C)				
Certificate	ETL				

Product Dimensions



	5" (Round)	7" (Round)	9" (Round)	12" (Round)	12" (Square)
L1	ø122mm/ø4.8"	ø172mm/ø6.77"	ø223mm/ø8.78"	ø303mm/ø11.93"	ø303mm/ø11.93"
L2	31.5mm/ø1.24"	31.5mm/ø1.24"	31.5mm/ø1.24"	45.1mm/ø1.77"	45.1mm/ø1.77"


Package Information

Model NO	5" (Round)	7" (Round)	9" (Round)	12" (Round)	12" (Square)
Qty/Pack	20PCS	20PCS	10PCS	10PCS	10PCS
Package Size	373X311X141mm 14.7" × 12.2" × 5.5"	440X365X197mm 17.3" × 14.4" × 7.8"	440X240X247mm 17.3" × 9.45" × 9.72"	570X325X332mm 22.4" × 12.8" × 13.1"	640X280X335mm 25.2" × 11.0" × 13.2"
Package Weight	13.07LBS/6kg	17.2LBS/7.8kg	11.2LBS/5.1kg	19.6LBS/8.9kg	25.79LBS/11.7kg
Package CBM	0.01636	0.03158	0.02605	0.06143	0.06000

Photometric Report

9" LIGHT

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




UNIT: cd

— C0-C180

— C90-C270

VERTICAL EQUILUMINOUS CURVE





HORIZONTAL DISTANCE (meter)

 MINIMUM ALTITUDE 1.0 M
 MAXIMUM ALTITUDE 11.0 M
 MAXIMUM ILLUMINATION 463.3 lx

 (5°): 23.2 lx
 (25°): 115.8 lx
 (45°): 208.5 lx
 (65°): 301.1 lx

 (15°): 69.5 lx
 (35°): 162.1 lx
 (55°): 254.8 lx


Installation






LED Trimless Downlight

Installation




Align the light fixture with the mounting disc and push in.




Make sure the light fixture is in place against the ceiling and complete the installation.

Operation Guide

1 CCT Adjustable



2 Wiring Guide



Accessories bag includes:

