

Assembly Instructions For Loungers



Tools required for assembly:

1/2" inch ratchet and a small hammer

Check List:

With Arms		With out Arms	
1- Seat 1- Back rest 2- Arms with legs and attached wheels 2- Legs 1- Center leg only Double lounger 1- Assembly instructions	Box 1 Box 2 Box 2 Box 2 Box 2 Box 2 Box 1	1- Seat 1- Back rest 2- Legs with attaches wheels 4- Legs 1- Center leg only Double lounger 1- Assembly instructions	Box 1 Box 2 Box 2 Box 2 Box 2 Box 1
Hardware 14- Carriage bolts 5/16	Box 2	Hardware 14- Carriage bolts 5/16	Box 2
Note: Double Loungers has 4 extra carriage bolts 5/16		Note: Double Loungers has 4 extra carriage bolts 5/16	

Step

1

Check:

Make sure you have all parts and hardware

With out arms



With arms



2

Back rest with seat assembly:

Insert the carriage bolts into the **pre-drilled holes**. Use the carriage bolts 5/16



3

Legs assembly:

Insert the carriage bolts into the **pre-drilled holes**. should to the same for all legs. Use the carriage bolts 5/16 x 3"



4

Center leg assembly: **Only Double**

Only double lounger. Insert the carriage bolts into the tread ratchet. Use the carriage bolts 5/16 x3 "

4

Completed:

Enjoy your new lounger.
Thanks for your support

