Care & Maintenance



- Furniture may scratch floors. We recommend using furniture pads to protect your floors.
- Ø <u></u>
- Do not put hot items directly on furniture surface.
- Ø 🖺
- Do not clean furniture with harsh cleansers or polish.
- Ø 🔅
- Do not place furniture under direct sunlight.
- 0
- Do not place furniture near heating or cooling vents.
- 0
- Do not write on furniture without a padded barrier to protect the surface.
- Ø 🔷
- Do not place furniture outside . For indoor use only.
- Ø
- Not for commercial use. For residential use only.
- **Ø**
- Stains may be removed with mild soap solution and damp cloth.
- 0 🟋
- Children should not climb or jump on the furniture.




 Dust and pick-up spills using a clean, non-colored, lint-free cloth.

ASSEMBLY INSTRUCTIONS


INSTRUCTIONS DE MONTAGE


TWIN BED / TWIN XL BED




Detail View 6

Part List ② x 1 PC ① x 1 PC Frame Headboard Left Headboard Leg ③ x 1 PC **4** x 2 PCS **Right Headboard Leg Footboard Legs** ⑤ x 1 PC Slat 67062.00-T-P / 67062.00- TXL-P + Hardware inside ⑥ x 1 PC (7) x 1 PC **Panel Footboard Support Headboard** (8) x 1 PC (9) x 3 PCS Left SideRail Right SideRail






Assemble the frame headboard (1) to the left headboard leg (2), and right headboard leg (3), using Bolts (E), Allen Key (I). Please do not tighten the bolts at this step.




Assemble the support headboard (7) to the left headboard leg (2), and right headboard leg (3), using the wooden dowel (K), bolt (C), Spring Washer (G), Curved washers (N), Allen Key (I). Align and tighten all bolts at this step.




Assemble the Left - L - Hooks (P), onto the left siderail (8), with the Wood screws (M). Be careful not to tighten too hard. Repeat the same procedure for the Right - L - Hooks (Q) and the right siderail (9)






Assemble the left siderail (8), and the right siderail (9) to the headboard (1), in step (2), using the wooden dowel (K), bolt (A), Spring Washer (G), flat washer (H), and horizontal-h bolts (L), Allen Key (I). Tighten the bolts in this step.




1.2 Assemble the bolt (F) in to panel footboard (6). Please do not tighten the bolts at this step. 2.2 Assemble panel footboard (6) onto the left siderail (8) and the right siderail (9). Use allen Key (I). Tighten the bolts in this step.



Assemble the Footboard Legs (4) to the panel footboard (6) and left siderail (8) and the right siderail (9) in step (5) ,using the bolt (D) and (B), Spring Washer (G), flat washer (H), Allen Key (I). Align and tighten all bolts at this step.

STEP: 7



Assemble the slat (5) onto the left siderail (8) and the right siderail (9), using Wood screws (O). Be careful not to tighten too much.

FINAL

