

STEP 1: GUEST ORDER INFORMATION

Guest Name: _____
 Address: _____

 Email: _____
 Phone #: _____ Date: _____

STORE ORDER INFORMATION

Store Name / #: _____
 Store Email: _____
 Sales Associate: _____
 PO#: _____
 Request For: Quote Order

STEP 2: GLASS OPTIONS

- Clear (CL)
- Obscure (OB)
- Rain (RN)
- Glue Chip (GC)
- Steam Mist (SM)
- Autumn (AU)

STEP 3: FINISH OPTIONS

- Silver (SV)
- Brushed Nickel (BN)
- Oil Rubbed Bronze (OR)


STEP 4: MEASURING GUIDE & QUOTE REQUEST

Are the walls plumb? See page 2.
 If out of plumb more than 1/2", please note on drawing.

Opening Width (W) _____
 Height (H) 70"
 Left Side Panel (L) _____
 Right Side Panel (R) _____
 Pivot / Hinge Location Left
 (as viewed from outside) Right

Maximum Opening: 28" x 28" x 28"
 Available in 70" Height Only


--- Represents
 --- Centerline



Consumer's Guide to Selecting a Shower Door



Swing



Sliding



Neo-Angle



Hinge



Door and Panel

STEP 1: Determine What Type of Door You Need

Do you have a shower or a tub?

- Does your bathroom require a sliding door or a swing door?
- Sliding doors are generally not advised if the opening is less than 40" wide or less than 50" tall.
- Swing doors are sometimes not an option if there is an obstruction in front of the opening that will prevent the door from swinging out. For safety reasons, doors cannot swing in.

- Shower Tub
- Slider
- Swing
- Either

Is a Door and panel combination right for you?

- Door and panel enclosures feature a hinged door with a stationary in-line panel.
- A great choice if an obstruction does not allow for a swing door to span your entire opening.
- This style of enclosure also allows for a swing door to be used on an opening that is too wide for a traditional swing door (generally swing doors can not be made larger than 36").

- Door and Panel

Do you need a "Neo-Angle" enclosure?

- Neo-Angle shower stalls and tubs fit into a corner. Enclosures to fit these specialty units feature a swing door with a 45-degree panel angling back on each side. These side panels extend back to meet the wall on each side.
- To verify that a Neo-Angle is right for you, please look at the Marina or Tides Neo-Angle sections on pages 11 or 16.

- Neo-Angle Enclosure

STEP 2: Determine What Style of Door You Want - Frameless or Framed

Frameless

Frameless doors offer an unobstructed view of your gorgeous tile. Our frameless doors are protected by H2OFF® Clean Glass Technology - keeping your doors sparkling and clear. If you desire an elegant frameless door, see our Marina heavy glass or Cove Collections.

Framed

Framed tub and shower doors offer the most structure of all enclosures. Select from brilliant finishes and trendy glass options to personalize your framed doors and make them your own. If a framed door is what you are looking for, our Tides Collection will certainly satisfy your needs.

STEP 3: Choose Your Glass Type and Finish Color

Glass Type Options

- Clear (CL) Glue Chip (GC)
- Obscure (OB) Steam Mist (SM)
- Rain (RN) Autumn (AU)

Finish Color Options

- Silver (SV)
- Brushed Nickel (BN)
- Oil Rubbed Bronze (OR)
- Satin Gold (SG)*

* Available for Marina Hinge & Pivot doors only



- Satin Chrome (SC)*
- Polished Nickel (PN)*
- Black Nickel (KN)*
- Matte Black*

STEP 4: Other Necessary Information

- Measurements for your enclosure must be taken after the finished walls and tile are in place.
- If you have stationary return panels, you must determine your centerline. This is the center line of your threshold or tub ledge where your door will sit.
- Determine if your walls and threshold or tub ledge are plumb and level.
- If you would like a swing door, please be sure to measure if there are any obstructions in the way of the door swinging open.
- Your shower opening may be larger than the average 36" swing door. If so, you may need a door and panel combination.

Measuring for "Out of Plumb" and "Out of Level"

Door openings are almost never perfectly level and square. Follow the drawings shown to determine how much you are out of square and then call our customer service team at 1-888-620-3667 to discuss the needs and options for your specific application.



Understanding Shower Enclosures

Standard sized bath and shower doors are available. See the kiosk for more information.

Contact Foremost® with any questions. We will work with you to customize a door to suit most any configuration you require.

* **Returns - Custom Doors are not returnable.**

We cannot accept a purchase order for a custom door without the **finished** opening dimensions.

* **Delivery** - Custom sized doors require 2 weeks for manufacture and delivery from the time the order is finalized. We will provide you an estimated delivery time when the order is finalized.

EXCLUSIVE FEATURES

H2OFF® Clean Glass Technology - H2OFF® is a polymer that bonds to the glass. It is applied to the inside surface of all Marina and Cove Collection custom tub and shower doors. There is no additional charge for this feature. It is not available for the Tides Collection.

H2OFF® not only protects shower glass from harmful contaminants that can otherwise damage or permanently etch the glass surface; it also makes cleaning the shower glass much easier. We advise you to clean H2OFF® protected shower glass with a soft cloth or sponge. For best results, squeegee the enclosure dry after each use. **H2OFF® is backed by a 10-Year Warranty!**

WAMM® - We All Make Mistakes® - The WAMM® program applies **only** to the following parts: **headrails, bottom tracks and thresholds.** Only these specific parts may require cutting for the proper installation of sliding, pivot, and hinge & pivot doors. No other parts are covered under this program. WAMM® applies to all doors in this listing **except the Tides Collection Neo-Angle door**, as its installation does not require cutting. Consumers should be advised to contact Foremost® directly at 888-620-3667 in order to receive a **one time** replacement of any of these parts **at no additional charge.**

MEASURING GUIDES

A measuring template is located on every product page within this listing with specific instructions for that product type. Please review the out of plumb/out of level drawings on pg. 2 before measuring. We encourage you to provide as much information as possible. Submit drawings with final dimensions with all custom door requests for quote. Make note of kneewalls and buttress or notched panels on your drawings. Additional measuring support can be found at www.ForemostBath.com.

DETAILS FOR EACH COLLECTION

MARINA COLLECTION

- All Marina doors are **luxury heavy glass** doors with **3/8"** thick tempered safety glass panels.
- All Marina doors are frameless, with no metal framing around the glass.
- On top, Marina doors feature an elegantly styled header that will coordinate beautifully with all styles of bathrooms.

Key Features of all Marina Custom Hinge & Pivot Doors

- Multiple configurations are available. Contact Foremost® Customer Service with any configuration questions at 888-620-3667.
- All doors feature an 8" handle in coordinating finish.
- Doors are available above standard heights listed for an additional charge. Please call for quote.
- Include all vinyl seals.
- Marina Swing doors are available without the header. Please note this preference on your RFQ.
- Glass clamps are available.

Key Features of all Marina Ultra Doors

- Stylized modern design available only with clear glass, and in silver, brushed nickel and oil rubbed bronze finishes.
- Orientation options include: one fixed panel with one sliding panel, and one fixed panel sliding door with return panel.

Key Features of all Marina Tub & Shower Sliding Doors

- Through-the-glass hangers offer a stronger and more dependable hold for the glass.
- The Safe Slider™ clip keeps the doors firmly on the track.
- A through-the-glass towel bar on the outside door, with a through-the-glass C-Pull handle on the inside door contribute to a streamlined look.
- Only available in silver, brushed nickel and oil rubbed bronze finishes.
- The bottom track is designed for easy cleaning.

Understanding Shower Enclosures

COVE COLLECTION

- All Cove doors feature ¼" thick tempered safety glass panels
- All Cove doors bring luxury to the consumer, at a more practical price point
- All Cove doors are frameless with no metal framing around the glass

Key Features of all Cove Sliding Tub and Shower Doors

- Through-the-glass hangers offer a stronger and more dependable hold for the glass.
- The Safe Slider™ clip keeps the doors stably on the track.
- On top, the doors feature an elegantly styled header that will coordinate beautifully with all styles of bathrooms.
- For a streamlined appearance, Cove Tub and Shower Doors feature a through-the-glass towel bar on both the inside and outside doors.
- The bottom track is designed for easy cleaning.

Key Features of all Cove Pivot Swing Doors

- Through-the-glass pivot system with top and bottom connection points offer superior strength and durability.
- Cove Pivot doors feature a door knob in a coordinating finish.
- A full length magnetic strike provides a seamless closure for protection against water leaking out of the shower.
- Doors can be installed with a right or left hand pivot orientation depending on the customer's needs.

TIDES COLLECTION

- All Tides doors feature tempered safety glass panels and bring fashion and trend to the consumer at an affordable price
- All Tides doors are framed with framing around the glass, and feature the matching finish on handles and knobs

Key Features of all Tides Neo-Angle Doors

- A full length magnetic strike provides a seamless closure for protection against water leaking out of the shower.
- Doors can be installed with a right or left hand pivot orientation depending on the customer's needs.
- Installing a Neo-Angle door is easy! There is no cutting required. (Not eligible for WAMM'). The handle is integrated into the door frame.

Key Features of all Tides Sliding Tub and Shower Doors

- An attractive rounded header adds subtle sophistication to the Tides framed sliding doors.
- The doors feature a sturdy and stylish towel bar on the outside panel, with a knob on the inside panel.
- Tides sliding doors allow up to ¼" adjustment for out of square walls.

Key Features of all Tides Pivot Swing Doors

- A full length magnetic strike provides a seamless closure for protection against water leaking out of the shower.
- Doors can be installed with a right or left hand pivot orientation depending on the customer's needs.
- The handle is integrated into the door frame. Tides Pivot Swing doors allow up to ½" adjustment for out of square walls.

SHOWER DOOR AND ENCLOSURE WARRANTY

Limited Lifetime Warranty for the Marina, Cove, and Tides Collections

WARRANTY

We warrant to be free of material defects in material and workmanship for the product's lifetime for the original purchaser from date of purchase, subject to the limitations in this document. Original proof of purchase is required. We will at its election, repair, replace or make appropriate adjustment where Foremost® Groups, Inc.'s inspection discloses any such defects occurred through normal usage within warranty period.

Limitations

This warranty shall not apply due to any of the following:

- Incorrect operation, breakage or damages caused by user's fault, carelessness, abuse, misuse, misapplication, improper maintenance, alteration or modification of the unit, scratches caused by normal use and discoloration caused by the use of non-recommended cleaning products, fire, or any other casualty.
- Impact of foreign objects, fire, earthquake, flood, lightening, hurricane, tornado, windstorm or other natural catastrophes.
- Damage caused by movement, distortion, cracking or settling of the wall substrate, building structure and/or foundation
- Any other cause not involving manufacturing defects in the product supplied by Foremost®.

Damages due to improper handling, installation or maintenance are not considered manufacturing defects and are not covered by this warranty. Original proof of purchase is required when requesting replacement pieces.

A photograph of the affected part may be requested to honor the warranty claim. All warranties are extended to the original purchaser only.

This limited lifetime warranty covers use in a private residential, owner occupied building for non-commercial purposes only and does not apply to commercial use. Commercial installations shall have a limited warranty of 1 year. Commercial installations include any other building (other than a residence), including any building used for rental, commercial or business purposes.

Please follow all installation, care and maintenance instructions included with your purchase. Improper care will void the warranty. It remains the customer's responsibility for freight and packing charges to and from our facility for any warranty repairs or replacement. Please be sure to provide all pertinent information regarding your claim including a complete description of the problem, the product, model number, color, finish, the place and date of purchase. Also include your original purchase receipt.

Frames & Glass

We warranty Shower doors and Enclosures frames (not including Matte Black finish) and glass to be free from material manufacturing defects to the original purchaser for the lifetime of the original purchaser. Warranty for any part in Matte Black finish shall be limited to two (2) years. All warranty replacements will be in the original style and color if available or a similar color and style if the original has been discontinued, or is not available. If you have any questions or concerns about our product or the warranty program, please call the numbers provided.

DISCLAIMER of LIABILITY

Warranty is valid within the United States and Canada only. This is the Foremost® Groups, Inc. exclusive written warranty for these products.

WAMM®: We All Make Mistakes!

Cut the header just a bit too short? Things happen. Foremost understands.

With our pledge to superior customer service for all of your shower enclosure needs, we offer the WAMM® program. Make a mistake and give us a call. Offer applies to head rails, bottom tracks, and thresholds that have been cut incorrectly. Our customer service team will work with you to resolve your issues.