


TV stand



IMPORTANT INFORMATION!

- please read the entire manual before starting to assemble and/or using this product. follow the manual thoroughly and keep it for further reference.

AVOID SCRATCHES!

- In order to avoid scratching this furniture should be assembled on a soft layer-could be a rug.

IMPROVE EFFICIENCY !

- Try to find a partner to install with you, which can speed up the installation efficiency and shorten the time.

IMPORTANT !


- It is important that any product which is assembled using any kind of screw is re-tightened 2 weeks after assembly, and once every 3 months - in order to assure stability through-out the lifespan of the product.

- For regular maintenance and cleaning of the product, for the frame, please use a rag dipped in neutral detergent to fully wipe it, and then dry it with a clean rag. For glass materials, wipe with a rag dampened with water glass cleaner, and then dry with a dry rag.


- Do not use an electric screwdriver, and do not use too much force when installing, because the board is easy to break.

ANTI-TOPPLE WARNING !

Overturned furniture can cause serious or fatal crush injuries. To prevent tipping over, be sure to use the wall attachment, if not included with this product. Please purchase the wall attachment that fit your wall. If unsure, seek professional advice. Please read and follow each step of the instructions carefully.



Please prepare the following tools



Installation Notes:

The furniture is large and heavy, please choose a good placement before installation. After all the installation is completed, try not to move widely, if necessary, please more than one person to cooperate to carry out.

Please note: After the overall installation is completed, such as vigorous dragging, or brute force to help carry, may cause irreversible damage to the object connection position or plate, the occurrence of cracks, affecting the use and appearance.

The assembly must be done by two people.


L'assemblage doit être effectué par deux personnes.

Es wird empfohlen, dass zwei Personen den Artikel montieren.

El montaje debe ser efectuado por dos personas.

A montagem deve ser efetuada por duas pessoas.

Il montaggio deve essere effettuato da due persone.



This product contain small parts, please, keep out of reach of children.

Ce produit contient de petites pièces, s'il vous plait, à conserver hors de portée des enfants.

Bitte halten Sie kleine Teile außerhalb der Reichweite von Kindern.

Este producto contiene piezas pequeñas, mantener fuera del alcance de los niños.

Este produto contém peças pequenas, por favor, mantenha fora do alcance das crianças.

Questo prodotto contiene piccole parti, si prega di tenerle fuori dalla portata dei bambini.

In case of doubt, compare the hardware
with the full-size images below.



En cas de doute, veuillez comparer le matériel
avec les images en taille réelle ci-dessous.

Vergleichen Sie im Zweifelsfall die Schrauben
mit den Abbildungen in Originalgröße.

En caso de dudas, compare las herrajes
con las imágenes a seguir en tamaño real.

Em caso de dúvida, compare as ferragens
com as imagens abaixo em tamanho real.

In caso di dubbio, confronta le ferramenta
con le immagini sottostanti a grandezza reale.




A x 106



B x 106



C x 120



D x 24




E x 8



F x 8




G x 14



H x 88



J x 2



K x 16



L x 9



M x 14



N x 4



P x 60



Q x 8



R x 8



S x 2




T x 2



U x 2





ATTENTION - AVERTISSEMENT - ACHTUNG - ATENCIÓN - ATENÇÃO - ATTENZIONE

Assemble the furniture on a clean and flat surface and cover it with the cardboard of the packaging.



Assemblez le meuble sur une surface propre et plane et couvrez-le avec le carton de l'emballage du produit.

Um Beschädigungen zu vermeiden, montieren Sie den Artikel auf einer weichen, sauberen Unterlage.
Tipp: Legen Sie den Artikel auf dem Verpackungskarton.

Montar el mueble sobre una superficie limpia y plana y cubrirlo con el cartón del embalaje del producto.

Montar o móvel sobre uma superfície limpa e plana e forrá-la com o papelão da embalagem do produto.


Montare il mobile su una superficie pulita e piana e rivestirla con il cartone d'imballaggio del prodotto.




Slides Must Be Separated Before Assembly.
After Separated, Set Aside Until Needed for Assembly.

Las diapositivas deben separarse antes del montaje.
Después de la separación, déjelo a un lado hasta que sea necesario.


Les glissières doivent être séparées avant l'assemblage.
Après la séparation, mettez de côté jusqu'au moment de l'assemblage.




STEP 1: Extend Slide
Extender la diapositiva
Extendre la diapositive




STEP 2: Push Lever UP
Empujar hacia arriba
Lever le levier





STEP 3: Remove Runner
Quitar el corredor
Enlever le coureur




1




Insert the quick release screws (A) into the plates 4,5.




2




Insert the dowel (C) into plate 4.
Insert cam locator (B) into plate 8
Turn clockwise to secure Tighten




3




Start by inserting the dowel (C) into board 4
Secure board 1 with screws (D)



4



Insert the dowel (C) first into the board 5
Insert the cam positioner (B) into the plate 1,8.
Rotate clockwise to secure





5

A



4x

Insert quick release screws (A)
) into plate 40



6

C




4x

D



4x

First insert the dowel (C) into the plate 4,5
Secure board 40 with screws (D).






7

A



8x

Insert the quick release screws (A) into the plates 36,37.





8

A




4x


Insert quick release screws (A) into plate 3




9




Insert the dowel (C) into plate 3.
Insert the cam positioner (B) into plate 9.
Rotate clockwise to secure




10




Insert dowel (C) first into plate 36
Insert the cam positioner (B) into the plate 3,9.
Rotate clockwise to secure




11




Insert dowel (C) first into plate 36
Insert the cam positioner (B) into the plate 3,9.
Rotate clockwise to secure




12





Insert the dowel (C) into plate 40.
Insert the cam positioner (B) into the plate 36, 37.
Rotate clockwise to secure





13




Insert the quick release screws (A) into the plates 6,7.




14




Insert the dowel (C) into plate 7.
Insert cam locator (B) into plate 8
Rotate clockwise to secure




15




Insert the dowel (C) into plate 7.
Use screws (D) to secure plate 2




16





Insert the dowel (C) into plate 6.
Insert the cam positioner (B) into the plate 2,8.
Rotate clockwise to secure





17




Insert quick release screws (A) into plate 40



18




First insert the dowel (C) into the plate 7
Use screws (D) to secure plate 40





16


19




Insert the quick release screws (A) into the plates 38,39.




20




Insert quick release screws (A) into plate 3




21




Insert the dowel (C) into plate 3.
Insert the cam positioner (B) into plate 9.
Rotate clockwise to secure




22




Insert dowel (C) first into plate 39
Insert the cam positioner (B) into plate 9.
Rotate clockwise to secure




23




Insert dowel (C) first into plate 38
Insert the cam positioner (B) into plate 3.9.
Rotate clockwise to secure




24





Insert dowel (C) first into plate 40
Insert the cam positioner (B) into the plate 38,39.
Turn clockwise to secure Tighten





25




Insert quick release
screws (A) into plate
11




26




Insert the dowel (C) into plate 11
· Insert the cam positioner (B)
into plate 12, 41.
Rotate clockwise to secure




27




Insert dowel (C) into plate 12,41.
Secure board 10 with screws (D).




28






Insert quick release screws (A) into plate 20




29




Secure the slide (J) to plate 19 with screws (K).
Note the corresponding holes




30






Insert dowel (C) first into plate 20
Insert cam locator (B) into plate 19
Rotate clockwise to secure




31




Insert quick release screws (A) into plates 17, 18
Secure slide (J) to plates 17,18 with screws (K).
Note the corresponding holes.




32




Insert dowel (C) first into plate 18
Insert the cam positioner (B) into plate 20.
Rotate clockwise to secure




33




Insert dowel (C) into plate 17 first
 Insert the cam positioner (B) into
 plate 20.
 Rotate clockwise to secure




34




Insert quick release screws
 (A) into plate 14




35




Insert the dowel (C) into plate 14.
Insert cam locator (B) into plate 21
Rotate clockwise to secure




36




Insert dowels (C) first into plates 17, 18, 19
Secure board 14 with screws (D)
as shown




37




Insert the quick release screws (A) into the plates 15,16.




38




Insert the dowel (C) first into plate 15.
Insert the dowel (C) first into plate 15.
Insert cam locator (B) into plate 14,21




39





Insert dowel (C) into plate 16 first.
Insert cam locator (B) into plate 14,21
Rotate clockwise to secure




40




Insert quick release screws (A)
into plate 13




41




Insert the dowel (C) into plate 13 first.
Insert cam locators (B) into plates 15,16,17,18.
Rotate clockwise to secure





42



Insert dowel (C) first into plate 6
Insert the cam positioner (B) into the plate 10,11.
Rotate clockwise to secure
Secure plate 16 with screws (F)




43




Insert the dowel (C) into plate 5.
Insert the cam positioner (B) into the plate 10,11.
Rotate clockwise to secure
Secure plate 15 with screws (F)


44





Backplane Installation
Place boards 26,27,28,29 in the corresponding positions as shown in the diagram.
Use screws (P) to secure the perimeter.
Use screws (R+Q) to secure the gaps between the boards.
Pay attention to the corresponding holes.




45




Secure slide (J) to plates 22, 23 with screws (K).
Note the corresponding holes



46




Use screws (E) to secure plates 22, 23 to plate 24



x2


47

Insertion of base plate 25





x2


48




Insert the quick release screws (A) into the plates 34, 35.




49




Insert cam positioner (B) into plate 22,23
Rotate clockwise to secure
Secure handle (L) with screws (N).




50




Insert cam positioner (B) into plate 22,23
Rotate clockwise to secure
Secure handle (L) with screws (N).




51




As shown in the picture
Mounting Drawer
Glue card
mounting




52




As shown
Use screws (H) to secure hinges (G) to
plates 30-33





53



Cabinet Door Installation:
Use screws (H) to fasten plates 30,31,33 hinges to plate at 4, etc. Tighten




54






Cabinet Door Installation:
Use screws (H) to fasten
plates 30,31,33 hinges to
plates at 7, etc. Tighten

55



As shown in the picture: Installation of the anti-tipping device Please note: This device must be installed.



Cabinet Door Adjustment Method Diagram

