

36" x 36"

LED Vanity Mirror



ICON 3636

b -IVANEES

FEATURES

- Integrated touch sensor control with memory
- Energy efficient LED lighting 3000-6000K
- CRI 90+
- Integrated Defogger


CONSTRUCTION

- Quality polished edge mirror
- Single phase wire installation, silver backed, copper free
- Construction for surface mounting
- Includes installation hardware

TECHNICAL INFORMATION

Size	36"x36"
MPN	MR017-3636RG
SKU	IVA-JAS1008-3636RG
CCT	3000 - 6000K
CRI	>90
Lumens	6210LM
Input Voltage	100-120VAC
LED/ Meter	6.9
Wattage	70W

DIMENSIONS



FRONT & SIDE

A	B	C	D	E	F	G
36	36	13/16	3 15/16	3 15/16	7/8	2 1/8

BACK

A	B	C	D	E	F
35 15/16	34 1/8	35 7/8	29 9/16	17 15/16	17 15/16

502 SAMPLE NUMBER

info@ivanees.com

www.ivanees.com



ICON 3636

b -IVANEES

IVANEES
DESIGNING THE FUTURE

FEATURES

- Integrated touch sensor control with memory
- Energy efficient LED lighting 3000-6000K
- CRI 90+
- Integrated Defogger

CONSTRUCTION

- Quality polished edge mirror
- Single phase wire installation, silver backed, copper free
- Construction for surface mounting
- Includes installation hardware

TECHNICAL INFORMATION


Size	36"x36"
MPN	MR017-3636GD
SKU	IVA-JAS1008-3636GD
CCT	3000 - 6000 K
CRI	>90
Lumens	6210LM
Input Voltage	100-120VAC
LED/ Meter	6.9
Wattage	70W

502 SAMPLE NUMBER

info@ivanees.com

www.ivanees.com

DIMENSIONS



FRONT & SIDE

A	B	C	D	E	F	G
36	36	13/16	3 15/16	3 15/16	7/8	2 1/8

BACK

A	B	C	D	E	F
35 15/16	34 1/8	35 7/8	29 9/16	17 15/16	17 15/16



ICON 3636

b -IVANEES

FEATURES

- Integrated touch sensor control with memory
- Energy efficient LED lighting 3000-6000K
- CRI 90+
- Integrated Defogger

CONSTRUCTION

- Quality polished edge mirror
- Single phase wire installation, silver backed, copper free
- Construction for surface mounting
- Includes installation hardware

TECHNICAL INFORMATION


Size	36"x36"
MPN	MR017-3636BL
SKU	IVA-JAS1008-3636BL
CCT	3000 - 6000K
CRI	>90
Lumens	6210LM
Input Voltage	100-120VAC
LED/ Meter	6.9
Wattage	70W

502 SAMPLE NUMBER

info@ivanees.com

www.ivanees.com

DIMENSIONS



FRONT & SIDE

A	B	C	D	E	F	G
36	36	13/16	3 15/16	3 15/16	7/8	2 1/8

BACK

A	B	C	D	E	F
35 15/16	34 1/8	35 7/8	29 9/16	17 15/16	17 15/16



ICON 3636

b -IVANEES

FEATURES

- Integrated touch sensor control with memory
- Energy efficient LED lighting 3000-6000K
- CRI 90+
- Integrated Defogger

CONSTRUCTION

- Quality polished edge mirror
- Single phase wire installation, silver backed, copper free
- Construction for surface mounting
- Includes installation hardware

TECHNICAL INFORMATION


Size	36"x36"
MPN	MR017-3636SL
SKU	IVA-JAS1008-3636SL
CCT	3000 - 6000 K
CRI	>90
Lumens	6210LM
Input Voltage	100-120VAC
LED/ Meter	6.9
Wattage	70W

502 SAMPLE NUMBER

info@ivanees.com

www.ivanees.com

DIMENSIONS



FRONT & SIDE

A	B	C	D	E	F	G
36	36	13/16	3 15/16	3 15/16	7/8	2 1/8

BACK

A	B	C	D	E	F
35 15/16	34 1/8	35 7/8	29 9/16	17 15/16	17 15/16

