



## Artifacts® | K-72762-9M

Single-handle bathroom sink faucet, 1.2 gpm

### Features

- One-piece, self-contained ceramic disc valve allows both volume and control
- Clicker drain with tailpiece and overflow
- 1.2 gpm (4.5 lpm) maximum flow rate at 60 psi (4.14 bar)
- Single lever handle allows for both on/off activation and temperature setting
- KOHLER® ceramic disc valves exceed industry longevity standards for a lifetime of durable performance
- Laminar flow
- This product can help a building earn Water Efficiency points in LEED® Green Building Rating System



### Sustainability



### Available Colors/Finishes

*Color tiles intended for reference only.*

|     |                               |
|-----|-------------------------------|
| CP  | Polished Chrome               |
| SN  | Vibrant Polished Nickel       |
| AF  | Vibrant French Gold           |
| BN  | Vibrant Brushed Nickel        |
| BV  | Vibrant Brushed Bronze        |
| BL  | Matte Black                   |
| 2MB | Vibrant Brushed Moderne Brass |
| TT  | Vibrant Titanium              |



1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.  
For the most current specification sheet, go to [www.kohler.com](http://www.kohler.com) USA or [www.kohler.ca](http://www.kohler.ca) Canada.  
8-10-2026 17:16 - US-CA

THE BOLD LOOK  
OF **KOHLER**

## Codes/Standards

ADA, OBC, CSA B651 compliant when installed to the specific requirements of these regulations.



ADA CSA B651 OBC

ASME A112.18.1/CSA B125.1  
NSF/ANSI/CAN 372  
NSF/ANSI/CAN 61  
DOE - Energy Policy Act 1992  
EPA WaterSense®  
California Energy Commission (CEC)  
ADA  
ICC/ANSI A117.1  
CSA B651  
OBC

## Recommended Products/Accessories

K-23726 Drain treatment  
K-75449 Escutcheon plate  
K-23723 Faucet cleaner  
K-72567 18" towel bar  
K-72570 24" double towel bar  
K-72571 Towel ring  
K-72572 Double robe hook  
K-72573 Pivoting toilet paper holder  
K-72576 Toilet paper carriage  
K-72568 24" towel bar

## Warranty

See website for detailed warranty information.

KOHLER® Faucet Lifetime Limited Warranty

## Technical Information

All product dimensions are nominal.

### Handle

Handle Style/Type: Lever

### Spout

Spout Reach: 5-11/16" (145 mm)

Drain With Overflow: No

### Flow Rate

Faucet Flow Rate: 1.2 gpm (4.5 l/min)


## Valves

Included Valves: Ceramic disc, Volume Control

## Material

- Brass
- KOHLER finishes resist corrosion and tarnishing





## Installation

- Flexible connections for easy installation
- Flexible supply lines simplify installation
- Single hole

## Installation Notes

*Install this product according to the installation instructions.*

ADA compliant for handles only.

ADA, OBC, CSA B651 compliant when installed to the specific requirements of these regulations.

