

# DPF2812BLM

Category	Kitchenware
Family	Cookware
Type	Shallow Casserole
Country version	WW
EAN code	8017709356026



## Aesthetics

<b>Aesthetics</b>	50's Style	<b>Handle(s) colour</b>	Stainless steel
<b>Colour</b>	Black	<b>Handle(s) material</b>	Stainless steel AISI304
<b>Finishing</b>	Matte	<b>Handle(s) finishing</b>	Polished
<b>Logo position</b>	On side handles, On bottom	<b>Lid colour</b>	Transparent
<b>Body material</b>	Cold-forged aluminium	<b>Lid material</b>	Tempered glass with stainless steel rim
<b>Internal coating</b>	Ceramic non-stick	<b>Lid's shape</b>	Flat
<b>Internal colour</b>	Black	<b>Lid vent hole</b>	Yes
<b>Bottom plate colour</b>	Black	<b>Knob colour</b>	stainless steel
<b>Bottom plate material</b>	Stainless steel	<b>Knob material</b>	Stainless steel
<b>Rim finishing</b>	Rectified wide	<b>Knob finishing</b>	Polished
<b>Handle(s) type</b>	Side handles		

## Technical Features

<b>Diameter</b>	28 cm	<b>Oven safe</b>	Up to 250°C/480°F
<b>Handle(s) application</b>	Yes	<b>Dishwasher safe</b>	Yes
<b>Other available diameters</b>	28 cm	<b>Stainless steel plate thickness</b>	0,5 mm
<b>Contact bottom diameter</b>	220 mm	<b>Dishwasher safe lid</b>	Yes
<b>Volume</b>	4,3 l	<b>Heavy metals free</b>	Yes
<b>Base thickness</b>	4.5 mm	<b>Nickel free</b>	Yes
<b>Handle(s) application</b>	Riveting	<b>Internal coating made without PFAS</b>	Yes
<b>Compatible cooking surfaces</b>	Induction, Gas, Ceramic, Electric		

## Accessories Included

---

Lid Yes

## Logistic Information

---

<b>Net weight (kg)</b>	2.821 kg	<b>Packed width</b>	458 mm
<b>Width (mm)</b>	398 mm	<b>Packaged depth</b>	360 mm
<b>Gross weight (kg)</b>	3.345 kg	<b>Height (mm) packed</b>	128 mm
<b>Product Height (mm)</b>	85 mm	<b>Dimensions of the product (mm)</b>	85x398x294 mm
<b>Depth (mm)</b>	294 mm	<b>Dimensions of the packed product (mm)</b>	128x458x360 mm

---

## Compatible Accessories

---

**CKFL2801**

Diameter ø28 cm - 11" Flat tempered glass lid with stainless steel rim, knob and vent hole (SS304)



---

## Alternative products

---

DPF2812CRM



DPF2812EGM

