



### Thank you for purchasing the MODWAY QUEEN BED FRAME!

Before you start, here is some helpful advice:

- 1. We suggest you spend a short time reading through this leaflet and then follow the simple step by step instructions.
- 2. Owing to the size and weight of the bed frame, we recommend that it is assembled by two adults, on a carpeted or padded area, in the room that it is intended for. Approx assembly time: 30 minutes.
- 3. Please do not use any tools other than those provided or recommended in these instructions.
- 4. Please do not throw away any of the packaging or the instruction until you have checked all the components and hardware and the furniture is fully assembled. Please ensure that the packaging is disposed of in a safe environmentally friendly way.
- 5. Assemble all components loosely until advised to tighten. Depending on use, it may be necessary to tighten the components from time to time, so please save the tools that has been provided.
- 6. Please keep all fitting out of reach of children.



### Component:






## STEP 1:

Please put Short Boards (1), Long Boards (2) upside down on a carpeted or padded area.

Attach 1 piece of **Metal Support (C)** to one corner of **Short Boards (1)** and **Long Boards (2)** by using 2 pieces of **Bolt (A)** as shown.

Repeat the same steps for the remaining 3 pieces of Metal Support (C).


Use Allen Wrench (F) to tighten Bolts (A) clockwise until secure.



# STEP 2:

Attach 1 piece of Leg (3) to one corner of Short Boards (1) and Long Boards (2) by using 4 pieces of Bolt (A) as shown. Repeat the same steps for the remaining 3 pieces of Leg (3).

Use Allen Wrench (F) to tighten Bolts (A) clockwise until secure.





## STEP 3:

Place Stretcher (4) to the assembled Long Board (2).


Secure each end of Stretcher (4) by using 2 pieces of Bolt (A) and 2 pieces of Flat Washer (E) as shown.

Tighten Bolts (A) by using Allen Wrench (F) clockwise until secure.

Place 2 pieces of Support Leg (5) under the assembled Stretcher (4).

Secure each Support Leg (5) by using 2 piece of Bolt (B), 2 pieces of Flat Washer (E) and 2 pieces of Nut (D) as show.

Tighten Bolts (B) and Nuts (D) by using Allen Wrench (F) and Open Wrench (G) until secure.




## STEP 4:

Insert 2 piece of Side Plastic Cover (H) into each end of 2 pieces of Slat (6) as shown.

Insert the other end of the Slats (6) into 1 piece of Center Plastic Cover (J) as shown.

Insert the assembled **Side Plastic Covers (H)** into the corresponding holes on **Long Board (2)**, and the assembled **Center Plastic Cover (J)** into the corresponding holes on **Center Rail (4)** as shown.

Repeat the same steps for the remaining 24 pieces Slat (6).



Assembly is complete. Your bed frame is ready to be used now!

Hx26	Jx13

Hardware & Tool required