





## L611

120V LED TRACK LUMINAIRE

|             |  |
|-------------|--|
| Type        |  |
| Project     |  |
| Catalog No. |  |



### DESCRIPTION

Line voltage LED track fixture in a clean and compact design. Detailed yoke with smooth transition line. Suitable for residential application or smaller spaces with low mounting height.

#### CONSTRUCTION

Die-cast aluminum housing.  
Powder coat paint.  
350° horizontal, ±90° vertical aim adjustment.

#### MOUNTING

Provides electrical and mechanical connection to single or two circuit track.

#### ELECTRICAL

Input 120VAC 50/60Hz  
Input Power 9.6W  
Efficacy 86 lm/W  
Power Factor >0.9  
Dimming Range<sup>a</sup> 3% ~ 100% refer to recommended dimmers list  
LE (leading edge or forward-phase)  
TE (trailing edge or reverse-phase)

#### LED

CCT 3000K  
CRI 80  
Color Control 3-step MacAdam ellipse  
Luminous Flux 830 lm

#### Optics

36° single optic TIR made from optically clear thermoplastic included  
Ordered Separately. Field Changeable  
**L611LENS15** 15° single optic TIR

Passive thermal management provides silent operation to yield over 70% lumen maintenance for a minimum of 50,000 operation hours in 25°C (77°F) ambient.

#### LINE VOLTAGE FIXTURE EXTENSION

Suspend fixtures where needed without lowering the track.  
Ordered separately.  
BK, WT

#### For H1 or H2 Track

**H2HVFE12** 12" nominal, 14.5" overall  
**H2HVFE18** 18" nominal, 20.5" overall  
**H2HVFE24** 24" nominal, 26.5" overall  
**H2HVFE36** 36" nominal, 38.5" overall  
**H2HVFE48** 48" nominal, 50.5" overall

#### For J1 or J2 Track (on/off switch standard)

**J2HVFE12** 12" nominal, 14.5" overall  
**J2HVFE18** 18" nominal, 20.5" overall  
**J2HVFE24** 24" nominal, 26.5" overall  
**J2HVFE36** 36" nominal, 38.5" overall  
**J2HVFE48** 48" nominal, 50.5" overall

#### LABELS

cETLus Listed

#### WARRANTY

5 Years

### ORDERING INFORMATION

| SYSTEM                                                            | SERIES      | CCT               | CRI            | FINISH                               |
|-------------------------------------------------------------------|-------------|-------------------|----------------|--------------------------------------|
| H2 = H1 or H2 Track<br>L2 = L1 or L2 Track<br>J2 = J1 or J2 Track | <b>L611</b> | <b>30 – 3000K</b> | <b>80 – 80</b> | <b>B – Black</b><br><b>W – White</b> |
|                                                                   | <b>L611</b> | <b>30</b>         | <b>80</b>      |                                      |

**JESCO**  
LIGHTING GROUP

www.jescolighting.com  
support@jescolighting.com  
Tech Support: 855.592.0029

15 Harbor Park Drive  
Port Washington, NY 11050  
Main Line: 800.527.7796  
Fax Line: 855.265.5768

219 South 6<sup>th</sup> Ave  
City of Industry, CA 91746  
Main Line: 855.654.0110  
Fax Line: 626.333.2955

8/31/2017

Specifications subject to change without notice.

Page 1

**L611****120V LED TRACK LUMINAIRE**

Type

Project

Catalog No.

**RECOMMENDED DIMMERS**

| Manufacturer        | Model         | Type |
|---------------------|---------------|------|
| Lutron <sup>1</sup> | SLV-600X      | LE   |
|                     | S2-LX         | LE   |
|                     | GL-600H       | LE   |
|                     | NFTU-5A       | LE   |
|                     | DVLV-600P     | LE   |
|                     | NTELV-600-XX  | TE   |
|                     | SELV-303P     | TE   |
|                     | MAELV-600-XX  | TE   |
|                     | DVELV-300P-XX | TE   |

| Manufacturer            | Model        | Type |
|-------------------------|--------------|------|
| Lutron <sup>1</sup>     | SELV-300P-XX | TE   |
| Cooper <sup>2</sup>     | 9530XXX      | LE   |
| Lightolier <sup>3</sup> | MP600X       | LE   |
| Leviton <sup>4</sup>    | 6602-X       | LE   |
|                         | 6681-X       | LE   |
|                         | 6683-X       | LE   |
|                         | 6684-X       | LE   |
|                         | 700-X        | LE   |
|                         | 705-X        | LE   |

| Manufacturer         | Model       | Type |
|----------------------|-------------|------|
| Leviton <sup>4</sup> | 6633        | LE   |
|                      | 6674        | LE   |
|                      | IP106-1LZ   | LE   |
|                      | IPE04-1LZ   | TE   |
|                      | VZE06-1LX   | TE   |
|                      | 6615-P0T    | TE   |
| Philips              | SR150LED120 | LE   |
|                      | SR400RPC120 | TE   |

JESCO recommends testing your unique dimming configuration as the exact application may affect dimming performance. Dimmers can be loaded up to 80% of their max power rating.

Notes:

<sup>1</sup>Expressed in percentage of setting current<sup>1</sup>Lutron is a registered trademark of Lutron Electronics, Inc.<sup>2</sup>Cooper is a registered trademark of Cooper Industries<sup>3</sup>Lightolier is a registered trademark of Philips Lighting.<sup>4</sup>Leviton is a registered trademark of Leviton Mfg. Co., Inc.**JESCO**  
LIGHTING GROUPwww.jescolighting.com  
support@jescolighting.com  
**Tech Support:** 855.592.002915 Harbor Park Drive  
Port Washington, NY 11050  
**Main Line:** 800.527.7796  
**Fax Line:** 855.265.5768219 South 6<sup>th</sup> Ave  
City of Industry, CA 91746  
**Main Line:** 855.654.0110  
**Fax Line:** 626.333.2955

Specifications subject to change without notice.

8/31/2017

Page 2