


Children's Trampoline

Operation and installation instructions



Trampoline

Installation Manual



WARNING

Read and follow this Instruction Manual prior to the assembly and use of this equipment.



Warnung

Lesen und befolgen Sie die Montage dieses Handbuchs, bevor Sie das Gerät verwenden.



AVERTISSEMENT

Lisez et suivez ce manuel d'instructions avant d'assembler et d'utiliser l'appareil.



AVVERTIMENTO

Leggere e seguire questo manuale prima di assemblare e utilizzare il dispositivo.



ADVERTENCIA

Lea y siga este manual de instrucciones antes de montar y utilizar este equipo.

Company name: Wuyi Junpu Sports Goods Co., Ltd
Address: No. 17, Century Road, maqjiao
Industrial Park, Quanxi Town, Wuyi County,
Jinhua City, Zhejiang Province, China

Made in China

UK- MINI TRAMPOLINE INSTRUCTION MANUAL



WARNING:

In addition to the instructions and precautions provided with your Trampoline, the following precautions must be observed while using the Trampoline Safety Enclosure.

- DO NOT Attempt or allow somersaults on the Trampoline. Landing on the head or neck can cause serious injury, paralysis, or death, even when landing in the middle of the bed.
- DO NOT allow more than one person on the trampoline or inside the trampoline enclosure. Use by more than one person at the same time can result in serious injuries.
- The metal frame of the trampoline enclosure will conduct electricity. Lights, extension cords, and all such electrical equipment must never be allowed to come in contact with the enclosure.
- Inspect the enclosure before each use. Make sure the straps and all parts are correctly and securely positioned and attached. Tighten any loose hardware. Replace any worn, defective, or missing parts.
- Wear comfortable clothing free of hooks, snaps, drawstrings or anything which may snag or catch in the safety enclosure mesh. Remove jewelry, necklaces, and earrings.
- Climb on and off the trampoline only through the safety enclosure entrance and securely close entrance. Users, especially children, must not attempt to enter or exit between the trampoline frame and the enclosure. Doing this may pose a strangulation risk.
- Do not touch or rebound off the safety enclosure mesh while using the trampoline.
- Read all instructions and complete all assembly before allowing your child to use the trampoline & safety enclosure.
- Use trampoline and trampoline enclosure only with mature, knowledgeable adult supervision.

**For Recreational Use ONLY. Not for Professional Use.
Weight Limit for Trampoline & Enclosure User is 75KG**



WARNING:

Assembly and Installation Instructions

- ADULT ASSEMBLY REQUIRED - Contains small parts, sharp points and sharp edges.
- CHOKING HAZARD - Small parts - Not for children under 3 years.
- For use by children ages three (3) to six (6) ONLY.
- Maximum user weight is 75KG.
- Adequate overhead clearance is essential. A minimum of 8 ft from ground levels recommended. Provide clearance for wires, tree limbs, and other possible hazards.
- Lateral clearance is essential. Place the trampoline and trampoline enclosure away from walls, structures, fences, and other play areas. Maintain a clear space on all sides of the trampoline and trampoline enclosure. A minimum of six feet from frame edge is recommended.
- Never set-up the trampoline in heavy rain, wind or storm conditions, especially lightning storms. It is recommended that the trampoline be taken apart and stored in bad weather.
- Place the trampoline and trampoline enclosure on a level surface before use.
- Secure the trampoline and trampoline enclosure against unauthorized and unsupervised use.
- Remove any obstructions from beneath the trampoline and trampoline enclosure prior to use.
- The owner and supervisors of the trampoline and trampoline enclosure are responsible to make all users aware of practices specified in the Use Instructions.



WARNING:

Care and Maintenance Instructions

Inspect the trampoline and trampoline enclosure before each use and replace any worn, defective, or missing parts.

The following conditions could represent potential hazards:

1. Missing, improperly positioned, or insecurely attached frame padding, barrier or enclosure support system (frame) padding and pole caps.
2. Punctures, frays, tears, or holes worn in the bed or frame padding, barrier or enclosure support system (frame) padding and pole caps.
3. Deterioration in the stitching or fabric of the bed or frame padding, barrier or enclosure support system (frame) padding and pole caps.
4. Ruptured suspension cords.
5. A bent or broken frame or support system.
6. A sagging barrier or bed.
7. Sharp protrusions on the frame or suspension system, or loosened or missing hardware. Always make sure hardware is tight before each use.

Trampoline Safety and Accident Prevention

As in most recreational sport, participants may be injured. This section covers the most common accidents. Responsibilities of the supervisors and jumpers in accident prevention are also outlined.

The following are reasons why accidents happen:


- Attempting somersaults. Landing on the head or neck can cause serious injury, paralysis, or death, even when landing in the middle of the bed.
- More than one person on the trampoline. Use by more than one person at the same time can result in serious injuries.
- Incorrect mounting and dismounting. Carefully crawl out of and into the trampoline bed. Do not jump off to the ground. Do not jump from a roof, or other object onto the trampoline. Small children may need assistance to get on or off the trampoline. Do not step onto the suspension system.
- Hitting the frame. Stay in the center of the trampoline when jumping. Injury may result from hitting the frame when control is lost. Be sure the frame cover is always on and the pads securely fastened. Do not jump directly onto the frame pad.
- Loss of control. A jumper who loses control will increase his/her chance of injury. Be sure to familiarize yourself with the basic jumps before doing more difficult ones. Jumps should be mastered, performed repeatedly before moving on to the next level. To regain control and stop your jump, bend your knees sharply as you land.
- The adult supervisor must not be under the influence of alcohol or drugs.
- Foreign objects. Please make sure there is nothing sharp under and around the trampoline. Hitting objects under the trampoline can cause injury. Jumping with a foreign object can also increase the chances of getting injured. Be sure there is adequate clearance 8 feet above and 6 feet around the trampoline. Be careful of overhead wires, tree limbs etc.
- Bad weather. Do not use your trampoline in gusty winds or inclement weather. The bed should not be wet.
- Poor maintenance of the trampoline. Make sure you inspect the trampoline before every use. Check for punctures on the bed, sharp burrs on the frame, stitching that has gone bad or loose elastic bands. If a replacement part is needed, please call our hotline to order.
- Unlimited access. The trampoline should be covered or dis-assembled when not in use. This will prevent unsupervised small children from using the trampoline.

PARTS LIST

| PARTS | QTY. | ITEM |
|-----------------------------|------|------|
| U-shaped foot tube | 3 | A |
| Frame rail | 6 | B |
| Frame Cover+ Jumping Mat | 1 | C |
| Enclosure net | 1 | D |
| Guard rod | 6 | E |
| Spring | 30 | F |
| Spring tool-hook | 1 | G |
| Tee joint | 6 | H |
| Connecting pipe | 6 | I |



F Spring



G Spring tool-hook



H Tee joint




I Connecting pipe




A U-shaped foot tube




B Frame rail



C Frame Cover+Jumping Mat



D Enclosure net




E Guard rod


Installation instructions

Easy installation and easy handling!


- 1** Connect the six perforated ring pipes with the four-way joint, and connect them in sequence as shown in the figure Round. (the four-way joint with round hole position is measured towards the trampoline)



- 2** Install the foot sleeve on the U-shaped foot tube, and then insert the U-shaped foot tube into the cross. The buckle in the round hole is locked.



- 3** Place the jump cloth in the frame, pull the spring diagonally with the pull hook first, Then pull up the hexagonal spring. (Note: spring small head and Triangle buckle connection on jump cloth, large head and frame link).




Installation instructions

Easy installation and easy handling!

4

Insert the six guard rods into the round holes of the four-way pipe respectively, and lock them with the clips



5

Install the safety net and hook the hook at the bottom of the safety net to the triangle of the installation springBuckle. (note that the protective net is outside the protective rod)

