

WAC LIGHTING

Salvo

Ceiling Mount 4CCT

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
FM-20509 9"	2700K	BK/AB Black/Aged Brass	18W	1600	425
	3000K	WT/AB White/Aged Brass			
	3500K				
	4000K				

Example: **FM-20509-40-WT/AB**

For custom requests please contact customs@waclighting.com

DESCRIPTION

An aged brass circlet within a black frame holds a creamy diffuser, offering soft ambient light to surfaces below.

FEATURES

- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Option to pre-select color temperature or adjust in the field
- ACLED driverless technology
- 5 Year warranty

SPECIFICATIONS

Color Temp:	2700K,3000K,3500K,4000K
Input:	120,50/60Hz
CRI	90
Dimming:	ELV: 100-5% , TRIAC: 100-5%
Rated Life:	50,000 Hours
Mounting:	Can be mounted on ceiling or wall in all orientations
Standards:	ETL, cETL, Title 24 JA8 Compliant, ADA, Damp Location Listed
Construction	Aluminum hardware



FINISHES:



Black/Aged
Brass

White/Aged
Brass

WAC LIGHTING

Salvo

Ceiling Mount 4CCT


Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

LINE DRAWING:



FWI-20509

WAC LIGHTING

Salvo

Ceiling Mount 4CCT

Fixture Type:

Catalog Number:

Project:

Location:

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
FM-20512 12"	2700K	BK/AB Black/Aged Brass	27W	2300	942
	3000K	WT/AB White/Aged Brass			
	3500K				
	4000K				

Example: **FM-20512-40-WT/AB**

For custom requests please contact customs@waclighting.com

DESCRIPTION

An aged brass circlet within a black frame holds a creamy diffuser, offering soft ambient light to surfaces below.

FEATURES

- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Option to pre-select color temperature or adjust in the field
- ACLED driverless technology
- 5 Year warranty

SPECIFICATIONS

Color Temp:	2700K,3000K,3500K,4000K
Input:	120,50/60Hz
CRI	90
Dimming:	ELV: 100-5% , TRIAC: 100-5%
Rated Life:	50,000 Hours
Mounting:	Can be mounted on ceiling or wall in all orientations
Standards:	ETL, cETL, Title 24 JA8 Compliant, ADA, Damp Location Listed
Construction	Aluminum hardware



FINISHES:



Black/Aged
Brass

White/Aged
Brass

WAC LIGHTING

Salvo

Ceiling Mount 4CCT


Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

LINE DRAWING:



FM-20512

WAC LIGHTING

Salvo

Ceiling Mount 4CCT

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
FM-20515 15"	2700K	BK/AB Black/Aged Brass	38W	3000	1739
	3000K	WT/AB White/Aged Brass			
	3500K				
	4000K				

Example: **FM-20515-40-WT/AB**

For custom requests please contact customs@waclighting.com

DESCRIPTION

An aged brass circlet within a black frame holds a creamy diffuser, offering soft ambient light to surfaces below.

FEATURES

- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Option to pre-select color temperature or adjust in the field
- ACLED driverless technology
- 5 Year warranty

SPECIFICATIONS

Color Temp:	2700K,3000K,3500K,4000K
Input:	120,50/60Hz
CRI	90
Dimming:	ELV: 100-5% , TRIAC: 100-5%
Rated Life:	50,000 Hours
Mounting:	Can be mounted on ceiling or wall in all orientations
Standards:	ETL, cETL, Title 24 JA8 Compliant, ADA, Damp Location Listed
Construction	Aluminum hardware



FINISHES:



Black/Aged
Brass

White/Aged
Brass

WAC LIGHTING

Salvo

Ceiling Mount 4CCT


Fixture Type:

Catalog Number:

Project:

Location:

LINE DRAWING:



FM-20515