


ASSEMBLY INSTRUCTIONS




IMPORTANT NOTE


- **Place all parts on a lean and smooth surface such as a rug or carpet to avoid the parts from being scratched.
- **Before you begin, please review the assembly instruction step by step.
- **Return & Warranty Policy:
 - We strive to offer the highest quality products. We also provide positive solutions with replacements or refund if needed.
 - If the item is damaged or defective, please take photos to show the problem and email to the seller.
 - Please do not return back the product before contact the seller.

ASSEMBLY INSTRUCTIONS


PART LISTS BOX 1




CHAISE FRAME (1 PC)



CHAISE BACKREST (1 PC)




RIGHT ARMREST (1 PC)




BACK CUSHION (3 PCS)


PART LISTS BOX 2




2-SEATER FRAME(1 PC)



CHAISE & OTTOMAN
SEAT CUSHION Ⓐ (1 PC)




CHAISE & OTTOMAN
SEAT CUSHION Ⓑ (1 PC)




SEAT CUSHION (2 PCS)


PART LISTS BOX 3



OTTOMAN SEAT FRAME (1 PC)



LEFT ARMREST (1 PC)



2-SEATER BACKREST(1 PC)




LEGS (12 PCS)



PLUG(1 PC)


Step 1 1:Please insert the chaise frame into the chaise backrest.

2:Please insert the right armrest into the chaise frame.




Step 2 3:Please insert the 2-seater frame into the 2-seater backrest.


4:Please insert the left armrest into the 2-seater backrest.




Step 3 5:Please insert the chaise frame & chaise backrest into the 2-seater frame.




Step 4 6:The ottoman seat frame can be connected with the 2-seater frame.




Step 5 7:Put the sofa on the clean ground and turn on the legs as instruction.




Step 6




Step 7



Step 8




Step 9 **TIPS:** As the cushions are all vacuum compressed for better shipment, there will be some wrinkles. Please give your cushions up to 72 hours to reach their original size and the wrinkles will basically disappear.




HOW TO CHANGE THE CHAISE LOUNGE

Step 1 First, remove the 6 metal bracket inserts (from the 2-seater frame and 2-seater backrest), then switch the 3 left bracket inserts to the right side and install them, then switch the 3 right bracket inserts to the left side and install them.



Step 2 After switching the metal bracket inserts, put the chaise frame on the other side and assemble it.



TIPS: The Chaise Frame is interchangeable left and right, but the USB port is always kept on the left side facing the sofa.

