



Twin/Full Upper & Lower Headboard/Footboard Twin/Full Rail, Guard Rail & Ladder Twin/Full Upper & Lower Twin Slat





	TARDWARE LIST								
		Bolt	1/4"X3 3/16"	16PCS	Н		Pin	3 1/2"	4PCS
E		Bolt	1/4"X3 1/8"	3PCS	I		Bracket		2PCS
		Bolt	1/4"X2 3/8"	8PCS	J		Wood dowel	1 3/4"	16PCS
		Bolt	1/4"X2"	3PCS	K		Washer		16PCS
E		Screw	1/8"X5/8"	14PCS	L	0 0 0	Bracket		2PCS
F		Wrench		1PC	М		Bolt	1/4"X2"	2PCS
	400000000	Screw	5/32"X1 3/8"	52PCS	N		Nut		2PCS











### WARNING

#### TO HELP PREVENT SERIOUS OR FATAL INJURIES FROM ENTRAPMENT OR FALLS

- 1.NEVER ALLOW CHILDREN UNDER 6 YEARS ON UPPER BUNK
- 2.USE ONLY MATTRESS WHICH IS 37"1/2-38"1/2 WIDTH AND 74"-75" LENGTH ON UPPER BUNK(TWIN SIZE)
- 3.ENSURE THICKNESS OF MATTRESS DOES NOT EXCEED 6" AND MATTRESS SURFACE IS AT LEAST 5 INCHES BELOW UPPER OF GUARDRAILS.
- 4.USE GUARDRAILS ON BOTH SIDE OF UPPER BUNK
- 5.PROHIBIT HORSE PLAY ON, OR UNDER BED(S)
- 6.PROHIBIT MORE THAN ONE PERSON ON BUNK
- 7.USE LADDER FOR ENTERING AND LEAVING UPPER BUNK
- A IE THE BLINK BED WILL BE DI ACED NEXT TO A WALL THE
- 8.IF THE BUNK BED WILL BE PLACED NEXT TO A WALL, THE GUARDRAIL THAT RUNS THE FULL LENGTH OF THE BED SHOULD BE PLACED AGAINST THE WALL TO PREVENT ENTRAPMENT BETWEEN THE BED AND WALL
- 9.DO NOT EXCEED 165 LBS(75Kgs)ON UPPER BUNK

#### STRANGULATION HAZARD

10.NEVER ATTACH OR HANG ITEMS TO ANY PART OF THE BUNK BED THAT ARE NOT DESIGNED FOR USE WITH THE BED, FOR EXAMPLE, BUT NOT LIMITED TO BOOKS, BELTS, AND JUMP ROPES **CERTIFID:** 

THIS BUNK BED CONFORMS TO ALL APPLICABLE CONSUMER PRODUCTS SAFETY STANDARDS 16 CFR PARTS 1213,1500,1513AND ASTM F-1427