


ASSEMBLY INSTRUCTIONS
30 INCH BATH VANITY (COMBO)




Thank you for purchasing this quality product. Be sure to check all packing material carefully for small parts which may have come loose inside the carton during shipment. Separate, identify and count all parts and hardware. Compare with the parts list to be sure all parts are present.
"DO NOT TIGHTEN SCREWS UNTIL COMPLETELY ASSEMBLED"

*Use of power tool to assemble this product will invalidate any claim and damage this product on a clean soft !!!
*Please assemble on a clean soft surface to avoid damage






Tools Required



(Not included)



(Not Included)

IMPORTANT:

PLEASE READ INSTRUCTION BEFORE STARTING THE ASSEMBLY

Before Installation

Important - Please read these instructions fully before starting assembly

Thank you for purchasing this quality product. Be sure to check all packing materials carefully for small parts, which may have come loose inside the carton during shipment. Identify and count all items according to the PARTS LIST and/or HARDWARE LIST shown below. Check you have all the components and tools listed on the following pages.

. We recommend that you assemble this product with the assistance of another person; this will make the assembly easier, and will help eliminate damage to the product or injury to persons during assembly.


. Please do not over tighten screws or bolts until the assembly is completed.

. Keep children and animal away from the work area, small parts could choke if swallowed.

. Please put all parts on a non-abrasive floor before assembly,and follow the assembly steps to assemble your newly purchased product correctly and efficently.

If you find that you have any trouble with assembly or missing or damaged parts please contact the seller.

Cam Lock Assembly Instructions




Slides Must Be Separated Before Assembly.
After Separated, Set Aside Until Needed for Assembly.


Las diapositivas deben separarse antes del montaje.
Después de la separación,déjelo a un lado hasta que sea necesario.

Les glissières doivent être séparées avant l'assemblage.
Après la séparation,mettez de cŏté jusqu'au moment de l'assemblage.


Pay attention when connecting !
The sliding module must be at the front end.




STEP 1 : Extend Slide
Extender la diapositiva



STEP 2: Push Lever UP
Empujar hacia arriba
Lever le levier




Push lever for the left of drawer ,
press the lever for the right of drawer.















STEP 3: Remove Runner
Quitar el corredor
Enever le coureur

Detail View - CABINET










Identifying the Hardware-Identify the hardware using the illustrations below.











Part List

1  Side Panel (L) - 1pc	2  Side Panel (R) - 1pc
3  Front Bar Top - 1pc	4  Rear Panel Top - 1pc
5  Rear Panel Bottom - 1pc	6  Frame Mid - 1pc
7  Front Bar Bottom - 1pc	8  Door (L) - 1pc
9  Door (R) - 1pc	10  Panel Left Side Door (L) - 1pc
11  Panel Right Side Door (L) - 1pc	12  Panel Mid Door - 4pcs
13  Round Bar Door - 4pcs	14  Panel Left Side Door (R) - 1pc

Part List


15  Panel Right Side Door (R) - 1pc	16  Drawer Face - 1pc
17  Drawer Rear (L)- 1pc	18  Drawer Side(L) - 1pc
19  Drawer Side(R) - 1pc	20  Drawer Bottom - 1pc
21  Drawer Mid - 1pc	22  Drawer divide - 4pcs
23  Sink - 1pc	

Hardware List


A  ø13x1/4"x28mm	B  ø1/4"x16x1mm	C  ø6x35mm
Hex-Head bolts (8pcs)	Washer (8pcs)	Three in one bolts (35pcs)
D  ø14.5x12mm	E  ø8xø4x32mm	F 
Three in one lock (35pcs)	Round head screw (8pcs)	Handle (2pcs)
G 	H  ø5/32"x22mm	I  ø5/32"x28mm
Handle (2pcs)	Handle screw (2pcs)	Handle screw (4pcs)
J 	K  ø7xø3.5x15mm	L  ø300x35mm
Damping hinge (4pcs)	Flat head screw (24pcs)	Slide rails (2pcs)
M  ø298x18mm	N  ø6xø3x12mm	O  ø8x30mm
Slide rails (2pcs)	Flat head screw (12pcs)	Wood dowel (30pcs)
P  4mm	Q 	
Allen key (1pc)	Anti fall hardware (1set)	


STEP: 1

C



8PCS





STEP: 2

L





2PCS

N




6PCS






STEP: 3


C	D	O
3PCS	3PCS	2PCS






STEP: 4

A	B	D	O
2PCS	2PCS	2PCS	3PCS




STEP: 5

A	B	D	O
2PCS	2PCS	2PCS	3PCS






STEP: 6


A	B	D	O
4PCS	4PCS	4PCS	6PCS





STEP: 7


C	D	O	J	K
				
12PCS	12PCS	8PCS	2PCS	4PCS























STEP: 8


C	D	O	J	K
				
12PCS	12PCS	8PCS	2PCS	4PCS


















STEP: 9


G	H	K
		
2PCS	2PC	16PCS






STEP: 10


M	N
	
2PCS	6PCS




POSITION OF SCREW





STEP: 11






STEP: 12







STEP: 13




STEP: 14




STEP: 15






STEP: 16

Install the sink on the cabinet with glue.
Let stand for 24 hours




*Silicone glue is not included in the package to comply with safety regulations in certain shipping conditions.

STEP: 17






HINGE ADJUSTMENTS




1 Sideways / Tilt adjustment

Turn the screw
clockwise to move the door further away from the side of the cabinet
anticlockwise to move the door closer to the side of the cabinet



2 4 Height adjustment

While supporting the weight of the door, turn the screws
clockwise to move the door up
anticlockwise to move the door down



3 Forward and back adjustment

If the gap between the back of the door and the cabinet is too small, and the door may not close fully. Turn the screw
clockwise to decrease the gap between the door and the cabinet
anticlockwise to increase the gap between the door and the cabinet

