


60" PYRAMID WALL RANGE HOOD

ALL FINISHES — STAINLESS STEEL · SIGNATURE BLACK STAINLESS

INDUCTION
HARDWARE

SPECIFICATIONS

Nominal width	60"
SKUs	S-RH60-PW-SS · S-RH60-PW-BS
Maximum airflow	1500 CFM
Duct	10 in round · top exit
Power	120 V · cord with NEMA 5-15P plug
Certification	ETL

Installation — Run the duct as straight and short as the layout allows — every elbow costs airflow the duct cannot recover. Taller than 10 ft needs a chimney extension before the hood is hung — extension kits are available for taller ceilings, ordered separately.

OVERVIEW

Pyramid wall ventilation with a DC motor — quieter at the airflow that matters, drawing materially less power than an AC equivalent.

KEY FEATURES

- DC motor
- Supplied chimneys cover ceilings to 10 ft
- Hang 30–36" above the cooking surface
- Match the hood at least as wide as the range below

60" PYRAMID WALL RANGE HOOD

S-RH60-PW-SS · S-RH60-PW-BS



DC motor

Category-leading airflow at a fraction of the noise of an AC blower, with variable speed across the range.

Baffle filtration

Dishwasher-safe stainless baffles — no mesh to clog, no cartridge to buy.

LED task lighting

Even light across the cooking surface, dimmable with the fan control.

One finish system


Matched to the range beneath it in Stainless or Signature Black Stainless.

Lifetime parts warranty

Parts covered for the life of the appliance, backed by the Restore & Renew refurbishment program.

60" PYRAMID WALL RANGE HOOD

DIMENSIONS & INSTALLATION — ALL FINISHES



SPECIFICATIONS

Nominal width	60"
Maximum airflow	1500 CFM
Duct	10 in round · top exit
Product weight	110 lb
Packaged weight	160 lb
Package W × D × H	64 × 22 × 34 in
Ceiling height, supplied chimneys	10 ft max
Chimney footprint	18 × 12½ in
Canopy D × H	24 × 18 in
Chimney	To lower 36½ in · max extended 55½ in
Chimney extension kits	Available separately for taller ceilings
Power	120 V · cord with NEMA 5-15P plug
Certification	ETL

Dimensions, cutout, electrical service and performance are identical across every finish in this family.

FINISHES

2 FINISHES — ONE PLATFORM

Dimensions, cutout, electrical service and performance are identical across every finish. Only the SKU, the hardware treatment and the exterior finish change.



Stainless Steel

S-RH60-PW-SS

Brushed 304 stainless with stainless hardware



Signature Black Stainless

S-RH60-PW-BS

Fingerprint-resistant black stainless with matching hardware