


VANITY CHAIR

Instruction Manual



Please read

1. Do not discard any of the packaging until you are certain that you have all the necessary parts for the assembly.
2. Please ensure that the packaging is disposed of in a safe and environmentally responsible way.
3. During assembly, tighten screws by hand only. Once all screws are in place, you may tighten all screws completely.

Caution


1. Never use this chair as a step ladder.
2. Check that screws have not become loosened every 6 months.
Re-tighten if necessary.
3. Do not allow children to play with or operate the mechanism.
4. Keep hands and feet clear of mechanism.
5. Only the occupant should operate mechanism.

Usage Troubleshoot


- Adjust the height of the chair to suit your height. If it is not suitable for you, please contact us for help.
- If the chair is tilted to one side or forward, make sure the screws the seat plate are tightened, make sure the chassis is not upside down, and contact us if the problem cannot be resolved.
- If the fabric of the chair is torn or stained when you receive it, please contact us to get the replacement part or compensation.
- If the chassis is broken, please contact us for a replacement or partial refund, please contact us for help.
- If part is missing, please contact us and provide the picture of the missing part, we will replace it.

Accessories List


(1) Backrest×1




(2) Seat Cushion×1




(3) Backrest
Frame×1




(4) Base Plate×1



(5) Split
Base Tube×5



(6) Central
Base Tube×1



(7) Air Rod×1




(8) Castors×5




(9) Screws
M6*12mm×10



(10) Screws
M6*30mm×5



(11) Screws
M6*20mm×6




(12) Hexagon×1




Step 1

Install backrest.



Step 2

Install Base Plate.




Step 3


Secure the backrest and seat cushion with screws.

(12) Hexagon

(10) Screws M6*30mm



(11) Screws
M6*20mm




Step 4

Install chair legs.


(12) Hexagon

(6) Central
Base Tube




(5) Split
Base Tube

(9) Screws
M6*12mm




Step 5

Install castors and air rod.




Step 6

Place the assembled seat and backrest onto the gas rod.



Step 7

Check that all screws are tightened.



Installation complete!